

---

# **CANCER INCIDENCE AND MORTALITY IN DELHI UT URBAN - 2001**

**Dr. VINOD RAINA, MD, FRCP**  
PROFESSOR OF MEDICAL ONCOLOGY  
&  
HEAD

**Dr. B.B.TYAGI, M.Sc., Ph.D**  
SCIENTIST – IV

**N. MANOHARAN, M.Sc., P.G.D.C.A.**  
SCIENTIST – I



**DELHI CANCER REGISTRY**  
**Dr. B. R. AMBEDKAR INSTITUTE ROTARY CANCER HOSPITAL**  
**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**  
**NEW DELHI – 110 029**

**2006**

---

## ACKNOWLEDGEMENTS

We are grateful to the Directors/Medical Superintendents, Head of the departments of Pathology, Radiotherapy and Medical records and other staff members of all the collaborating hospitals/Institutions who have co-operated with us by permitting our Medical Social Service Officers to collect the data on cancer patients in their care.

We are also thankful to the Health Officers and the staff of NDMC and MCD. They deserve special mention, for making death records of Delhi city available for abstracting information on cancer cases.

Finally we are also thankful to Dr. A. NandaKumar, Deputy Director (Sr.Gr) and Project Officer, NCRP, ICMR, Bangalore for the technical support.

---

## **STAFF OF DELHI CANCER REGISTRY**

1. Dr. Vinod Raina, M.D., FRCP - Head
2. Dr. B.B.Tyagi M.Sc., Ph.D - Scientist – IV
3. Mr. N.Manoharan M.Sc., P.G.D.C.A. - Scientist – I
4. Mr. Ashok Kumar Singh M.S.W - MSSO (Gr.I)
5. Mr. Ratnesh Kumar M.S.W. - MSSO (Gr.I)
6. Mr. Shambu Prasad Bhadola M.A. - MSSO (Gr.II)
7. Ms. Gayatri Sharma M.A. - MSSO (Gr.II)
8. Ms. Sudha Saxena M.A. - MSSO (Gr.II)
9. Mr. C.P.Singh M.S.W. - MSSO (Gr.II)
10. Ms. Indu Gaur M.S.W. - MSSO (Gr.II)
11. Mr.S.K.Rai M.S.W. - MSSO (Gr.II)
12. Mr.Anand Sharma M.S.W. - MSSO (Gr.II)
13. Ms. Veena Chauhan - DEO (Gr.I)
14. Ms. Garima Negi - LDC

---

## CONTENTS

1. Introduction .....	7
2. Population Estimate .....	8
3. Sources of Cancer data .....	9
4. Cancer Registration Method .....	10
5. Results .....	10
- Distribution of new cancer cases by age and site .....	12
- Crude, World age adjusted and Truncated incidence rates .....	13
- Leading sites of cancer by Crude incidence rates .....	14
- Leading sites of cancer by the World age adjusted incidence rates .....	15
- Leading sites of cancer by the truncated incidence rates .....	15
- Age-specific incidence rates .....	15
- Cancer in Pediatric age group .....	17
- Tobacco related cancers .....	17
- Method of diagnosis .....	18
- Histology .....	19
- Mortality .....	21

---

## LIST OF TABLES

SI No.	Subject	Page No.
Table 1:	Estimated resident population by 5 year age group and sex in Delhi UT Urban, 2001.	23
Table 2:	Percentage of incident cases of cancer by sources of registration in Delhi UT (Urban), 2001.	24
Table 3:	The percentage distribution of Delhi UT (Urban) population and new cancer cases by age and sex.	28
Table 4:	Number of new cancer cases by site group and sex.	28
Table 5:	Number of incident cases of cancer by five year age group and site (ICD.10) and percentages for males.	29
Table 6:	Number of incident cases of cancer by five year age group and site (ICD.10) and percentages for females.	30
Table 7:	Age specific, Crude, World age-adjusted and Truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for Males.	31
Table 8:	Age specific, Crude, World age-adjusted and Truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for Females.	32
Table 9:	Leading sites of cancer by Crude incidence rates (CR) per 100,000 persons for Males and Females.	33
Table 10:	Leading sites of cancer by World age-adjusted incidence rates(AAR) per 100,000 persons in Males and Females.	33
Table 11:	Leading sites of cancer by Truncated incidence rates (TCR) per 100000 persons for Males and Females.	33
Table 12:	Age specific incidence rates per 100,000 persons for all cancer sites by sex.	34
Table 13:	The highest incidence rate by age and sex per 100,000 populations.	34
Table 14:	The percentage distribution of ten most frequently occurring cancer (morbidity) in Pediatric age group in Males and Females.	35

<b>Sl No.</b>	<b>Subject</b>	<b>Page No.</b>
Table 15:	The distribution of Tobacco Related Cancer (TRC) cases in Males and Females.	35
Table 16:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Males.	36
Table 17:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Females.	37
Table 18:	Number of Histologically proved Incident Cases of Cancer by Histology and sex with percentages.	38
Table 19:	Number of Histologically proved incident cases of cancer by site group (ICD. 10) and sex 2001.	39
Table 20:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Males.	43
Table 21:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Females.	44
Table 22:	Age specific, Crude, World age-adjusted (AAMR) and Truncated (35-64 years) (TMR) death rates per 100,000 persons by site in Males.	45
Table 23:	Age specific, Crude, World age-adjusted (AAMR) and Truncated (35-64 years) (TMR) death rates per 100000 persons by site in Females.	46
Table 24:	Annual age specific death rates per 100,000 persons by sex.	47
Table 25:	Leading sites of cancer mortality by crude mortality rates (CMR) per 100,000 persons in Males and Females.	47
Table 26:	Leading sites of cancer mortality by world age-adjusted mortality rates (AMR) per 100,000 persons in Males and Females.	48
Table 27:	Leading sites of cancer mortality by truncated (35-64 years) mortality rates (TMR) per 100,000 persons in Males and Females.	48

---

## INTRODUCTION

The population based cancer registry at Institute Rotary Cancer Hospital (IRCH), All India Institute of Medical Sciences (AIIMS), New Delhi was established in January 1986 with the aim of obtaining reliable morbidity and mortality data on cancer among the Delhi residents.

The registry collects morbidity and mortality data on cancer patients from 159 major Govt. Hospital centers and Institutions, more than 250 private hospitals and nursing homes, and the Dept. of Vital Statistics of the Delhi Municipal Corporation, New Delhi Municipal Committee and the Cantonment Board.

The data presented in this report pertains to all cancer cases (incident cases) registered at Delhi cancer registry during 2001. There has been no change in cancer registration system methodology, diagnostic criteria and working of the registry from the previous years.

Delhi is a densely populated urban metropolis situated between the Himalayas and the Aravalli range in the heart of Indian sub-continent. It lies between 28° 25' and 28° 53' North latitude and 76° 50' and 73° 20' East longitude. It is surrounded on the north, west and south by Haryana and the east by the Uttar Pradesh. The Delhi State for the purpose of census was divided into 4 tracts viz.:-

- (i) Delhi Municipal Corporation (Urban)
- (ii) New Delhi Municipal Committee

- 
- (iii) Delhi Cantonment and
  - (iv) 29 Census towns

The population census is taken every ten years in India, the last one being in year 2001. According to 2001 census the population in Delhi UT Urban is 1,28,19,761 (Males: 70,30,671; Females: 57,82,090). The sex ratio in Delhi is 822 females per 1000 males. The density of population is 9294 persons per sq. km. as against 6352 persons in 1991.

The total area of NCT of Delhi is 1483 Sq. kms. As per Population Census 1991, their rural and urban compositions are 797.66 sq. kms and 685.34 sq. kms respectively.


During Population Census 2001, the area of NCT of Delhi has remained the same at 1483 Sq. kms. However, its rural-urban composition has undergone change. According to provisional results released by Directorate of Census Operations, Delhi, rural-urban break-up of N.C.T. of Delhi is 591.91 Sq. kms and 891.09 sq. kms respectively.

Since the population by age is available for Delhi UT areas only, it was therefore suggested that Delhi Registry may be defined for Delhi UT Urban areas only.

## **POPULATION ESTIMATES**

The population of Delhi UT urban areas as on 1<sup>st</sup> July 2001 was estimated by assuming an exponential rate of growth for each group by taking the base of 1991 and 2001 census

figures. The estimated population as on July 2001 was presented in table 1.



## SOURCES OF CANCER DATA

The sources of cancer data are more than 159 major Government hospital centers, 250 private hospitals and nursing homes and Department of Vital Statistics of New Delhi Municipal Committee and Delhi Municipal Corporation.

From these sources, a total of 9825 cases (Males-4948, Females-4877) were registered during the year 2001. The detail of various sources of information is given in Tables 2.

---

## CANCER REGISTRATION METHOD

Medical Social Service Officers (MSSO) visits various hospitals and nursing homes and interviews the patients who are either undergoing cancer treatment or being investigated for cancer. They also examine the case records maintained by various departments of these hospitals viz. Pathology, Hematology, Radiology etc. All the information collected is cross-checked for completeness of the data. Some time same patient may register his/her name in more than one hospital for treatment. So care has been taken to exclude duplicates and ensure that each patient is included only once in the records.

MSSO's also personally visit the offices of New Delhi Municipal Committee and Municipal Corporation of Delhi and collect information about deaths where the death certificates states the cause of death as cancer or tumours. These death records are then matched with the morbidity records. Cases not matching with the records are registered as Death certificates only cases (DCO's) in that corresponding year.

## RESULTS


During 2001 a total of 9825 cancer cases were registered. Among them 4948 (50.4%) were males and 4877 (49.6%) were females. The age and sex distribution of resident population and new cancer cases given in table 3.

***In the previous year, 9283 cases were registered of whom 4704 (50.7%) were males and 4579 (49.3%) were females. This represents an***

---

*absolute increase of 542 cases. Adjusted to the increase in the estimated population, there is no statistically significant increase in incidence cases over the year.*

The percentage of new cancer cases was more in the age group 35-64 years as compared to other age groups in both sexes. In children (0-14 Years) and in older individuals (age more than 65 years), the cancer incidence is more in males as compared to females. The incidence of cancer is similar in both males and females in the age group 15-34 years.



The percentage distribution of new cancer cases by site grouping was presented in table 4.

Among males, Digestive organs (ICD10: C15-C26, 18.8%), Respiratory organs (ICD10: C30-C39, 17.7%), and Lymphoid & haematopoietic and related tissue (ICD10: C81-C96, 16.1%) are leading site group of cancer.

---


The predominant site group of cancer for females during the year 2001 are Female genital organs (ICD10: C51-C58, 27.6%) followed by Breast (ICD10: C50, 25.8%) and Digestive organs (ICD10: C15-C26, 15.2%).

### DISTRIBUTION OF NEW CANCER CASES BY AGE AND SITE


The detailed distribution of new cancer cases by age and site is given in tables 5 and 6 for males and females respectively.

In males, cancer of lung (11.0%) is the leading site followed by cancer of Larynx (6.1%), Tongue (5.8%), Prostate (5.4%) and Non Hodgkin's lymphoma (5.2%). In males, the leading site cancer of Lung occurred maximum in the age group 60-64 years.

**Fig. 3. Percentage distribution of Five leading sites of Cancer in Males, 2001**



In females, cancer of Breast (25.8%), Cervix (16.3%), Ovary (7.1%), Gall bladder (6.5%) and Non Hodgkin's lymphoma (2.7%) were five leading sites. Similarly, the female leading site, cancer of breast occurred maximum in the age group 50-54 years.



### **CRUDE, WORLD AGE ADJUSTED AND TRUNCATED INCIDENCE RATES**


The detailed information regarding the crude incidence rate, World-Age adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site for males and females are given in tables 7 and 8.

The crude incidence rates were 68.9 and 82.6 per 100,000 persons for males and females respectively.

The world age-adjusted (AAR) for all sites among the males and females are 110.7 and 119.0 per 100,000 persons respectively for the year 2001.

The truncated incidence rates (TCR) for ages 35-64 years per 100,000 persons for males and females for all sites are 193.4 and 261.5 per 100,000 persons respectively.

Fig. 5. Crude (CR), Age-adjusted (AAR) and Truncated (TR) Incidence Rates, 2001



## LEADING SITES OF CANCER BY CRUDE INCIDENCE RATES

Leading sites of cancer by crude incidence rates for males and females are presented in table 9.

In males, the predominant site of cancer by crude incidence rate was lung (7.6) followed by larynx (4.2), tongue (4.0), prostate (3.7) and Non Hodgkin's lymphoma (3.6).

The five leading sites of cancer by crude incidence rates for females are breast (21.3), cervix (13.5), ovary (5.9), gall bladder (5.4) and corpus uteri (2.3).

---

## **LEADING SITES OF CANCER BY THE WORLD AGE-ADJUSTED INCIDENCE RATES**

The world age adjusted incidence rates for leading sites of cancer for males and females are presented in table 10.

The five leading sites as per AAR for males are lung (13.7), prostate (7.8), larynx (7.5), tongue (6.7) and urinary bladder (6.1) while in females breast (30.4), cervix (19.8), gall bladder (8.4), ovary (7.9) and corpus uteri (3.7) are the five leading sites.

## **LEADING SITES OF CANCER AS PER TRUNCATED (35-64 years) INCIDENCE RATES (WORLD POPULATION)**

The leading cancer sites as per truncated incident rates are presented in table 11.

Among males, the predominant sites of cancer for the year 2001 are lung (26.7), larynx (14.9), tongue (14.2), esophagus (10.3) and urinary bladder (9.8).


In females breast (74.3), cervix (49.0), ovary (18.1), Gall Bladder (17.8) and Corpus uteri (8.7) are five leading sites as per truncated incidence rates.

## **AGE-SPECIFIC INCIDENCE RATES**

The age-specific incidence rates per 100,000 persons for all cancer sites for both sexes are presented in table 12.

In general, the age specific incident rates were found to increase sharply with age in both the sexes. The age-specific incidence rates were higher in females as compared to males in the ages 25 to 59 years. The difference in rates may be due to the occurrence of

cancers involving the female genital organs and breast in that age group. At older ages, the incident rates are higher in males in comparison to females (perhaps due to high incidence of lung, larynx and prostate cancers).



The highest incidence rates by primary site in males and females by age-wise are presented in table 13.

In males, in children (age < 15 years), the Lymphoid Leukemia was found to be the most predominant. In age 15-24 years bone was the leading site of cancer whereas in the age group 25-29 and 35-39 years brain was the predominant site of cancer. The lung was the leading site in the age group 40-69 years and in the age above 70 years, prostate cancer was found to be with highest incidence.

In females cancer of the breast was found to be predominant site for the age above 25 years except in the age group 60-64 where the cancer of cervix uteri is the predominant.

---

## **CANCER IN PAEDIATRIC AGE GROUP (0-14years)**

Pediatric Cancers constituted 489 (5.0%) of all cancer registered during the year 2001.


The distributions of ten leading sites of cancer occurring in pediatric age groups are presented for males and females in table 14.

In male children the predominant site of cancer was Lymphoid leukemia (25.0%) followed by brain and nervous system (10.5%), Non-Hodgkin's Lymphoma (7.8%), Hodgkin's disease (6.6%) and bone (6.0%) and in female children, Lymphoid Leukemia (17.8%) was the leading site followed by brain and nervous system (15.3%), bone (9.6%), kidney (7.6%) and Myeloid Leukemia (6.4%).

## **TOBACCO RELATED CANCERS**

Cancers of the lip, tongue, mouth, pharyngeal cancers (excluding nasopharynx), oesophagus, larynx, lung and urinary bladder were considered as sites of cancer related to tobacco use.

The distribution of tobacco related cancers by sex are presented in table 15. During 2001, tobacco related cancers constituted for 33.4% of all cancers in males and 8.3% of all cancers in females. Among the tobacco related cancer sites, cancer of the lung was the most common site (32.8%) followed by the cancer of larynx (18.3%) and urinary bladder (14.4%). In females, cancer of the lung (26.7%) was the leading site associated with tobacco related cancer followed by oesophagus (25.7%) and oral cavity (15.9%).



## METHOD OF DIAGNOSIS

The reliability of the data collected on the incident cases of cancers is greatly depend on the method on which basis the diagnosis of cancer was made and microscopic confirmation of cancer is generally considered as the most valid basis of diagnosis

The detailed tables of incident cases of cancer by most valid basis of diagnosis by site (ICD 10) by sex are presented in table nos.16 and 17.

During 2001, 8238 (83.8%) cases were microscopically confirmed. The percentage of cases with microscopic proof of cancer diagnosis was more in males (85.5%) compared to females (82.2%). The numbers of case registered through death certificates only in males and females are 61 (1.2%) and 55(1.1%) respectively.

Fig. 8.

Percentage distribution of cancer cases by method of diagnosis, Males, 2001





Fig. 9.

Percentage distribution of cancer cases by method of diagnosis, Females, 2001



## HISTOLOGY

The various histological varieties observed for all sites together during 2001 by sex with percentage distribution is presented in table 18.

---

Epithelial Neoplasm's are found to be the commonest histological type constituting about 33.9% of the total number of the histologically proved cases. This is the most common variety affecting both males and females. The second common variety affecting both males and females is papillary and squamous cell neoplasms.

The distribution of histologically proved incident cases of cancer by site groups (ICD. 10) and sex are presented in Table 19. The majority of cancers involving lip, oral cavity, and pharynx are squamous cell carcinomas (63.4%). In digestive organs the epithelial neoplasms (52.5%) were most predominant followed by adenocarcinomas (32.4%). In respiratory system also most cancers were of the epithelial neoplasms. Osteosarcomas (30.8%) were the most common histological variety affecting bone and articular cartilage.

The majority of malignant tumours involving skins are Papillary and squamous cell carcinomas (37.4%) followed by basal cell neoplasms (23.5%). Soft tissue tumor & sarcoma NOS (32.2%) are the leading histology found in the site group of mesothelial and soft tissues. Most malignant tumors in breast are ductal, lobular and medullary neoplasms (54.9%). Epithelial neoplasms (40.8%) followed by squamous cell carcinomas (35.2%) are the common malignancies found in female genital organs, whereas the epithelial neoplasm (43.4%) followed by mucoepidermoid neoplasm (38.5%) are the common histology found in male genital organs. The most common type of cancer in the urinary tracts are transitional cell carcinomas (36.4%) followed by adenocarcinomas (31.4%).

Gliomas (77.0%) were the common histological variety affecting the brain and nervous system. Follicular and adenocarcinomas accounted for 30.5% of malignancies found in thyroid and endocrine glands.

---

Lymphomas, NOS or diffuse accounted for 31.6% in lymphatic system followed by myeloid leukemias (19.1%).

## **MORTALITY**

The mortality data has been obtained from the death records maintained by the vital statistics division of New Delhi Municipal Committee, Municipal Corporation of Delhi, Delhi Cantonment Board and from all the collaborating hospitals. Copies are made for all death certificates, which mention the words 'Cancer' or 'Tumor' as cause of death.

The distribution of cancer deaths by age for males and females are presented in tables 20 and 21.


The crude mortality rate, age-specific mortality rate, world-age adjusted mortality rate and truncated mortality rate (35-64) years per 100,000 persons by age and site (ICD10) for males and females are presented in tables 22 and 23.

The crude mortality rate for all sites for males was 8.3 while in female it was 6.7 per 100,000 populations.

The age-adjusted death rates and truncated death rates for all sites were 13.5 and 22.5 respectively for males and 9.8 and 18.8 respectively for females.

Registry staff faced a lot of problems in collecting mortality data as all the death records were not available in some of the hospitals and MCD. This may explain the lower mortality rates for the year 2001.

Annual age-specific death rates per 100,000 persons by sex are presented in table no. 24. In general, in both males and females, the age-specific death rates were found to increase with advancing age. The rates for males are more compared to females in all age group.



The leading sites of cancer mortality by crude mortality rate (CMR), age-adjusted mortality rate (AAMR) and truncated mortality rate (TMR) for males and females are given in tables 25 to 27. According to CMR, AMR and TMR, deaths from cancers of the lung top the list in males whereas it was breast in females.

**TABLE 1**

Estimated Delhi Population by Age and Sex as on July 1st, 2001

Age group	MALES		FEMALES		Total	
	No.	%	No.	%	No.	%
00-04	686427	9.55	596454	10.11	1282881	9.80
05-09	775588	10.79	676113	11.46	1451701	11.09
10-14	787533	10.96	684789	11.60	1472322	11.25
15-19	773560	10.76	581096	9.85	1354656	10.35
20-24	773370	10.76	579909	9.83	1353279	10.34
25-29	706117	9.83	579572	9.82	1285689	9.82
30-34	596954	8.31	495427	8.39	1092381	8.35
35-39	549354	7.64	455343	7.72	1004697	7.68
40-44	442897	6.16	331844	5.62	774741	5.92
45-49	336511	4.68	261581	4.43	598092	4.57
50-54	246906	3.44	183927	3.12	430833	3.29
55-59	160714	2.24	136999	2.32	297713	2.27
60-64	124920	1.74	121802	2.06	246722	1.89
65-69	92073	1.28	93117	1.58	185190	1.41
70-74	66480	0.93	60833	1.03	127313	0.97
75+	66902	0.93	63021	1.07	129923	0.99
<b>Total</b>	<b>7186306</b>	<b>100.00</b>	<b>5901827</b>	<b>100.00</b>	<b>13088133</b>	<b>100.00</b>

**TABLE 2**

Number of incident cases of cancer by sources of registration and sex in Delhi UT (Urban),2001

Source	Name of Source	MALES		FEMALES		Total	
		No.	%	No.	%	No.	%
001\002	AIIMS/IRCH	961	19.4	719	14.7	1680	17.1
003	Safdarjung	465	9.4	514	10.5	979	10.0
004	Inst. Of Pathology	37	0.7	35	0.7	72	0.7
005	Inst. Of Otho.	0	0.0	0	0.0	0	0.0
006	UCMS/GTB	172	3.5	167	3.4	339	3.5
007	CRC/MAMC/LNJP	609	12.3	740	15.2	1349	13.7
008	GB Pant	86	1.7	74	1.5	160	1.6
009	LHMC/KSH	106	2.1	142	2.9	248	2.5
010	Command H	7	0.1	5	0.1	12	0.1
011	Base H	2	0.0	0	0.0	2	0.0
012	MCKR H.	4	1.0	9	0.2	13	0.1
013	Holy Family	33	0.7	22	0.5	55	0.6
014	Gangaram	301	6.1	240	4.9	541	5.5
015	Batra	286	5.8	224	4.6	510	5.2
016	St.Stephen	49	1.0	61	1.3	110	1.1
017	Modi	0	0.0	1	0.0	1	0.0
018	RMLH	215	4.3	204	4.2	419	4.3
019	Hindu Rao	13	0.3	19	0.4	32	0.3
020	ESI	48	1.0	85	1.7	133	1.4
021	Tirath Ram	0	0.0	3	0.1	3	0.0
022	Jessaram	1	0.0	0	0.0	1	0.0
023	SL Jain	0	0.0	0	0.0	0	0.0
024	TMH, Mumbai	27	0.5	26	0.5	53	0.5
025	Deen Dayal	49	1.0	66	1.4	115	1.2
026	Khera H.	0	0.0	0	0.0	0	0.0
027	S L Kapoor	0	0.0	0	0.0	0	0.0
028	MCD	2	0	0	0.0	2	0.0
029	NDMC	1	0	1	0.0	2	0.0
030	Majethia	1	0.0	4	0.1	5	0.1
031	Northern Railway	1	0.0	0	0.0	1	0.0
032	Jeevan Nursing H.	2	0.0	1	0.0	3	0.0
033	Can Det (Sahadra)	0	0.0	0	0.0	0	0.0
034	Can Det (Beng)	0	0.0	0	0.0	0	0.0
035	Cyto.&Hist. Lab.	2	0.0	1	0.0	3	0.0
036	Diagnostic centre	0	0.0	0	0.0	0	0.0
037	Diwan chand	2	0.0	2	0.0	4	0.0
038	Daya Memo. H.	0	0.0	0	0.0	0	0.0
039	Jeevodaya H.	0	0.0	0	0.0	0	0.0
040	Veena Med. Cen.	1	0.0	0	0.0	1	0.0
041	Handa X-ray	0	0.0	0	0.0	0	0.0
042	New Path. Cl.	0	0.0	1	0.0	1	0.0
043	Lalaram H.	4	0.1	2	0.0	6	0.1

Source	Name of Source	MALES		FEMALES		Total	
		No.	%	No.	%	No.	%
091	Indian Red Cros H	0	0.0	0	0.0	0	0.0
044	Patel Chest	0	0.0	0	0.0	0	0.0
045	Delhi Nursing H.	0	0.0	0	0.0	0	0.0
046	Deepak Man H.	0	0.0	0	0.0	0	0.0
047	Police H.	0	0.0	0	0.0	0	0.0
048	Daulat ram H.	0	0.0	0	0.0	0	0.0
049	Bali Nursing H.	0	0.0	0	0.0	0	0.0
050	CD Lab.	0	0.0	0	0.0	0	0.0
051	Aashlok H.	0	0.0	0	0.0	0	0.0
052	Shyam lal H.	0	0.0	0	0.0	0	0.0
053	Mata CD H.	2	0.0	3	0.1	5	0.1
054	L & C Lajpat	0	0.0	0	0.0	0	0.0
055	Deepak Memo. H.	0	0.0	0	0.0	0	0.0
056	Sood Nursing H.	0	0.0	0	0.0	0	0.0
057	Central CL L	0	0.0	0	0.0	0	0.0
058	Anubhuv CH L	0	0.0	0	0.0	0	0.0
059	Dr.Sudhir Lab.	11	2.0	8	0.2	19	0.2
060	Mahajan Nurs. H.	0	0.0	0	0.0	0	0.0
061	Jaipur G H.	0	0.0	2	0.0	2	0.0
062	Shama Nursing H	0	0.0	1	0.0	1	0.0
063	MMR Lab	1	0.0	0	0.0	1	0.0
064	RBTB H	0	0.0	0	0.0	0	0.0
065	Maha Laxmi H	0	0.0	0	0.0	0	0.0
066	Kolmat H	0	0.0	0	0.0	0	0.0
067	Shankar H	0	0.0	0	0.0	0	0.0
068	Maharaja Ug H	4	0.1	3	0.1	7	0.1
069	Parmarath N H	0	0.0	0	0.0	0	0.0
070	National CI	1	0.0	0	0.0	1	0.0
071	Astha Nurs & M H	0	0.0	0	0.0	0	0.0
072	Wallia Nursing H	0	0.0	0	0.0	0	0.0
073	Sanjeevan Nursing	0	0.0	1	0.0	1	0.0
074	Handa X-ray C L	0	0.0	0	0.0	0	0.0
075	Kasturba H	0	0.0	0	0.0	0	0.0
076	Private Nursing H	0	0.0	1	0.0	1	0.0
077	Roop Nagar H	1	0.0	0	0.0	1	0.0
078	Swami Dayanand	3	0.1	1	0.0	4	0.0
079	Ashok Vihar NH	0	0.0	0	0.0	0	0.0
080	Med. Tech. Dia. C	3	1.0	1	0.0	4	0.0
081	Private Diag Lab	16	0.3	20	0.4	36	0.4
082	Sehgal's N. Re. I	0	0.0	0	0.0	0	0.0
083	ESI H Jhilmil	0	0.0	0	0.0	0	0.0
084	Charak Palika H	1	0.0	0	0.0	1	0.0
085	Cancer Inst Adyar	0	0.0	0	0.0	0	0.0
86	Mangalam H	0	0.0	0	0.0	0	0.0
087	Inst. Of Nucl Med.	1	0.0	0	0.0	1	0.0
088	Anubhav C Model	0	0.0	0	0.0	0	0.0
089	CMC Vellore	0	0.0	0	0.0	0	0.0
090	Shakti Diag Lab	0	0.0	0	0.0	0	0.0

Source	Name of Source	MALES		FEMALES		Total	
		No.	%	No.	%	No.	%
091	Indian Red Cros H	0	0.0	0	0.0	0	0.0
092	Sarvodaya Med R	0	0.0	0	0.0	0	0.0
093	Poonam MF Pune	1	0.0	0	0.0	1	0.0
094	Suprime Diag C	0	0.0	0	0.0	0	0.0
095	Holy Angles NH	0	0.0	0	0.0	0	0.0
096	Sanjay H Mangol	1	0.0	1	0.0	2	0.0
097	Anand Hospital	57	1.2	43	0.9	100	1.0
098	Spring Meadows	1	0.0	0	0.0	1	0.0
100	Delhi X-rays CL	0	0.0	1	0.0	1	0.0
101	Khetarpal H	0	0.0	0	0.0	0	0.0
102	Sadiba Diag	0	0.0	0	0.0	0	0.0
103	Jain Medical C	2	0.0	1	0.0	3	0.0
104	B S Diag Cl	0	0.0	0	0.0	0	0.0
105	Gambhir Surg Cl	0	0.0	0	0.0	0	0.0
106	Janta X-ray & C	4	0.1	9	0.2	13	0.1
107	Mohinder H	0	0.0	1	0.0	1	0.0
108	Keshlata Can H	0	0.0	0	0.0	0	0.0
109	Dr Sachdeva's Cl	0	0.0	0	0.0	0	0.0
110	Prem Sagar Diag	0	0.0	0	0.0	0	0.0
111	South Delhi Ultra	0	0.0	1	0.0	1	0.0
112	Rohtak Me College	0	0.0	0	0.0	0	0.0
113	Taneja H	0	0.0	0	0.0	0	0.0
114	Springdales M C	0	0.0	0	0.0	0	0.0
115	Dr Sarma's Cl	0	0.0	0	0.0	0	0.0
116	Jeewan Mata H	0	0.0	0	0.0	0	0.0
117	Saral Diag C	1	0.0	0	0.0	1	0.0
118	UI Sound & X-ray	0	0.0	0	0.0	0	0.0
119	Holy Child NH	0	0.0	0	0.0	0	0.0
120	Dr R C Khandpur	1	0.0	3	0.1	4	0.0
121	S S Diag Centre	0	0.0	0	0.0	0	0.0
122	Himanshu Diag C	0	0.0	0	0.0	0	0.0
123	Kukreja NH	0	0.0	0	0.0	0	0.0
124	Lab Histo & Cyto	1	0.0	1	0.0	2	0.0
125	West Delhi Med C	0	0.0	0	0.0	0	0.0
126	Classic Diag L	0	0.0	0	0.0	0	0.0
127	Sita Pati Cl	0	0.0	0	0.0	0	0.0
128	City Clinic	3	0.1	5	0.1	8	0.1
129	Nizam Inst.	0	0.0	0	0.0	0	0.0
130	Surya Nursing H	1	0.0	0	0.0	1	0.0
131	Dr H K Dua's L	0	0.0	0	0.0	0	0.0
132	Narender Mohan	1	0.0	0	0.0	1	0.0
133	Dr. Sood Lab.	0	0.0	0	0.0	0	0.0

Source	Name of Source	MALES		FEMALES		Total	
		No.	%	No.	%	No.	%
134	Hinduja H,Mumbai	0	0.0	0	0.0	0	0.0
135	Life Line Lab.	2	0.0	1	0.0	3	0.0
136	Ruby Hall Clinic	0	0.0	0	0.0	0	0.0
137	Aligarh Med.Coll.	0	0.0	0	0.0	0	0.0
138	Sudha rama lab.	0	0.0	0	0.0	0	0.0
139	GMR Institute	0	0.0	0	0.0	0	0.0
140	Balaji Hospital	0	0.0	0	0.0	0	0.0
141	Bombay H.Trust	4	0.1	5	0.1	9	0.1
142	Dr.Verma's US	7	0.1	7	0.1	14	0.1
143	Pushpanjali MC	0	0.0	0	0.0	0	0.0
144	Healing Nur. H.	0	0.0	0	0.0	0	0.0
145	N Delhi Path Cl.	1	0.0	0	0.0	1	0.0
146	N Delhi S Res Inst	0	0.0	0	0.0	0	0.0
147	Santokha Del.H.	0	0.0	0	0.0	0	0.0
148	PGI,Chandigarh	0	0.0	0	0.0	0	0.0
149	Sita Ram B Inst.	1	0.0	2	0.0	3	0.0
150	Escort H.	0	0.0	0	0.0	0	0.0
151	Dharamshila H.	226	4.6	232	4.8	458	4.7
152	Skin Inst S Der.	0	0.0	0	0.0	0	0.0
153	Rajiv Gandhi C.H.	915	18.5	954	19.6	1869	19.0
154	Delhi Path Cen	0	0.0	0	0.0	0	0.0
155	Anand Nur. H.	0	0.0	1	0.0	1	0.0
156	Sitaram H.	0	0.0	0	0.0	0	0.0
157	Gautam H.	0	0.0	0	0.0	0	0.0
158	Micro Lab.	0	0.0	0	0.0	0	0.0
159	Apollo H.	76	1.5	83	1.7	159	1.6
99/999	Others	110	2.2	116	2.4	226	2.3
	<b>TOTAL</b>	<b>4877</b>	<b>100.0</b>	<b>4948</b>	<b>100.0</b>	<b>9825</b>	<b>100.0</b>

**TABLE 3**

The Percentage distribution of Delhi UT urban population and new cancer cases by age and sex, 2001

Age group	POPULATION			NEW CANCER CASES		
	Male %	Female %	Total %	Male %	Female %	Total %
00-14	31.3	33.2	32.1	6.7	3.2	5.0
15-34	39.7	37.9	38.9	10.6	10.4	10.5
35-64	25.9	25.3	25.6	55.4	67.4	64.4
65+	3.4	3.7	3.4	27.3	19.0	23.2
<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**TABLE 4**

Number of new cancer cases by Site Group and sex, 2001.

S.No.	SITE GROUP	ICD 10	MALES		FEMALES		Total	
			Cases	%	Cases	%	Cases	%
1	LIP, ORAL CAVITY & PHRYNX	C00-C14	719	14.5	213	4.4	932	9.5
2	DIGESTIVE ORGANS	C15-C26	929	18.8	740	15.2	1669	17.0
3	RESP & INTRA THORACIC ORG	C30-C39	876	17.7	161	3.3	1037	10.6
4	BONE & ARTICULAR CARTILAGE	C40-C41	106	2.1	60	1.2	166	1.7
5	MELANOMA OF SKIN	C43-C44	68	1.4	56	1.1	124	1.3
6	MESOTHELIL & SOFT TISSUE	C45-C49	126	2.5	110	2.3	236	2.4
7	BREAST	C50	19	0.4	1256	25.8	1275	13.0
8	FEMALE GENTIAL ORGANS	C51-C58	0	0	1347	27.6	1347	13.7
9	MALE GENTIAL ORGANS	C60-C63	355	7.2	0	0	355	3.6
10	URINARY TRACT	C64-C68	349	7.1	96	2.0	445	4.5
11	EYE ,BRAIN & OTH PARTS OF CNS	C69-C72	232	4.7	117	2.4	349	3.6
12	THYROID & OTH ENDO GLANDS	C73-C75	67	1.4	117	2.4	184	1.9
13	ILL DEFINED SEC & UNS SITES	C76-C80	304	6.1	195	4.0	499	5.1
14	LYMP, HAEMATO & RELATED TISSUES	C81-C96	798	16.1	409	8.4	1207	12.3
	<b>ALL SITES (C00-C96)</b>		<b>4948</b>	<b>100.0</b>	<b>4877</b>	<b>100.0</b>	<b>9825</b>	<b>100.0</b>

## TABLE 5

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Males, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	1	0	3	0	0	1	0	1	0	0	6	0.1
C01-02	Tongue	1	0	2	0	2	6	3	12	25	32	46	48	39	34	15	20	3	288	5.8
C03-06	Mouth	0	1	0	1	0	2	4	6	14	17	19	16	30	19	8	10	1	148	3.0
C07-08	Salivary Gland	1	0	0	0	2	1	3	1	2	3	1	2	2	6	3	0	0	27	0.6
C09	Tonsil	1	0	0	1	0	0	1	7	7	11	20	14	11	7	8	6	3	97	2.0
C10	Oth. Oropharynx	0	0	0	0	0	0	0	1	0	5	1	1	3	3	3	1	0	18	0.4
C11	Nasopharynx	0	0	5	3	2	0	1	2	1	1	4	0	5	1	1	1	0	27	0.6
C12-13	Hypopharynx	1	0	0	0	0	1	0	2	7	6	17	7	17	11	18	10	0	97	2.0
C14	Pharynx Unsepcif.	0	0	0	0	0	0	0	0	2	0	1	2	5	0	0	1	0	11	0.2
C15	Oesophagus	0	0	0	0	0	1	4	12	13	13	35	39	30	20	15	18	0	200	4.0
C16	Stomach	2	1	0	1	0	1	1	10	16	12	22	19	23	15	10	15	0	148	3.0
C17	Small Intestine	0	0	0	1	0	0	1	1	2	2	1	0	3	0	0	2	0	13	0.3
C18	Colon	1	0	0	2	1	1	3	12	14	13	13	11	12	11	8	6	1	109	2.2
C19-20	Rectum	0	1	0	2	3	9	9	2	8	7	10	11	5	6	7	11	1	92	1.9
C21	Anus & Anal Canal	0	0	0	0	1	3	2	1	5	3	7	0	5	4	4	5	0	40	0.8
C22	Liver	5	1	0	2	4	4	2	3	2	6	22	10	13	9	7	7	1	98	2.0
C23-24	Gall Bladder	0	0	0	0	1	2	4	2	13	14	31	22	18	14	8	13	3	145	2.9
C25	Pancreas	0	0	0	0	1	1	4	6	9	3	5	9	16	9	12	6	1	82	1.7
C30-31	Nose, Sinus etc.	1	0	0	0	0	2	0	0	3	1	1	3	1	0	0	1	1	14	0.3
C32	Larynx	1	0	1	0	1	1	2	15	23	29	45	37	56	38	32	21	2	304	6.1
C33-34	Lung etc.	1	1	1	0	2	1	5	17	26	44	80	88	98	67	61	44	5	544	11.0
C37-38	Other Thoracic Org	0	0	1	0	0	2	0	2	0	0	1	2	2	0	2	0	0	12	0.2
C40-41	Bone	5	2	13	23	17	5	1	4	4	7	3	4	10	3	2	3	0	106	2.1
C43	Melanoa of Skin	0	0	0	0	0	0	2	0	0	1	1	0	1	1	0	0	0	6	0.1
C44	Other Skin	1	1	0	1	0	1	3	4	4	9	8	11	8	5	4	2	0	62	1.3
C45	Mesothelioma	0	0	0	0	0	0	0	1	2	1	7	1	0	2	0	3	0	17	0.3
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss	7	1	4	9	9	7	4	6	7	1	9	10	8	1	4	2	1	90	1.8
C50	Breast	0	0	0	0	0	0	0	0	3	1	2	2	6	2	2	1	0	19	0.4
C60	Penis	0	0	0	1	3	0	4	4	5	6	3	1	4	1	4	4	0	40	0.8
C61	Prostate	0	0	0	0	0	0	0	0	1	4	9	26	37	58	61	67	2	265	5.4
C62	Testis	3	0	0	5	8	4	12	5	5	2	0	3	0	0	1	0	0	48	1.0
C63	Other Male Genital	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2	0.0
C64	Kidney	15	2	1	1	1	3	2	5	9	12	3	10	13	15	7	4	4	107	2.2
C65	Renal Pelvis	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0	3	0.1
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	7	0	0	0	1	3	3	8	11	18	24	38	33	33	31	28	1	239	4.8
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	10	2	0	2	1	0	0	0	0	1	0	1	0	0	0	0	2	19	0.4
C70-72	Brain, Nervous Sys	7	14	14	7	14	19	14	21	14	17	16	12	21	9	9	3	2	213	4.3
C73	Thyroid	0	1	0	1	1	7	5	4	4	3	8	5	3	3	3	1	2	51	1.0
C74	Adrenal Gland	8	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	11	0.2
C77	Sec Lymph Node	3	0	1	1	0	1	3	4	2	5	10	12	7	7	1	6	1	64	1.3
C78	Sec Resp & Digest	1	0	0	0	0	0	0	2	6	4	7	6	6	11	5	6	0	54	1.1
C79	Sec Other	1	0	0	0	2	0	1	5	2	10	6	14	6	11	7	6	0	71	1.4
C81	Hodgkins Disease	2	11	9	12	7	7	3	10	5	8	6	7	3	5	4	3	2	104	2.1
C82-85, C96	NHL	7	13	6	9	13	16	8	17	17	23	30	18	22	27	25	6	1	258	5.2
C90	Multiple Myeloma	0	0	1	0	1	0	0	0	3	14	14	18	11	7	6	9	1	85	1.7
C91	Leukaemia Uns	27	28	28	10	7	4	3	5	2	5	4	7	8	5	8	3	3	157	3.2
C92-94	Myeloid Leukaemia	3	4	10	16	13	10	16	11	16	2	11	4	9	8	2	5	1	141	2.9
C95	Leukaemia Uns	3	7	7	5	4	4	4	3	2	4	0	3	1	1	2	1	1	52	1.1
O&U	Other and Uns	6	3	2	3	5	4	6	7	17	12	19	9	11	18	9	12	1	144	2.9
	<b>All Sites</b>	131	94	107	120	128	133	144	242	333	395	583	563	623	509	420	373	50	4948	00.0
	<b>%</b>	1.0	1.1	1.0	1.0	2.3	3.6	5.5	8.2	10.7	10.8	13.5	10.6	11.5	8.1	5.9	4.6	0.0	100.0	

## TABLE 6

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Females, 2001.

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	3	0.1
C01-02	Tongue	4	0	0	0	3	1	5	6	6	12	6	11	8	6	2	5	0	75	1.5
C03-06	Mouth	0	0	0	0	0	1	3	7	5	9	8	5	9	6	8	1	1	63	1.3
C07-08	Salivary Gland	0	0	1	1	0	0	1	3	1	2	1	2	3	0	2	0	0	17	0.4
C09	Tonsil	0	0	0	0	0	1	1	0	0	2	3	0	4	1	1	1	0	14	0.3
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	3	0.1
C11	Nasopharynx	0	0	0	0	1	1	1	1	1	1	0	1	2	1	0	0	0	10	0.2
C12-13	Hypopharynx	0	0	0	0	1	0	1	2	5	3	3	1	3	4	1	1	0	25	0.5
C14	Pharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3	0.1
C15	Oesophagus	0	1	0	0	1	0	2	3	13	17	15	8	16	8	8	8	2	102	2.1
C16	Stomach	1	0	0	0	2	3	5	6	6	8	9	8	8	6	3	3	0	68	1.4
C17	Small Intestine	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0	0	0	5	0.1
C18	Colon	0	0	0	0	2	4	3	3	7	6	3	9	16	4	7	4	0	68	1.4
C19-20	Rectum	0	0	0	2	2	6	4	5	3	8	8	2	7	5	5	4	0	61	1.3
C21	Anus & Anal Canal	0	0	0	0	1	0	0	1	2	3	0	0	4	3	1	1	1	17	0.4
C22	Liver	1	0	0	0	0	0	0	3	4	5	5	4	9	6	4	0	0	45	0.9
C23-24	Gall Bladder	0	0	0	0	2	7	4	24	31	38	54	19	53	36	23	26	2	319	6.5
C25	Pancreas	0	0	0	0	2	1	0	2	3	7	4	3	8	5	8	6	1	50	1.0
C30-31	Nose, Sinus etc.	0	0	0	0	0	0	0	1	1	0	0	0	2	1	0	1	0	6	0.1
C32	Larynx	1	0	0	0	1	0	2	1	3	9	5	3	7	4	5	2	0	43	0.9
C33-34	Lung etc.	0	0	0	0	0	0	2	5	6	9	16	16	14	15	11	11	1	106	2.2
C37-38	Other Thoracic Org.	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0	1	0	4	0.1
C40-41	Bone	3	6	6	5	7	4	3	1	4	5	2	4	6	2	2	0	0	60	1.2
C43	Melanoma of Skin	0	0	0	0	0	2	0	0	0	3	0	1	2	2	0	0	0	10	0.2
C44	Other Skin	1	0	0	1	1	2	0	3	2	4	6	4	6	6	6	4	0	46	0.9
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	2	5	4	0	1	1	0	0	14	0.3
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tissu.	5	1	1	0	2	3	5	5	3	12	4	7	10	1	4	2	1	66	1.4
C50	Breast	1	0	1	2	9	34	55	105	195	189	206	152	114	80	59	47	7	1256	25.8
C51	Vulva	0	0	0	0	1	0	0	3	1	0	0	2	3	1	3	1	0	15	0.3
C52	Vagina	0	0	0	0	0	0	0	0	2	4	2	2	1	1	2	2	0	16	0.3
C53	Cervix Ulteri	0	0	0	1	3	10	47	61	101	105	129	89	123	60	39	20	6	794	16.3
C54	Corpus Uteri	1	0	0	0	1	2	2	6	7	21	18	24	25	20	5	3	1	136	2.8
C55	Uterus Unspecified	0	0	0	0	0	2	1	3	4	0	5	3	0	3	1	2	2	26	0.5
C56	Ovary etc.	6	2	2	6	9	16	13	37	54	45	47	30	29	20	13	14	5	348	7.1
C57	Other Female Genital	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	3	0.1
C58	Placenta	0	0	0	0	0	4	3	0	1	0	0	1	0	0	0	0	0	9	0.2
C64	Kidney etc.	9	3	0	0	4	0	0	2	7	7	2	7	6	4	3	1	1	56	1.2
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.0
C67	Bladder	2	0	0	0	0	0	0	0	3	5	5	6	6	6	3	2	0	38	0.8
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	4	1	0	0	0	0	1	0	0	1	0	2	1	1	0	0	0	11	0.2
C70-72	Brain, Nervous Sys	6	7	11	5	4	6	6	6	10	16	9	6	7	4	2	0	1	106	2.2
C73	Thyroid	0	0	2	5	8	8	8	15	6	15	6	11	13	7	2	3	1	110	2.3
C74	Adrenal Gland	2	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	5	0.1
C77	Sec Lymph Node	1	0	0	0	0	0	0	2	4	2	5	3	1	3	1	1	2	25	0.5
C78	Sec Resp & Digesti	0	0	0	1	1	1	1	1	5	2	6	6	11	4	6	4	0	49	1.0
C79	Sec Other	0	0	0	0	2	0	1	0	4	7	2	2	6	7	1	1	0	33	0.7
C81	Hodgkins Disease	0	1	1	5	3	2	4	1	2	5	4	3	2	1	2	3	0	39	0.8
C82-85 C96	NHL	2	3	3	2	7	3	10	3	10	6	15	12	16	13	11	14	1	131	2.7
C90	Multiple Myeloma	0	0	0	0	0	0	2	3	3	6	8	11	7	8	2	10	1	61	1.3
C91	Lymphoid Leuk.	6	12	10	5	4	2	0	4	0	1	1	2	3	0	5	2	0	57	1.2
C92-94	Myeloid Leukemia	0	6	4	6	7	10	9	8	10	3	5	6	5	2	3	4	1	89	1.8
C95	Leukemia Uns	1	1	5	3	0	3	2	2	4	3	1	2	1	2	1	0	1	32	0.7
O&U	Other and Uns	2	2	3	5	3	4	4	11	11	21	12	12	11	10	6	10	0	127	2.6
	<b>All Sites</b>	<b>59</b>	<b>48</b>	<b>50</b>	<b>55</b>	<b>95</b>	<b>145</b>	<b>211</b>	<b>357</b>	<b>552</b>	<b>631</b>	<b>649</b>	<b>509</b>	<b>591</b>	<b>383</b>	<b>272</b>	<b>231</b>	<b>39</b>	<b>4877</b>	<b>100.0</b>
	<b>%</b>	<b>1.0</b>	<b>1.1</b>	<b>1.0</b>	<b>1.0</b>	<b>2.3</b>	<b>3.6</b>	<b>5.5</b>	<b>8.2</b>	<b>10.7</b>	<b>10.8</b>	<b>13.5</b>	<b>10.6</b>	<b>11.5</b>	<b>8.1</b>	<b>5.9</b>	<b>4.6</b>	<b>0.0</b>	<b>100.0</b>	<b>100.0</b>

**TABLE 7**

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD-10), Males, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	0.0	0.0	0.8	0.0	1.5	0.0	0.1	0.1	0.3
C01-02	Tongue	0.1	0.0	0.3	0.0	0.3	0.8	0.5	2.2	5.6	9.5	18.6	29.9	31.2	36.9	22.6	29.9	4.0	6.7	14.2
C03-06	Mouth	0.0	0.1	0.0	0.1	0.0	0.3	0.7	1.1	3.2	5.1	7.7	10.0	24.0	20.6	12.0	14.9	2.1	3.6	7.4
C07-08	Salivary Gland	0.1	0.0	0.0	0.0	0.3	0.1	0.5	0.2	0.5	0.9	0.4	1.2	1.6	6.5	4.5	0.0	0.4	0.6	0.7
C09	Tonsil	0.1	0.0	0.0	0.1	0.0	0.0	0.2	1.3	1.6	3.3	8.1	8.7	8.8	7.6	12.0	9.0	1.4	2.2	4.8
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.5	0.4	0.6	2.4	3.3	4.5	1.5	0.3	0.5	0.8
C11	Nasopharynx	0.0	0.0	0.6	0.4	0.3	0.0	0.2	0.4	0.2	0.3	1.6	0.0	4.0	1.1	1.5	1.5	0.4	0.5	1.0
C12-13	Hypopharynx	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.6	1.8	6.9	4.4	13.6	11.9	27.1	14.9	1.4	2.5	4.2
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	1.2	4.0	0.0	0.0	1.5	0.2	0.3	0.8
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.2	2.9	3.9	14.2	24.3	24.0	21.7	22.6	26.9	2.8	4.9	10.3
C16	Stomach	0.3	0.1	0.0	0.1	0.0	0.1	0.2	1.8	3.6	3.6	8.9	11.8	18.4	16.3	15.0	22.4	2.1	3.5	7.1
C17	Small Intestine	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.5	0.6	0.4	0.0	2.4	0.0	0.0	3.0	0.2	0.3	0.6
C18	Colon	0.1	0.0	0.0	0.3	0.1	0.1	0.5	2.2	3.2	3.9	5.3	6.8	9.6	11.9	12.0	9.0	1.5	2.3	4.8
C19-20	Rectum	0.0	0.1	0.0	0.3	0.4	1.3	1.5	0.4	1.8	2.1	4.1	6.8	4.0	6.5	10.5	16.4	1.3	1.9	2.9
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.1	0.4	0.3	0.2	1.1	0.9	2.8	0.0	4.0	4.3	6.0	7.5	0.6	0.9	1.4
C22	Liver	0.7	0.1	0.0	0.3	0.5	0.6	0.3	0.5	0.5	1.8	8.9	6.2	10.4	9.8	10.5	10.5	1.4	2.2	4.1
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.1	0.3	0.7	0.4	2.9	4.2	12.6	13.7	14.4	15.2	12.0	19.4	2.0	3.4	7.1
C25	Pancreas	0.0	0.0	0.0	0.0	0.1	0.1	0.7	1.1	2.0	0.9	2.0	5.6	12.8	9.8	18.1	9.0	1.1	2.0	3.5
C30-31	Nose, Sinus	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.3	0.4	1.9	0.8	0.0	0.0	1.5	0.2	0.3	0.6
C32	Larynx	0.1	0.0	0.1	0.0	0.1	0.1	0.3	2.7	5.2	8.6	18.2	23.0	44.8	41.3	48.1	31.4	4.2	7.5	14.9
C33-34	Lung etc.	0.1	0.1	0.1	0.0	0.3	0.1	0.8	3.1	5.9	13.1	32.4	54.8	78.5	72.8	91.8	65.8	7.6	13.7	26.7
C37-38	Other Thoracic Org.	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.4	0.0	0.0	0.4	1.2	1.6	0.0	3.0	0.0	0.2	0.3	0.5
C40-41	Bone	0.7	0.3	1.7	3.0	2.2	0.7	0.2	0.7	0.9	2.1	1.2	2.5	8.0	3.3	3.0	4.5	1.5	1.7	2.3
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.4	0.0	0.8	1.1	0.0	0.0	0.1	0.1	0.2
C44	Other Skin	0.1	0.1	0.0	0.1	0.0	0.1	0.5	0.7	0.9	2.7	3.2	6.8	6.4	5.4	6.0	3.0	0.9	1.4	3.1
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	2.8	0.6	0.0	2.2	0.0	4.5	0.2	0.4	0.7
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissu	1.0	0.1	0.5	1.2	1.2	1.0	0.7	1.1	1.6	0.3	3.6	6.2	6.4	1.1	6.0	3.0	1.3	1.6	2.8
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.8	1.2	4.8	2.2	3.0	1.5	0.3	0.5	1.1
C60	Penis	0.0	0.0	0.0	0.1	0.4	0.0	0.7	0.7	1.1	1.8	1.2	0.6	3.2	1.1	6.0	6.0	0.6	0.8	1.4
C61	Prostate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	3.6	16.2	29.6	63.0	91.8	100.1	3.7	7.8	6.8
C62	Testis	0.4	0.0	0.0	0.6	1.0	0.6	2.0	0.9	1.1	0.6	0.0	1.9	0.0	0.0	1.5	0.0	0.7	0.6	0.8
C63	Other Male Genital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	2.2	0.3	0.1	0.1	0.1	0.4	0.3	0.9	2.0	3.6	1.2	6.2	10.4	16.3	10.5	6.0	1.5	2.3	3.6
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.0	1.1	0.0	0.0	0.0	0.1	0.1
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	1.0	0.0	0.0	0.0	0.1	0.4	0.5	1.5	2.5	5.3	9.7	23.6	26.4	35.8	46.6	41.9	3.3	6.1	9.8
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	1.5	0.3	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.0	0.0	0.3	0.3	0.1
C70-72	Brain, Nervous Sys	1.0	1.8	1.8	0.9	1.8	2.7	2.3	3.8	3.2	5.1	6.5	7.5	16.8	9.8	13.5	4.5	3.0	3.7	6.5
C73	Thyroid	0.0	0.1	0.0	0.1	0.1	1.0	0.8	0.7	0.9	0.9	3.2	3.1	2.4	3.3	4.5	1.5	0.7	0.9	1.7
C74	Adrenal Gland	1.2	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0
C77	Sec Lymph Nodes	0.4	0.0	0.1	0.1	0.0	0.1	0.5	0.7	0.5	1.5	4.1	7.5	5.6	7.6	1.5	9.0	0.9	1.4	2.9
C78	Sec Resp & Digest	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	1.2	2.8	3.7	4.8	11.9	7.5	9.0	0.8	1.4	2.1
C79	Sec Others	0.1	0.0	0.0	0.0	0.3	0.0	0.2	0.9	0.5	3.0	2.4	8.7	4.8	11.9	10.5	9.0	1.0	1.7	3.0
C81	Hodgkins Disease	0.3	1.4	1.1	1.6	0.9	1.0	0.5	1.8	1.1	2.4	2.4	4.4	2.4	5.4	6.0	4.5	1.5	1.7	2.3
C82-85, C96	NHL	1.0	1.7	0.8	1.2	1.7	2.3	1.3	3.1	3.8	6.8	12.2	11.2	17.6	29.3	37.6	9.0	3.6	5.3	8.3
C90	Multiple Myeloma	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.7	4.2	5.7	11.2	8.8	7.6	9.0	13.5	1.2	2.1	4.4
C91	Lymphoid Leuk.	3.9	3.6	3.6	1.3	0.9	0.6	0.5	0.9	0.5	1.5	1.6	4.4	6.4	5.4	12.0	4.5	2.2	2.6	2.2
C92-94	Myeloid Leukemia	0.4	0.5	1.3	2.1	1.7	1.4	2.7	2.0	3.6	0.6	4.5	2.5	7.2	8.7	3.0	7.5	2.0	2.3	3.2
C95	Leukaemia Uns	0.4	0.9	0.9	0.6	0.5	0.6	0.7	0.5	0.5	1.2	0.0	1.9	0.8	1.1	3.0	1.5	0.7	0.8	0.8
O&U	Other and Uns	0.9	0.4	0.3	0.4	0.6	0.6	1.0	1.3	3.8	3.6	7.7	5.6	8.8	19.5	13.5	17.9	2.0	3.1	4.8
	<b>All Sites</b>	<b>19.1</b>	<b>12.1</b>	<b>13.6</b>	<b>15.5</b>	<b>16.6</b>	<b>18.8</b>	<b>24.1</b>	<b>44.1</b>	<b>75.2</b>	<b>117.4</b>	<b>236.1</b>	<b>350.3</b>	<b>498.7</b>	<b>552.8</b>	<b>631.8</b>	<b>557.5</b>	<b>68.9</b>	<b>110.7</b>	<b>193.4</b>

## TABLE 8

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD-10), Females, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.1	0.1	0.2
C01-02	Tongue	0.7	0.0	0.0	0.0	0.5	0.2	1.0	1.3	1.8	4.6	3.3	8.0	6.6	6.4	3.3	7.9	1.3	1.8	3.9
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.5	1.5	3.4	4.3	3.6	7.4	6.4	13.2	1.6	1.1	1.6	3.4
C07-08	Salivary Gland	0.0	0.0	0.1	0.2	0.0	0.0	0.2	0.7	0.3	0.8	0.5	1.5	2.5	0.0	3.3	0.0	0.3	0.4	0.9
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.8	1.6	0.0	3.3	1.1	1.6	1.6	0.2	0.4	0.8
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	1.1	0.0	0.0	0.1	0.1	0.2
C11	Nasopharynx	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	0.4	0.0	0.7	1.6	1.1	0.0	0.0	0.2	0.2	0.5
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	1.5	1.1	1.6	0.7	2.5	4.3	1.6	1.6	0.4	0.6	1.3
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.2	0.1	0.1	0.0
C15	Oesophagus	0.0	0.1	0.0	0.0	0.2	0.0	0.4	0.7	3.9	6.5	8.2	5.8	13.1	8.6	13.2	12.7	1.7	2.7	5.9
C16	Stomach	0.2	0.0	0.0	0.0	0.3	0.5	1.0	1.3	1.8	3.1	4.9	5.8	6.6	6.4	4.9	4.8	1.2	1.7	3.6
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.7	1.6	0.0	0.0	0.0	0.1	0.1	0.5
C18	Colon	0.0	0.0	0.0	0.0	0.3	0.7	0.6	0.7	2.1	2.3	1.6	6.6	13.1	4.3	11.5	6.3	1.2	1.8	3.8
C19-20	Rectum	0.0	0.0	0.0	0.3	1.0	0.8	1.1	0.9	3.1	4.3	1.5	5.7	5.4	8.2	6.3	1.0	1.5	2.6	2.6
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.6	1.1	0.0	0.0	3.3	3.2	1.6	1.6	0.3	0.4	0.8
C22	Liver	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	1.9	2.7	2.9	7.4	6.4	6.6	6.3	0.8	1.3	2.5
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.3	1.2	0.8	5.3	9.3	14.5	29.4	13.9	43.5	38.7	37.8	41.3	5.4	8.4	17.8
C25	Pancreas	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.4	0.9	2.7	2.2	2.2	6.6	5.4	13.2	9.5	0.9	1.4	2.3
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	1.6	1.1	0.0	1.6	0.1	0.2	0.3
C32	Larynx	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.2	0.9	3.4	2.7	2.2	5.7	4.3	8.2	3.2	0.7	1.4	2.3
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	1.8	3.4	8.7	11.7	11.5	16.1	18.1	17.5	1.8	3.0	5.6
C37-38	Other Thoracic Org.	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.6	0.1	0.1	0.1
C40-41	Bone	0.5	0.9	0.9	0.9	1.2	0.7	0.6	0.2	1.2	1.9	1.1	2.9	4.9	2.1	3.3	0.0	1.0	1.2	1.8
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.1	0.0	0.7	1.6	2.1	0.0	0.0	0.2	0.3	0.5
C44	Other Skin	0.2	0.0	0.0	0.2	0.2	0.3	0.0	0.7	0.6	1.5	3.3	2.9	4.9	6.4	9.9	6.3	0.8	1.2	2.1
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	2.7	2.9	0.0	1.1	1.6	0.0	0.2	0.4	1.0
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissue	0.8	0.1	0.1	0.0	0.3	0.5	1.0	1.1	0.9	4.6	2.2	5.1	8.2	1.1	6.6	3.2	1.1	1.5	3.3
C50	Breast	0.2	0.0	0.1	0.3	1.6	5.9	11.1	23.1	58.8	72.3	112.0	110.9	93.6	85.9	97.0	74.6	21.3	30.4	74.3
C51	Vulva	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.3	0.0	0.0	1.5	2.5	1.1	4.9	1.6	0.3	0.4	0.7
C52	Vagina	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	1.1	1.5	0.8	1.1	3.3	3.2	0.3	0.4	0.9
C53	Cervix Uteri	0.0	0.0	0.0	0.2	0.5	1.7	9.5	13.4	30.4	40.1	70.1	65.0	101.0	64.4	64.1	31.7	13.5	19.8	49.0
C54	Corpus Uteri	0.2	0.0	0.0	0.0	0.2	0.3	0.4	1.3	2.1	8.0	9.8	17.5	20.5	21.5	8.2	4.8	2.3	3.7	8.7
C55	Uterus Unspecif.	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.7	1.2	0.0	2.7	2.2	0.0	3.2	1.6	3.2	0.4	0.6	1.1
C56	Ovary etc.	1.0	0.3	0.3	1.0	1.6	2.8	2.6	8.1	16.3	17.2	25.6	21.9	23.8	21.5	21.4	22.2	5.9	7.9	18.1
C57	Other Female Gen.	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
C58	Placenta	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.0	0.3	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.2	0.1	0.2
C64	Kidney	1.5	0.4	0.0	0.0	0.7	0.0	0.0	0.4	2.1	2.7	1.1	5.1	4.9	4.3	4.9	1.6	1.0	1.3	2.5
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.9	2.7	4.4	4.9	6.4	4.9	3.2	0.6	1.1	2.2
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.7	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	1.5	0.8	1.1	0.0	0.0	0.2	0.3	0.4
C70-72	Brain, Nervous sys	1.0	1.0	1.6	0.9	0.7	1.0	1.2	1.3	3.0	6.1	4.9	4.4	5.7	4.3	3.3	0.0	1.8	2.1	4.1
C73	Thyroid	0.0	0.0	0.3	0.9	1.4	1.4	1.6	3.3	1.8	5.7	3.3	8.0	10.7	7.5	3.3	4.8	1.9	2.4	5.0
C74	Adrenal Gland	0.3	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
C77	Sec Lymph Nodes	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	0.8	2.7	2.2	0.8	3.2	1.6	1.6	0.4	0.6	1.3
C78	Sec Resp & Digest	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	1.5	0.8	3.3	4.4	9.0	4.3	9.9	6.3	0.8	1.4	2.7
C79	Sec Others	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	1.2	2.7	1.1	1.5	4.9	7.5	1.6	1.6	0.6	0.9	1.8
C81	Hodgkins Disease	0.0	0.1	0.1	0.9	0.5	0.3	0.8	0.2	0.6	1.9	2.2	2.2	1.6	1.1	3.3	4.8	0.7	0.8	1.4
C82-85, C96	NHL	0.3	0.4	0.4	0.3	1.2	0.5	2.0	0.7	3.0	2.3	8.2	8.8	13.1	14.0	18.1	22.2	2.2	3.3	5.3
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.9	2.3	4.3	8.0	5.7	8.6	3.3	15.9	1.0	1.7	3.2
C91	Lymphoid Leuk.	1.0	1.8	1.5	0.9	0.7	0.3	0.0	0.9	0.0	0.4	0.5	1.5	2.5	0.0	8.2	3.2	1.0	1.1	0.8
C92-94	Myeloid Leuk.	0.0	0.9	0.6	1.0	1.2	1.7	1.8	1.8	3.0	1.1	2.7	4.4	4.1	2.1	4.9	6.3	1.5	1.7	2.7
C95	Leukaemia Uns	0.2	0.1	0.7	0.5	0.0	0.5	0.4	0.4	1.2	1.1	0.5	1.5	0.8	2.1	1.6	0.0	0.5	0.6	0.9
O&U	Others and Uns	0.3	0.3	0.4	0.9	0.5	0.7	0.8	2.4	3.3	8.0	6.5	8.8	9.0	10.7	9.9	15.9	2.2	3.0	6.0
	<b>All Sites</b>	<b>9.9</b>	<b>7.1</b>	<b>7.3</b>	<b>9.5</b>	<b>16.4</b>	<b>25.0</b>	<b>42.6</b>	<b>78.4</b>	<b>166.3</b>	<b>241.2</b>	<b>352.9</b>	<b>371.5</b>	<b>485.2</b>	<b>411.3</b>	<b>447.1</b>	<b>366.5</b>	<b>82.6</b>	<b>119.0</b>	<b>261.5</b>

**TABLE 9**

Leading sites of cancer by Crude incidence rates (CR) per 100,000 persons for Males & Females, 2001

Rank	MALES			FEMALES			
	ICD-10	SITE	CR	ICD10	SITE	CR	
1	C33-34	Lung	7.6	C50	Breast	21.3	
2	C32	Larynx	4.2	C53	Cervix Uteri	13.5	
3	C01-02	Tongue	4.0	C56	Ovary etc.	5.9	
4	C61	Prostate	3.7	C23-24	Gall Bladder	5.4	
5	C82-85,C96	NHL	3.6	C54	Corpus Uteri	2.3	
6	C67	Bladder	3.3	C82-85,C96	NHL	2.2	
7	C70-72	Brain, Nervous System	3.0	C73	Thyroid	1.9	
8	C15	Oesophagus	2.8	C70-72	Brain, Nervous System	1.8	
9	C91	Lymphoid Leuk.	2.2	C33-34	Lung etc.	1.8	
10	C16	Stomach	2.1	C15	Oesophagus	1.7	
All Sites (C00-C96)			68.9	All Sites (C00-C96)			82.6

**TABLE 10**

Leading sites of cancer by World age-adjusted incidence rates (AAR) per 100,000 persons for Males and Females, 2001.

Rank	MALES			FEMALES			
	ICD-10	SITE	AAR	ICD10	SITE	AAR	
1	C33-34	Lung	13.7	C50	Breast	30.4	
2	C61	Prostate	7.8	C53	Cervix Uteri	19.8	
3	C32	Larynx	7.5	C23-24	Gall Bladder	8.4	
4	C01-02	Tongue	6.7	C56	Ovary etc.	7.9	
5	C67	Bladder	6.1	C54	Corpus Uteri	3.7	
6	C82-85,C96	NHL	5.3	C82-85,C96	NHL	3.3	
7	C15	Oesophagus	4.9	C33-34	Lung	3.0	
8	C70-72	Brain & Ner. Sys	3.7	C15	Oesophagus	2.7	
9	C03-06	Mouth	3.6	C73	Thyroid	2.4	
10	C16	Stomach	3.5	C70-72	Brain & Ner.sys	2.1	
All Sites (C00-C96)			110.7	All Sites (C00-C96)			119.0

**TABLE 11**

Leading Sites of Cancer by World Truncated Incidence Rates (TCR) per 100,000 persons for Males and Females, 2001

Rank	ICD-10	MALES		ICD. 10	FEMALES		
		Site	TCR		Site	TCR	
1	C33-34	Lung	26.7	C50	Breast	74.3	
2	C32	Larynx	14.9	C53	Cervix UT	49.0	
3	C01-02	Tongue	14.2	C56	Ovary etc.	18.1	
4	C15	Oesophagus	10.3	C23-24	Gall Bladder	17.8	
5	C67	Bladder	9.8	C54	Corpus UT	8.7	
6	C82-85,C96	NHL	8.3	C15	Oesophagus	5.9	
7	C03-06	Mouth	7.4	C33-34	Lung	5.6	
8	C23-24	Gall Bladder	7.1	C82-85,96	NHL	5.3	
9	C16	Stomach	7.1	C73	Thyroid	5.0	
10	C61	Prostate	6.8	C70-72	Brain NS	4.1	
All sites (C00-C96)			193.4	All sites (C00-C96)			261.5

**TABLE 12**

Age specific incidence rates per 100,000 persons for all cancer sites by sex, 2001

Age Group	MALES	FEMALES
00-04	19.1	9.9
05-09	12.1	7.1
10-14	13.6	7.3
15-19	15.5	9.5
20-24	16.6	16.4
25-29	18.8	25.0
30-34	24.1	42.6
35-39	44.1	78.4
40-44	75.2	166.3
45-49	117.4	241.2
50-54	236.1	352.9
55-59	350.3	371.5
60-64	498.7	485.2
65-69	552.8	411.3
70-74	631.8	447.1
75+	557.5	366.5
<b>All Ages</b>	<b>68.9</b>	<b>82.6</b>

**TABLE 13**

The highest incidence rate by age and sex per 100,000 population, 2001

Age group	MALES		FEMALES	
	Leading site	Rate	Leading Site	Rate
00-04	Lymphoid Leuk.	3.9	Kidney	1.5
05-09	Lymphoid Leuk.	3.6	Lymphoid Leuk.	1.8
10-14	Lymphoid Leuk.	3.6	Brains NS	1.6
15-19	Bone	3.0	Myeloid Leuk	1.0
20-24	Bone	2.2	Ovary	1.6
25-29	Brain NS	2.7	Breast	5.9
30-34	Myeloid Leuk.	2.7	Breast	11.1
35-39	Brain NS	3.8	Breast	23.1
40-44	Lung	5.9	Breast	58.8
45-49	Lung	13.1	Breast	72.3
50-54	Lung	32.4	Breast	112.0
55-59	Lung	54.8	Breast	110.9
60-64	Lung	78.5	Cervix uteri	101.0
65-69	Lung	72.9	Breast	85.9
70-74	Prostate	91.8	Breast	97.0
75+	Prostate	100.1	Breast	74.6

**TABLE 14**

The percentage distribution of ten most frequently occurring cancer in Pediatric age group by site (ICD.10) in Males and Females, 2001

	MALES				FEMALES				
	ICD10	SITE	No	%	ICD10	SITE	No	%	
1	C91	Lymphoid Leuk.	83	25.0	C91	Lymphoid Leuk.	28	17.8	
2	C70-72	Brain, Nervous Sy	35	10.5	C70-72	Brain, Nervous Sy	24	15.3	
3	C82-85,C96	NHL	26	7.8	C40-41	Bone	15	9.6	
4	C81	Hodgkins Disease	22	6.6	C64	Kidney	12	7.6	
5	C40-41	Bone	20	6.0	C92-94	Myeloid Leukaemia	10	6.4	
6	C64	Kidney	18	5.4	C56	Ovary	10	6.4	
7	C95	Leukaemia Uns	17	5.1	C82-85,96	NHL	8	5.1	
8	C92-94	Myeloid Leukaemia	17	5.1	C95	Leukaemia Uns	7	4.5	
9	C69	Eye	12	3.6	C47+C49	Conn. & Soft Tiss.	7	4.5	
10	C47+C49	Conn. & Soft Tiss.	12	3.6	C69	Eye	5	3.2	
All Sites (C00-C96)			332		All Sites (C00-C96)			157	

**TABLE 15**

Number and proportion of Tobacco related cancers (TRC), 2001

Site	MALES			FEMALES		
	No.	(a)	(b)	No.	(a)	(b)
Mouth	148	8.9	3.0	63	15.9	1.3
Oropharynx	115	6.9	2.3	17	4.2	0.4
Hypopharynx	97	5.9	2.0	25	5.8	0.5
Pharynx, NOS	11	0.7	0.2	3	0.8	0.1
Oesophagus	200	12.1	4.0	102	25.7	2.1
Larynx	304	18.3	6.1	43	10.8	0.9
Lung	544	32.8	11.0	106	26.7	2.2
Urinary Bladder	239	14.4	4.8	38	9.6	0.8
TRC (Total)	1658	100.0	33.4	397	100.0	8.3
All sites	4948			4877		

(a) Percentage to total tobacco related cancers

(b) Percentage to all sites of cancer

## TABLE 16

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD-10) for Males, 2001

ICD-10	SITE	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C01-02	Tongue	245	85.1	2	0.7	37	12.9	0	0.0	4	1.4	288	100.0
C03-06	Mouth	138	93.2	1	0.7	7	4.7	1	0.7	1	0.7	148	100.0
C07-08	Salivary Gl	20	74.1	0	0.0	7	25.9	0	0.0	0	0.0	27	100.0
C09	Tonsil	84	86.6	0	0.0	12	12.4	0	0.0	1	1.0	97	100.0
C10	Oth Oropharynx	13	72.2	0	0.0	4	22.2	0	0.0	1	5.6	18	100.0
C11	Nasopharynx	21	77.8	1	3.7	5	18.5	0	0.0	0	0.0	27	100.0
C12-13	Hypopharynx	86	88.7	0	0.0	10	10.3	0	0.0	1	1.0	97	100.0
C14	Pharynx Uns	9	81.8	1	9.1	1	9.1	0	0.0	0	0.0	11	100.0
C15	Oesophagus	146	73.0	0	0.0	31	15.5	20	10.0	3	1.5	200	100.0
C16	Stomach	119	80.4	0	0.0	15	10.1	13	8.8	1	0.7	148	100.0
C17	Small Int	12	92.3	0	0.0	0	0.0	1	7.7	0	0.0	13	100.0
C18	Colon	85	78.0	0	0.0	19	17.4	4	3.7	1	0.9	109	100.0
C19-20	Rectum	76	82.6	0	0.0	11	12.0	3	3.3	2	2.2	92	100.0
C21	A & Anal Canal	36	90.0	0	0.0	4	10.0	0	0.0	0	0.0	40	100.0
C22	Liver	83	84.7	0	0.0	11	11.2	2	2.0	2	2.0	98	100.0
C23-24	Gallbladder Etc	95	65.5	5	3.5	28	19.3	15	10.3	2	1.4	145	100.0
C25	Pancrease	58	70.7	0	0.0	22	26.8	0	0.0	2	2.4	82	100.0
C30-31	Nose,Sinuses Etc	14	100.0	0	0.0	0	0.0	0	0.0	0	0.0	14	100.0
C32	Larynx	252	82.9	0	0.0	45	14.8	0	0.0	7	2.3	304	100.0
C33-34	Lung Etc	451	82.9	31	5.7	40	7.4	11	2.0	11	2.0	544	100.0
C37-38	Oth Th Org	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C40-41	Bone	92	86.8	0	0.0	12	11.3	2	1.9	0	0.0	106	100.0
C43	Melanoma Of Skin	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C44	Oth Skin	57	91.9	0	0.0	5	8.1	0	0.0	0	0.0	62	100.0
C45	Mesothelioma	15	88.2	0	0.0	0	0.0	0	0.0	2	11.8	17	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tiss.	75	83.3	0	0.0	15	16.7	0	0.0	0	0.0	90	100.0
C50	Breast	12	63.2	0	0.0	6	31.6	0	0.0	1	5.3	19	100.0
C60	Penis	31	77.5	0	0.0	9	22.5	0	0.0	0	0.0	40	100.0
C61	Prostate	234	88.3	0	0.0	29	10.9	1	0.4	1	0.4	265	100.0
C62	Testis	43	89.6	0	0.0	4	8.3	0	0.0	1	2.1	48	100.0
C63	Oth Male Genital	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	2	100.0
C64	Kidney Etc	100	93.5	0	0.0	7	6.5	0	0.0	0	0.0	107	100.0
C65	Renal Pelvis	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	193	80.8	0	0.0	38	15.9	3	1.3	5	2.1	239	100.0
C68	Uns Urinary Org	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	18	94.7	0	0.0	1	5.3	0	0.0	0	0.0	19	100.0
C70-72	Brain, Nervous Sy	197	92.5	0	0.0	15	7.0	0	0.0	1	0.5	213	100.0
C73	Thyroid	40	78.4	0	0.0	11	21.6	0	0.0	0	0.0	51	100.0
C74	Adrenal Gland	10	90.9	0	0.0	1	9.1	0	0.0	0	0.0	11	100.0
C77	Sec Lymph	63	98.4	0	0.0	1	1.6	0	0.0	0	0.0	64	100.0
C78	Sec Resp & Dig	53	98.2	0	0.0	1	1.9	0	0.0	0	0.0	54	100.0
C79	Sec Others	69	97.2	0	0.0	0	0.0	2	2.8	0	0.0	71	100.0
C81	Hodgkins D	104	100.0	0	0.0	0	0.0	0	0.0	0	0.0	104	100.0
C82-85,96	NHL	258	100.0	0	0.0	0	0.0	0	0.0	0	0.0	258	100.0
C90	Multiple Mye	85	100.0	0	0.0	0	0.0	0	0.0	0	0.0	85	100.0
C91	Lymphoid Leuk	157	100.0	0	0.0	0	0.0	0	0.0	0	0.0	157	100.0
C92-94	Myeloid Leuk	141	100.0	0	0.0	0	0.0	0	0.0	0	0.0	141	100.0
C95	Leuk Uns	52	100.0	0	0.0	0	0.0	0	0.0	0	0.0	52	100.0
O&U	Oth & Uns	59	41.0	0	0.0	71	49.3	3	2.1	11	7.6	144	100.0
	All Sites	4228	85.5	41	0.8	537	10.9	81	1.6	61	1.2	4948	100.0

## TABLE 17

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD.10) for Females, 2001

ICD 10	SITE	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	3	100.0
C01-02	Tongue	65	86.7	0	0.0	10	13.3	0	0.0	0	0.0	75	100.0
C03-06	Mouth	53	84.1	0	0.0	9	14.3	0	0.0	1	1.6	63	100.0
C07-08	Salivary Gl	13	76.5	0	0.0	4	23.5	0	0.0	0	0.0	17	100.0
C09	Tonsil	13	92.9	0	0.0	1	7.1	0	0.0	0	0.0	14	100.0
C10	Oth Oropharynx	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	100.0
C11	Nasopharynx	9	90.0	0	0.0	1	10.0	0	0.0	0	0.0	10	100.0
C12-13	Hypopharynx	24	96.0	0	0.0	0	0.0	0	0.0	1	4.0	25	100.0
C14	Pharynx Uns	2	66.7	0	0.0	0	0.0	0	0.0	1	33.3	3	100.0
C15	Oesophagus	74	72.6	0	0.0	11	10.8	17	16.7	0	0.0	102	100.0
C16	Stomach	48	70.6	0	0.0	12	17.7	8	11.8	0	0.0	68	100.0
C17	Small Int	3	60.0	0	0.0	2	40.0	0	0.0	0	0.0	5	100.0
C18	Colon	52	76.5	0	0.0	9	13.2	5	7.4	2	2.9	68	100.0
C19-20	Rectum	45	73.8	0	0.0	14	23.0	1	1.6	1	1.6	61	100.0
C21	A & Anal Canal	15	88.2	0	0.0	1	5.9	1	5.9	0	0.0	17	100.0
C22	Liver	36	80.0	0	0.0	6	13.3	0	0.0	3	6.7	45	100.0
C23-24	Gallbladder Etc	206	64.6	15	4.7	48	15.1	44	13.8	6	1.9	319	100.0
C25	Pancrease	23	46.0	0	0.0	22	44.0	3	6.0	2	4.0	50	100.0
C30-31	Nose,Sinuses Etc	5	83.3	0	0.0	1	16.7	0	0.0	0	0.0	6	100.0
C32	Larynx	38	88.4	0	0.0	5	11.6	0	0.0	0	0.0	43	100.0
C33-34	Lung Etc	84	79.3	8	7.6	9	8.5	4	3.8	1	0.9	106	100.0
C37-38	Oth Th Org	3	75.0	0	0.0	1	25.0	0	0.0	0	0.0	4	100.0
C40-41	Bone	54	90.0	0	0.0	6	10.0	0	0.0	0	0.0	60	100.0
C43	Melonama Of Skin	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10	100.0
C44	Oth Skin	42	91.3	0	0.0	4	8.7	0	0.0	0	0.0	46	100.0
C45	Mesothelioma	9	64.3	1	7.1	3	21.4	0	0.0	1	7.1	14	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tissues	63	95.5	0	0.0	3	4.6	0	0.0	0	0.0	66	100.0
C50	Breast	1061	84.5	4	0.3	173	13.8	6	0.5	12	1.0	1256	100.0
C51	Vulva	13	86.7	0	0.0	2	13.3	0	0.0	0	0.0	15	100.0
C52	Vagina	15	93.8	0	0.0	1	6.3	0	0.0	0	0.0	16	100.0
C53	Cervix Uteri	639	80.5	0	0.0	148	18.6	1	0.1	6	0.8	794	100.0
C54	Corpus Uteri	126	92.7	0	0.0	9	6.6	0	0.0	1	0.7	136	100.0
C55	Uterus Uns	20	76.9	0	0.0	6	23.1	0	0.0	0	0.0	26	100.0
C56	Ovary Etc	286	82.2	1	0.3	55	15.8	5	1.4	1	0.3	348	100.0
C57	Oth Female Genit.	0	0.0	0	0.0	3	100.0	0	0.0	0	0.0	3	100.0
C58	Placenta	8	88.9	0	0.0	1	11.1	0	0.0	0	0.0	9	100.0
C64	Kidney Etc	52	92.9	0	0.0	3	5.4	1	1.8	0	0.0	56	100.0
C65	Renal Pelvis	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C66	Ureter	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C67	Bladder	32	84.2	0	0.0	6	15.8	0	0.0	0	0.0	38	100.0
C68	Uns Urinary Org	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	8	72.7	0	0.0	3	27.3	0	0.0	0	0.0	11	100.0
C70-72	Brain,Nervous Sys	93	87.7	0	0.0	11	10.4	1	0.9	1	0.9	106	100.0
C73	Thyroid	90	81.8	0	0.0	19	17.3	1	0.9	0	0.0	110	100.0
C74	Adernal Gland	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C77	Sec Lymp	25	100.0	0	0.0	0	0.0	0	0.0	0	0.0	25	100.0
C78	Sec Resp & Dig	48	98.0	0	0.0	0	0.0	1	2.0	0	0.0	49	100.0
C79	Sec Others	32	97.0	0	0.0	0	0.0	1	3.0	0	0.0	33	100.0
C81	Hodgkins D	39	100.0	0	0.0	0	0.0	0	0.0	0	0.0	39	100.0
C82-85,96	NHL	131	100.0	0	0.0	0	0.0	0	0.0	0	0.0	131	100.0
C90	Multiple Mye	61	100.0	0	0.0	0	0.0	0	0.0	0	0.0	61	100.0
C91	Lymphoid Leuk	57	100.0	0	0.0	0	0.0	0	0.0	0	0.0	57	100.0
C92-94	Myeloid Leuk	89	100.0	0	0.0	0	0.0	0	0.0	0	0.0	89	100.0
C95	Leuk Uns	32	100.0	0	0.0	0	0.0	0	0.0	0	0.0	32	100.0
O&U	Oth & Uns	52	40.9	0	0.0	53	41.7	7	5.5	15	11.8	127	100.0
	All Sites	4010	82.2	29	0.6	676	13.9	107	2.2	55	1.1	4877	100.0

## TABLE 18

Number of Histologically proved incident cases of cancer by histology and sex with Percentage 2001

Histology	DESCRIPTION	MALES		FEMALES		Total	
		NO	%	NO	%	NO	%
800	Malignant Neoplasms	15	0.4	23	0.6	38	0.5
801-804	Epithelial Neoplasms, Nos	1285	31.6	1415	36.2	2700	33.9
805-808	Pap & Squamous Cell Neoplasms	866	21.3	625	16.0	1491	18.7
809-811	Basal Cell Neoplasms	12	0.3	19	0.5	31	0.4
812-813	Transitional Cell Carcinomas	117	2.9	24	0.6	141	1.8
814-838	Adenocarcinomas	507	12.5	467	11.9	974	12.2
839-842	Adnexal & Sk In App Neoplasms	3	0.1	0	0.0	3	0.0
843	Mucoepidermoid Neoplasms	6	0.1	7	0.2	13	0.2
844-849	Cy, Mucinous & Serous Neoplasms	24	0.6	66	1.7	90	1.1
850-854	Ductal, Lobular & Med Neoplasms	17	0.4	589	15.1	606	7.6
855	Acinar Cell Neoplasms	0	0.0	1	0.0	1	0.0
856-858	Complex Epithelial Neoplasms	2	0.0	0	0.0	2	0.0
859-867	Specialised Gonal Neoplasms	0	0.0	2	0.1	2	0.0
868-871	Paragangliomas & Glomas	2	0.0	0	0.0	2	0.0
872-879	Nevi & Melanomas	7	0.2	13	0.3	20	0.3
880	Soft Tissue Tumors & Sarcomas Nos	39	1.0	36	0.9	75	0.9
881-883	Fibromatous Neoplasms	12	0.3	14	0.4	26	0.3
884	Myxomatous Neoplasms	0	0.0	0	0.0	0	0.0
885-888	Lipomatous Neoplasms	9	0.2	4	0.1	13	0.2
889-892	Myomatous Neoplasms	16	0.4	18	0.5	34	0.4
893-899	Complex Mixed & St Neoplasms	15	0.4	15	0.4	30	0.4
900-903	Fibroepithelial Neoplasms	0	0.0	7	0.2	7	0.1
904	Synovial Neoplasms	4	0.1	2	0.1	6	0.1
905	Mesothelial Neoplasms	3	0.1	0	0.0	3	0.0
906-909	Germ Cell Neoplasms	33	0.8	16	0.4	49	0.6
910	Trophoblastic Neoplasms	0	0.0	8	0.2	8	0.1
911	Mesonephromas, Malignant	0	0.0	0	0.0	0	0.0
912-916	Blood Vessel Tumors	2	0.0	2	0.1	4	0.1
917	Lymphatic Vessel Tumors	0	0.0	0	0.0	0	0.0
918-920	Osteomas & Osteosarcoma	31	0.8	15	0.4	46	0.6
921-924	Chondromatous Neoplasms	14	0.3	5	0.1	19	0.2
925	Giant Cell Tumors	2	0.0	1	0.0	3	0.0
926	Miscellaneous Bone Tumors	13	0.3	13	0.3	26	0.3
927-934	Odontogenic Tumors	6	0.1	2	0.1	8	0.1
935-937	Miscellaneous Neoplasms	1	0.0	0	0.0	1	0.0
938-948	Gliomas	171	4.2	73	1.9	244	3.1
949-952	Neuroepitheliomatous Neoplasms	27	0.7	8	0.2	35	0.4
953	Meningiomas	6	0.1	7	0.2	13	0.2
954-957	Nerve Sheath Tumors	1	0.0	4	0.1	5	0.1
958	Granular C Tr & Alv Sftt Sr	0	0.0	0	0.0	0	0.0
959-963	Lymphomas, Nos Or Diffuse	253	6.2	128	3.3	381	4.8
964	Reticulosarcomas	0	0.0	0	0.0	0	0.0
965-968	Hodgkin's Disease	104	2.6	39	1.0	143	1.8
969	Lymp, Nodular Or folli	1	0.0	2	0.1	3	0.0
970	Mycosis Fungoides	1	0.0	0	0.0	1	0.0
971-972	Misc Reticulo-endo Neoplasm	1	0.0	0	0.0	1	0.0
973	Plasma Cell Tumors	84	2.1	60	1.5	144	1.8
974	Mast Cell Tumors	0	0.0	0	0.0	0	0.0
975	Burkitts Tumors	2	0.0	1	0.0	3	0.0
980	Leukaemias, NOS	52	1.3	32	2.8	84	1.1
981	Compound Leukaemias	0	0.0	0	0.0	0	0.0
982	Lymphoid Leukaemias	157	3.9	57	1.5	214	2.7
983	Plasma Cell Leukaemias	2	0.0	1	0.0	3	0.0
984	Erythroleukaemias	0	0.0	0	0.0	0	0.0
985	Lymphosarcoma Cell Leuk	0	0.0	0	0.0	0	0.0
986	Myeloid Leukaemias	141	3.5	89	2.3	230	2.9
	Total	4066	100.0	3910	100.0	7976	100.0

## TABLE 19

Number of Histologically proved incident cases of cancer by site group (ICD,10) and sex 2001.

ICD-10	SITE GROUP/ HISTOLOGICAL VARIETY	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No	%
<b>C00 - C14 LIP,ORAL CAVITY &amp; PHARYNX</b>							
800	Malignant Neoplasms	0	0.0	2	1.1	2	0.2
801-804	Epithelial Neo, Nos	208	33.5	60	32.8	268	33.3
805-808	Pap & Squamous Cell Neo	401	64.6	109	59.6	510	63.4
814-838	Adenocarcinomas	6	1.0	6	3.3	12	1.5
843	Mucoepidermoid Neo	5	0.8	5	2.7	10	1.2
850-854	Ductul, Lobular & Med Neo	0	0.0	1	0.5	1	0.1
906-909	Germ Cell Neoplasms	1	0.2	0	0.0	1	0.1
	<b>Total</b>	<b>621</b>	<b>100.0</b>	<b>183</b>	<b>100.0</b>	<b>804</b>	<b>100.0</b>
<b>C15 - C26 DIGESTIVE ORGANS</b>							
800	Malignant Neoplasms	1	0.1	0	0	1	0.1
801-804	Epithelial Neo, Nos	362	51.1	274	54.5	636	52.5
805-808	Pap & Squamous Cell Neo	91	12.8	49	9.7	140	11.6
809-811	Basal Cell Neoplasm	1	0.1	0	0	1	0.1
812-813	Trans Cell Carcinoma	1	0.1	0	0	1	0.1
814-838	Adenocarcinomas	226	31.9	167	33.2	393	32.4
843	Mucoepidermoid Neo	0	0	1	0.2	1	0.1
844-849	Cysts Mucinous & Serous Neo	20	2.8	10	2	30	2.5
850-854	Ductul,Lobular & Med. Neo	1	0.1	0	0	1	0.1
880	Soft Tissue Tr & Sar. Nos	1	0.1	2	0.4	3	0.2
889-892	Mytomatous Neo	1	0.1	0	0	1	0.1
893-899	Comp Mixed & Stromal Neo	3	0.4	0	0	3	0.2
912-916	Blood Vessal Tumors	1	0.1	0	0	1	0.1
	<b>Total</b>	<b>709</b>	<b>100.0</b>	<b>503</b>	<b>100.0</b>	<b>1212</b>	<b>100.0</b>
<b>C30 - C39 RESPIRATORY &amp; INTRATH. ORGANS</b>							
800	Malignant Neoplasms	4	0.5	1	0.8	5	0.6
801-804	Epithelial Neo, Nos	412	56.6	66	50.8	478	55.7
805-808	Pap & Squamous Cell Neo	258	35.4	33	25.4	291	33.9
814-838	Adenocarcinomas	42	5.8	27	20.8	69	8.0
844-849	Cysts Mucinous & Serous Neo	3	0.4	1	0.8	4	0.5
843	Mucoepidermoid Neo	0	0.0	1	0.8	1	0.1
856-858	Com Epithelial Neoplasms	2	0.3	0	0.0	2	0.2
880	Soft Tissue Tr & Sar. Nos	3	0.4	1	0.8	4	0.5
905	Nesothelial Neoplasms	1	0.1	0	0.0	1	0.1
906-909	Germ Cell Neoplasms	1	0.1	0	0.0	1	0.1
949-952	Neuroepitheliomatous Neo	2	0.3	0	0.0	2	0.2
	<b>Total</b>	<b>728</b>	<b>100.0</b>	<b>130</b>	<b>100.0</b>	<b>858</b>	<b>100.0</b>
<b>C40 - C41 BONE AND ARTICULAR CARTILAGE</b>							
800	Malignant Neoplasms	2	2.2	0	0	2	1.4
801-804	Epithelial Neo, Nos	13	14.1	11	20.4	24	16.4
805-808	Pap & Squamous Cell Neo	8	8.7	3	5.6	11	7.5
814-838	Adenocarcinomas	3	3.3	1	1.9	4	2.7
880	Soft Tissue Tr & Sar. Nos	0	0.0	1	1.9	1	0.7

ICD10	SITE GROUP/ HISTOLOGICAL VARIETY	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
881-883	Fibromatous Neoplasms	0	0.0	1	1.9	1	0.7
889-892	Mytomatous Neoplasms	1	1.1	2	3.7	3	2.1
918-920	Osteomas & Osteosarcomas	30	32.6	15	27.8	45	30.8
921-924	Chondromatous Neoplasms	14	15.2	4	7.4	18	12.3
925	Giant Cell Tumors	2	2.2	1	1.9	3	2.1
926	Miscellaneous Bone Tumor	13	14.1	13	24.1	26	17.8
927-934	Odpmtpgemoc Tumors	6	6.5	2	3.7	8	5.5
Total		9.2	100.00	54	100.0	146	100.0

#### C43 - C44 MELANOMA AND OTHER MALIGNANT NEO. OF SKIN

801-804	Epithelial Neo, Nos	8	12.7	4	7.7	12	10.4
805-808	Pap & Squamous Cell Neo	33	52.4	10	19.2	43	37.4
809-811	Basal Cell Neoplasms	9	14.3	18	34.6	27	23.5
814-838	Adenocarcinomas	1	1.6	2	3.8	3	2.6
839-842	Adnexal & Sk.in App Neo	3	4.8	0	0.0	3	2.6
844-849	Cysts Mucinous & Serous Neo	1	1.6	0	0.0	1	0.9
855	Acinar Cell Neoplasms	0	0	1	1.9	1	0.9
872-879	Nevi & Melanomas	6	9.5	12	23.1	18	15.7
881-883	Fibromatous Neoplasms	2	3.2	4	7.7	6	5.2
912-916	Blood Vessel Tumors	0	0.0	1	1.9	1	0.9
Total		63	100.0	52	100.0	115	100.0

#### C45 - C49 MALIGNANT NEO. OF MESOTHELIAL & SOFT TISSUE

800	Malignant Neoplasms	2	1.9	4	4.2	6	3.0
801-804	Epithelial Neo, Nos	16	15.1	16	16.7	32	15.8
805-808	Pap & Squamous Cell Neo	4	3.8	1	1.0	5	2.5
814-838	Adenocarcinomas	8	7.5	12	12.5	20	9.9
880	Soft Tissue Tr & Sar. Nos	35	33.0	26	27.1	61	30.2
881-883	Fibromatous Neoplasms	9	8.5	8	8.3	17	8.4
885-888	Lipomatous Neoplasms	9	8.5	4	4.2	13	6.4
889-892	Mytomatous Neoplasms	13	12.3	16	16.7	29	14.4
904	Synovial Neoplasms	4	3.8	2	2.1	6	3.0
905	Mesothelial Neoplasms	2	1.9	0	0.0	2	1.0
906-909	Germ Cell Neoplasms	0	0.0	1	1.0	1	0.5
912-916	Blood Vessel Tumors	0	0.0	1	1.0	1	0.5
918-920	Osteomas & Osteosarcoma	1	0.9	0	0.0	1	0.5
949-952	Neuroepitheliomatous Neo	2	1.9	1	1.0	3	1.5
954-957	Nerve Sheath Tumors	1	0.9	4	4.2	5	2.5
Total		106	100.0	96	100.0	202	100.0

#### C50 BREAST

800	Malignant Neoplasms	0	0.0	2	0.2	2	0.2
801-804	Epithelial Neo, Nos	6	50.0	459	43.3	465	43.3
805-808	Pap & Squamous Cell Neo	0	0.0	2	0.2	2	0.2
814-838	Adenocarcinomas	0	0.0	6	0.6	6	0.6
844-849	Cysts Mucinous & Serous Neo	0	0.0	2	0.2	2	0.2
850-854	Ductal,Lobular & Medu Neo	6	50.0	583	54.9	589	54.9
880	Soft Tissue Tr & Sar. Nos	0	0.0	1	0.1	1	0.1
900-903	Fibroepithelial Neoplasms	0	0.0	6	0.6	6.0	0.6
Total		12	100.0	1061	100.0	1073	100.0

ICD10	SITE GROUP/ HISTOLOGICAL VARIETY	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
<b>C51 - C58 FEMALE GENITAL ORGANS</b>							
800	Malignant Neoplasms	0	0.0	10	0.9	10	0.9
801-804	Epithelial Neo, Nos	0	0.0	451	40.8	451	40.8
805-808	Pap & Squamous Cell Neo	0	0.0	389	35.2	389	35.2
814-838	Adenocarcinomas	0	0.0	167	15.1	167	15.1
844-849	Cysts Mucinous & Serous Neo	0	0.0	53	4.8	53	4.8
859-867	Specialised Gonadal Neo	0	0.0	2	0.2	2	0.2
872-879	Nevi & Melanomas	0	0.0	1	0.1	1	0.1
880	Soft Tissue Tr & Sar. Nos	0	0.0	2	0.2	2	0.2
893-899	Complex Mixed & St Neo	0	0.0	7	0.6	7	0.6
900-903	Fibroepithelial Neoplasms	0	0.0	1	0.1	1	0.1
906-909	Germ Cell Neoplasms	0	0.0	14	1.3	14	1.3
910	Trophoblastic Neoplasms	0	0.0	8	0.7	8	0.7
	Total	0	0.0	1105	100.0	1105	100.0
<b>C60 - C63 MALE GENITAL ORGANS</b>							
800	Malignant Neoplasms	2	0.6	0	0.0	2	0.6
801-804	Epithelial Neo, Nos	134	43.4	0	0.0	134	43.4
805-808	Pap & Squamous Cell Neo	21	6.8	0	0.0	21	6.8
809-811	Basal Cell Neoplasm	2	0.6	0	0.0	2	0.6
812-813	Transtional Cell Carcinoma	1	0.3	0	0.0	1	0.3
843	Mucorpifrtmoif Neo	119	38.5	0	0.0	119	38.5
906-909	Germ Cell Neoplasms	30	9.7	0	0.0	30	9.7
	Total	309	100.0	0	0.0	309	100.0
<b>C64 - C68 URINARY TRACT</b>							
801-804	Epithelial Neo, Nos	83	28.0	11	12.8	94	24.6
805-808	Pap & Squamous Cell Neo	5	1.7	1	1.2	6	1.6
809-811	Basal Cell Neoplasm	0	0.0	1	1.2	1	0.3
812-813	Transtional Cell Carcinoma	115	38.9	24	27.9	139	36.4
814-838	Adenocarcinomas	80	27.0	40	46.5	120	31.4
880	Soft Tissue Tr & Sar. Nos	0	0.0	1	1.2	1	0.3
889-892	Mytomatous Neoplasms	1	0.3	0	0.0	1	0.3
893-899	Complex Mixed & St Neo	12	4.1	8	9.3	20	5.2
	Total	296	100.0	86	100.0	382	100.0
<b>C69 - C72 EYE, BRAIN AND OTHER PARTS OF CENTRAL NER SYSTEM</b>							
800	Malignant Neoplasms	1	0.5	1	1.0	2	0.6
801-804	Epithelial Neo, Nos	13	6.0	13	12.7	26	8.2
805-808	Pap & Squamous Cell Neo	3	1.4	0	0.0	3	0.9
814-838	Adenocarcinomas	3	1.4	4	3.9	7	2.2
843	Mucorpifrtmoif Neo	1	0.5	0	0.0	1	0.3
872-879	Nevi & Melanomas	1	0.5	0	0.0	1	0.3
880	Soft Tissue Tr & Sar. Nos	0	0.0	1	1.0	1	0.3
906-909	Germ Cell Neoplasms	1	0.5	0	0.0	1	0.3
912-916	Blood Vessel Tumors	1	0.5	0	0.0	1	0.3
935-937	Miscellaneous Neoplasms	1	0.5	0	0.0	1	0.3
938-948	Gliomas	171	79.5	73	71.6	244	77.0
949-952	Neuroepitheliomatous Neo	13	6.0	3	2.9	16	5.0
953	Menegiomas	6	2.8	7	6.9	13	4.1
	Total	215	100.0	102	100.0	317	100.0

ICD10	SITE GROUP/ HISTOLOGICAL VARIETY	MALE		FEMALE		TOTAL	
		No.	%	No.	%	No.	%
<b>C73 - C75 THYROID AND OTHER ENDOCRINE GLANDS</b>							
800	Malignant Neoplasms	2	3.6	0	0.0	2	1.3
801-804	Epithelial Neo, Nos	4	7.3	36	37.5	40	26.5
805-808	Pap & Squamous Cell Neo	12	21.8	21	21.9	33	21.9
814-838	Adenocarcinomas	16	29.1	30	31.3	46	30.5
850-854	Ductul,Lobular & Med. Neo	10	18.2	5	5.2	15	9.9
868-871	Paragangliomas & Glomas T	2	3.6	0	0.0	2	1.3
949-952	Neuroepitheliomatous Neo	9	16.4	4	4.2	13	8.6
	Total	55	100.0	96	100.0	151	100.0
<b>C76 - C80 ILL-DEFINED, SECONDARY AND UNSPECIFIED SITES</b>							
800	Malignant Neoplasms	1	1.6	3	9.1	4	4.2
801-804	Epithelial Neo, Nos	26	41.9	14	42.4	40	42.1
805-808	Pap & Squamous Cell Neo	30	48.4	7	21.2	37	38.9
814-838	Adenocarcinomas	3	4.8	5	15.2	8	8.4
880	Soft Tissue Tr & Sar. Nos	0	0.0	1	3.0	1	1.1
881-883	Fibromatous Neoplasms	1	1.6	1	3.0	2	2.1
906-909	Germ Cell Neoplasms	0	0.0	1	3.0	1	1.1
921-924	Chondromatous Neoplasms	0	0.0	1	3.0	1	1.1
949-952	Neuroepitheliomatous Neo	1	1.6	0	0.0	1	1.1
	Total	62	100.0	33	100.0	95	100.0
<b>C81 - C96 LYMPHOID, HAEMATOPOIETIC AND RELATED TISSUE</b>							
959-963	Lymphomas, Nos Or Diffuse	253	31.7	128	31.3	381	31.6
965-968	Hodgkin's Disease	104	13.0	39	9.5	143	11.8
969	Lymp, Nodular Or Folli	1	0.1	2	0.5	3	0.2
970	Mycosis Fungoides	1	0.1	0	0.0	1	0.1
971-972	Misc Reticulo-endo Neo	1	0.1	0	0.0	1	0.1
973	Plasma Cell Tumors	84	10.5	60	14.7	144	11.9
975	Burkitts Tumors	2	0.3	1	0.2	3	0.2
980	Leukaemias, Nos	52	6.5	32	7.8	84	7.0
981	Compound Leukaemias	157	19.7	57	13.9	214	17.7
983	Plasma Cell Leukaemias	2	0.3	1	0.2	3	0.2
986	Myeloid Leukaemias	141	17.7	89	21.8	230	19.1
	Total	798	100.0	409	100.0	1207	100.0

**TABLE 20**

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Males, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C01-02	Tongue	0	0	1	0	0	0	0	0	1	2	2	0	3	2	1	1	1	1	14	2.3
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	1	3	2	2	1	1	0	10	1.7	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.2	
C09	Tonsil	0	0	0	0	0	0	0	1	0	2	1	0	0	1	0	1	0	6	1.0	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2	
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1	0	6	1.0	
C14	Pharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C15	Oesophagus	0	0	0	0	0	0	0	1	1	1	7	6	6	2	0	2	0	26	4.3	
C16	Stomach	0	0	0	1	0	0	0	0	3	0	6	2	2	1	3	1	0	19	3.2	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.2	
C18	Colon	1	0	0	0	0	0	1	0	1	3	1	5	2	1	1	1	1	18	3.0	
C19-20	Rectum	0	0	0	1	1	2	0	0	3	2	1	1	1	1	0	0	0	13	2.2	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.2	
C22	Liver	0	0	0	0	0	1	0	1	0	3	2	1	3	2	1	2	0	16	2.7	
C23-24	Gall Bladder	0	0	0	0	0	0	1	1	1	1	5	3	3	2	2	1	1	21	3.5	
C25	Pancreas	0	0	0	0	0	1	0	0	3	0	0	2	3	1	2	2	1	15	2.5	
C30-31	Nose, Sinus	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.2	
C32	Larynx	0	0	0	0	0	0	0	0	0	2	1	3	6	4	1	4	1	22	3.7	
C33-34	Lung etc.	0	0	0	0	0	0	1	3	5	8	13	11	23	15	17	6	1	103	17.2	
C37-38	Other Thoracic Org.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.2	
C40-41	Bone	1	0	2	3	0	0	0	0	0	0	1	0	1	0	0	1	0	9	1.5	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.2	
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C45	mesothelioma	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	1	0	4	0.7	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C47+C49	Conn. & Soft Tiss	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	3	0.5	
C50	Breast	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	3	0.5	
C60	Penis	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0.2	
C61	Prostate	0	0	0	0	0	0	0	0	0	0	2	2	2	2	7	4	0	19	3.2	
C62	Testis	0	0	0	0	1	0	1	1	0	0	0	1	0	0	0	0	0	4	0.7	
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.2	
C64	Kidney etc.	1	0	0	0	0	0	0	1	0	3	0	0	0	1	0	1	0	7	1.2	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C67	Bladder	0	0	0	0	0	0	1	0	0	2	2	4	2	4	1	5	0	21	3.5	
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C70-72	Brian, Nervous Sys	1	5	1	1	1	1	1	3	2	1	1	1	0	2	0	1	0	22	3.7	
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2	
C74	Adrenal Gland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.3	
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	3	0.5	
C78	Sec Resp & Digest	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	3	0.5	
C79	Sec Others	0	0	0	0	0	0	0	1	0	0	0	1	1	1	2	0	0	6	1.0	
C81	Hodgkins Disease	0	0	1	0	0	2	1	0	0	0	0	0	1	2	2	1	0	10	1.7	
C82-85, C96	NHL	0	2	1	2	3	3	0	3	2	3	6	2	4	2	6	3	0	42	7.0	
C90	Multiple Myeloma	0	0	1	0	0	0	0	0	0	3	3	4	3	2	1	1	0	18	3.0	
C91	Lymphoid Leuk.	5	6	7	3	5	1	1	3	1	1	1	2	1	0	4	2	0	43	7.2	
C92-94	Myeloid Leuk.	0	2	3	3	2	2	5	9	2	1	4	0	4	3	0	0	1	41	6.8	
C95	Leukaemia Uns	1	1	2	1	2	2	1	0	0	2	0	1	1	0	0	0	0	14	2.3	
O&U	Others and Uns	2	2	1	0	0	0	0	0	1	2	4	2	1	3	4	2	0	24	4.0	
	<b>All Sites</b>	15	18	20	15	15	15	15	29	31	45	70	59	80	61	58	46	7	599	100.0	
	<b>%</b>	1.0	1.1	1.0	1.0	2.3	3.6	5.5	8.2	10.7	10.8	13.5	10.6	11.5	8.1	5.9	4.6	0.0	100.0		

## TABLE 21

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Females, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C01-02	Tongue	0	0	0	0	0	0	1	0	3	0	0	1	0	0	0	0	0	5	1.3
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	3	0.8
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3	0.8
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C12-13	Hypopharynx	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2	0.5
C14	Pharynx Unspec.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.3
C15	Oesophagus	0	0	0	0	0	0	0	0	2	2	0	1	2	1	1	0	0	9	2.3
C16	Stomach	0	0	0	0	0	1	0	0	1	0	1	0	2	0	1	0	0	6	1.5
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.3
C18	Colon	0	0	0	0	1	0	0	0	1	1	0	1	1	0	1	1	0	7	1.8
C19-20	Rectum	0	0	0	0	0	1	0	0	1	0	0	0	2	1	2	0	0	7	1.8
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C22	Liver	0	0	0	0	0	0	0	0	1	1	2	2	0	2	1	0	0	9	2.3
C23-24	Gall Bladder	0	0	0	0	0	0	0	1	0	3	5	0	12	2	6	2	0	31	7.8
C25	Pancreas	0	0	0	0	0	0	0	0	0	1	0	1	1	2	0	1	0	6	1.5
C30-31	Nose, Sinus	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0.3
C32	Larynx	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	2	0.5
C33-34	Lung etc.	0	0	0	0	0	0	1	0	0	0	1	0	1	3	0	1	0	7	1.8
C37-38	Other Thoracic Org	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C40-41	Bone	0	0	2	0	0	0	0	0	0	0	0	2	1	0	0	0	0	5	1.3
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C44	Other Skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C45	Mesothelioma	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	3	0.8
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss.	0	0	0	0	1	0	0	0	0	2	0	0	0	0	1	0	0	4	1.0
C50	Breast	0	0	0	0	0	3	0	8	8	8	19	13	6	7	2	2	1	77	19.4
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0.5
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C53	Cervix Uteri	0	0	0	0	0	0	1	0	1	3	4	2	2	3	5	1	0	22	5.6
C54	Corpus Uteri	0	0	0	0	1	0	0	0	0	0	1	1	0	1	1	1	0	6	1.5
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0.5
C56	Ovary	0	0	0	0	0	2	1	4	5	4	1	3	3	0	1	3	0	27	6.8
C57	Other Female Gnt.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C64	Kidney etc.	1	0	0	0	0	0	0	0	2	0	0	1	1	0	1	0	0	6	1.5
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.5
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C70-72	Brain, Nervous Sys	0	0	2	2	2	0	1	1	1	1	1	0	0	2	1	0	0	14	3.5
C73	Thyroid	0	0	0	0	0	0	0	0	0	2	1	2	0	1	0	0	0	6	1.5
C74	Adrenal Gland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.5
C77	Sec Lymph Node	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C78	Sec Resp & Digest	0	0	0	0	0	0	1	0	1	0	1	0	1	0	3	1	0	8	2.0
C79	Sec Other	0	0	0	0	0	0	0	0	2	0	1	1	0	1	0	0	0	5	1.3
C81	Hodgkins Disease	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	0.8
C82-85, C96	NHL	0	0	1	0	1	0	0	1	2	0	4	4	1	3	2	6	0	25	6.3
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0	1	0	5	1.3
C91	Lymphoid Leuk.	2	4	1	2	2	0	0	3	0	1	0	1	1	0	1	0	0	18	4.6
C92-94	Myeloid Leuk.	0	5	1	0	3	3	3	0	2	2	2	1	0	0	0	1	0	23	5.8
C95	Leukaemia Uns	0	1	2	1	0	1	1	0	1	0	0	0	0	0	1	0	0	8	2.0
O&U	Other & Uns	1	0	1	0	0	0	1	3	1	6	2	3	0	2	1	2	0	23	5.8
	<b>All Sites</b>	<b>6</b>	<b>10</b>	<b>10</b>	<b>5</b>	<b>11</b>	<b>11</b>	<b>13</b>	<b>22</b>	<b>38</b>	<b>39</b>	<b>49</b>	<b>44</b>	<b>41</b>	<b>36</b>	<b>33</b>	<b>26</b>	<b>2</b>	<b>396</b>	<b>100.0</b>
	<b>%</b>	<b>1.0</b>	<b>1.1</b>	<b>1.0</b>	<b>1.0</b>	<b>2.3</b>	<b>3.6</b>	<b>5.5</b>	<b>8.2</b>	<b>10.7</b>	<b>10.8</b>	<b>13.5</b>	<b>10.6</b>	<b>11.5</b>	<b>8.1</b>	<b>5.9</b>	<b>4.6</b>	<b>0.0</b>	<b>100.0</b>	<b></b>

## TABLE 22

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD-10), Males, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CMR	AMR	TMR
C00	LIP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	TONGUE	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.8	0.0	2.4	2.2	1.5	1.5	0.2	0.3	0.6
C03-06	MOUTH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	1.6	2.2	1.5	1.5	0.1	0.3	0.5
C07-08	SALIVARY GL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C09	TONSIL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.4	0.0	0.0	1.1	0.0	1.5	0.1	0.1	0.2
C10	OTH OROPHAR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C11	NASOPHA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C12-13	HYPOPHA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.6	0.0	1.1	1.5	1.5	1.5	0.1	0.2	0.2
C14	PHARYNX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	OESOPHA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	2.8	3.7	4.8	2.2	0.0	3.0	0.4	0.7	1.7
C16	STOMACH	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.0	2.4	1.2	1.6	1.1	4.5	1.5	0.3	0.4	0.9
C17	SMAL INT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C18	COLON	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.9	0.4	3.1	1.6	1.1	1.5	1.5	0.3	0.4	0.9
C19-20	RECTUM	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	0.7	0.6	0.4	0.6	0.8	1.1	0.0	0.0	0.2	0.2	0.5
C21	A & ANAL C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C22	LIVER	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.9	0.8	0.6	2.4	2.2	1.5	3.0	0.2	0.4	0.7
C23-24	GALL BL	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	2.0	1.9	2.4	2.2	3.0	1.5	0.3	0.5	1.0
C25	PANCREA	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.7	0.0	0.0	1.2	2.4	1.1	3.0	3.0	0.2	0.4	0.6
C30-31	NOSE, SINUS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C32	LARYNX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	1.9	4.8	4.3	1.5	6.0	0.3	0.6	1.0
C33-34	LUNG ETC	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.1	2.4	5.3	6.8	18.4	16.3	25.6	9.0	1.4	2.7	4.9
C37-38	OT TH ORG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C40-41	BONE	0.1	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.0	0.0	1.5	0.1	0.2	0.2
C43	MEL OF SKIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C44	OTH SKIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C45	MESOTHELIOM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.5	0.1	0.1	0.2
C46	KAP SARCOM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	CON & SOFT T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.1	0.3
C50	BREAST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.8	1.1	0.0	0.0	0.0	0.1	0.2
C60	PENIS	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C61	PROSTATE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	1.6	2.2	10.5	6.0	0.3	0.6	0.5	
C62	TESTIS	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.1	0.1	0.1
C63	OT MALE GEN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C64	KIDNEY ETC	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	0.0	0.0	0.0	1.1	0.0	0.0	1.5	0.1	0.1	0.2
C65	RENAL PELVIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	URETER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	BLADDER	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.8	2.5	1.6	4.3	1.5	7.5	0.3	0.6	0.8
C68	UNS URI ORG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	EYE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	BR NER SYS	0.1	0.6	0.1	0.1	0.1	0.1	0.2	0.5	0.5	0.3	0.4	0.6	0.0	2.2	0.0	1.5	0.3	0.4	0.4
C73	THYRIOD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C74	AD GLAND	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	SECLYMPH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.5	1.5	0.0	0.1	0.1
C78	SEC RESP&DIG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	1.1	0.0	0.0	0.0	0.1	0.1
C79	SEC.OTHERS	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.8	1.1	3.0	0.0	0.1	0.2	0.2	
C81	HODGKINS D	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.8	2.2	3.0	1.5	0.1	0.2	0.1
C82-85, C96	NHL	0.0	0.3	0.1	0.3	0.4	0.4	0.0	0.5	0.5	0.9	2.4	1.2	3.2	2.2	9.0	4.5	0.6	0.9	1.3
C90	MULTIPLE MY	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	1.2	2.5	2.4	2.2	1.5	1.5	0.3	0.5	1.0	
C91	LYMP LEUK	0.7	0.8	0.9	0.4	0.6	0.1	0.2	0.5	0.2	0.3	0.4	1.2	0.8	0.0	6.0	3.0	0.6	0.7	0.5
C92-94	MYE LEUK	0.0	0.3	0.4	0.4	0.3	0.3	0.8	1.6	0.5	0.3	1.6	0.0	3.2	3.3	0.0	0.0	0.6	0.6	1.1
C95	LEUK UNS	0.1	0.1	0.3	0.1	0.3	0.3	0.2	0.0	0.0	0.6	0.0	0.6	0.8	0.0	0.0	0.0	0.2	0.2	0.3
O&U	OTH & UNS	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.6	1.2	0.8	3.3	6.0	3.0	0.3	0.6	0.7
	<b>All Sites</b>	<b>2.2</b>	<b>2.3</b>	<b>2.5</b>	<b>1.9</b>	<b>1.9</b>	<b>2.1</b>	<b>2.5</b>	<b>5.3</b>	<b>7.0</b>	<b>13.4</b>	<b>28.4</b>	<b>36.7</b>	<b>64.0</b>	<b>66.3</b>	<b>87.2</b>	<b>68.8</b>	<b>8.3</b>	<b>13.5</b>	<b>22.5</b>

## TABLE 23

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD-10), Females, 2001

ICD-10	SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CMR	AMR	TMR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	Tongue	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.1	0.1	0.3
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
C07-08	Salivary Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.0	0.0	0.0	0.1	0.1	0.3
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	0.7	1.6	1.1	1.6	0.0	0.2	0.2	0.6
C16	Stomach	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.5	0.0	1.6	0.0	1.6	0.0	0.1	0.2	0.4
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C18	Colon	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.4	0.0	0.7	0.8	0.0	1.6	1.6	0.1	0.2	0.3
C19-20	Rectum	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	1.6	1.1	3.3	0.0	0.1	0.2	0.3
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C22	Liver	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.1	1.5	0.0	2.1	1.6	0.0	0.2	0.3	0.5
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	2.7	0.0	9.9	2.1	9.9	3.2	0.5	0.9	2.0
C25	Pancreas	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.8	2.1	0.0	1.6	0.1	0.2	0.3
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.8	3.2	0.0	1.6	0.1	0.2	0.2
C37-38	Other Thoracic Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C40-41	Bone	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.0	0.0	0.0	0.1	0.1	0.3
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C44	Other Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.1	0.1	0.3
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tiss	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.6	0.0	0.1	0.1	0.2
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.8	2.4	3.1	10.3	9.5	4.9	7.5	3.3	3.2	1.3	1.9	4.9
C51	Vulva	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.6	0.0	0.0	0.1	0.1
C52	Vagina	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C53	Cervix Uteri	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.1	2.2	1.5	1.6	3.2	8.2	1.6	0.4	0.6	1.0
C54	Corpus Uteri	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.0	1.1	1.6	1.6	0.1	0.2	0.2
C55	Uterus Unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C56	Ovary etc.	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.9	1.5	1.5	0.5	2.2	2.5	0.0	1.6	4.8	0.5	0.6	1.5
C57	Other Female Genit	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.8	0.0	1.6	0.0	0.1	0.2	0.3
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.6	0.0	0.1	0.1
C68	Uns. Urinary Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	Brain, Nervous Sys	0.0	0.0	0.3	0.3	0.3	0.0	0.2	0.2	0.3	0.4	0.5	0.0	0.0	2.1	1.6	0.0	0.2	0.3	0.3
C73	Thyroid	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	1.5	0.0	1.1	0.0	0.0	0.1	0.2	0.4
C74	Adrenal Gland	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C78	Sec Resp & Digest	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.5	0.0	0.8	0.0	4.9	1.6	0.1	0.2	0.3
C79	Sec Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.7	0.0	1.1	0.0	0.0	0.1	0.1	0.3
C81	Hodgkins Disease	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.1	0.0	1.6	0.1	0.1	0.1
C82-85, C96	NHL	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.2	0.6	0.0	2.2	2.9	0.8	3.2	3.3	9.5	0.4	0.7	1.0
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.0	0.0	2.1	0.0	1.6	0.1	0.1	0.1
C91	Lymphoid Leuk.	0.3	0.6	0.1	0.3	0.3	0.0	0.0	0.7	0.0	0.4	0.0	0.7	0.8	0.0	1.6	0.0	0.3	0.3	0.4
C92-94	Myeloid Leuk.	0.0	0.7	0.1	0.0	0.5	0.5	0.6	0.0	0.6	0.8	1.1	0.7	0.0	0.0	0.0	1.6	0.4	0.4	0.5
C95	Leukaemia Uns	0.0	0.1	0.3	0.2	0.0	0.2	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.1	0.1	0.1
O&U	Other and Uns	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.7	0.3	2.3	1.1	2.2	0.0	2.1	1.6	3.2	0.4	0.5	1.1
	<b>All Sites</b>	<b>1.0</b>	<b>1.5</b>	<b>1.5</b>	<b>0.9</b>	<b>1.9</b>	<b>1.9</b>	<b>2.6</b>	<b>4.8</b>	<b>11.5</b>	<b>14.9</b>	<b>26.6</b>	<b>32.1</b>	<b>33.7</b>	<b>38.7</b>	<b>54.2</b>	<b>41.3</b>	<b>6.7</b>	<b>9.8</b>	<b>18.8</b>

**TABLE 24**

Age - Specific Mortality rates per 100,000 persons for all cancer sites by sex, 2001

Age group	MALES	FEMALES
00-04	2.2	1.0
05-09	2.3	1.5
10-14	2.5	1.5
15-19	1.9	0.9
20-24	1.9	1.9
25-29	2.1	1.9
30-34	2.5	2.6
35-39	5.3	4.8
40-44	7.0	11.5
45-49	13.4	14.9
50-54	28.4	26.6
55-59	36.7	32.1
60-64	64.0	33.7
65-69	66.3	38.7
70-74	87.2	54.2
75+	68.8	41.3
<b>All ages</b>	<b>8.3</b>	<b>6.7</b>

**TABLE 25**

Leading Sites of Cancer by Crude Mortality Rates (CMR) per 100,000 persons for Males and Females, 2001

Rank	MALES			FEMALES			
	ICD - 10	Site	CMR	ICD - 10	Site	CMR	
1	C33-34	Lung	1.4	C70-72	Brain NS	2.4	
2	C91	Lymphoid Leuk	0.6	C50	Breast	1.3	
3	C82-85,C96	NHL	0.6	C23-24	Gall Bladder	0.5	
4	C92-94	Myeloid Leuk.	0.6	C56	Ovary etc.	0.5	
5	C15	Oesophagus	0.4	C82-85,C96	NHL	0.4	
6	C70-72	Brain NS	0.3	C92-94	Myeloid Leuk.	0.4	
7	C32	Larynx	0.3	C53	Cervix Ute	0.4	
8	C67	Bladder	0.3	C91	Lymphoid Leuk.	0.3	
9	C23-24	Gall Bladder	0.3	C22	Liver	0.2	
10	C61	Prostate	0.3	C15	Oesophagus	0.2	
<b>All sites (C00-C96)</b>			<b>8.3</b>	<b>All sites (C00-C96)</b>			<b>6.7</b>

**TABLE 26**

Leading sites of Cancer by World Age adjusted Mortality Rates (AMR) per 100,000 persons for Males and Females, 2001

Rank	MALES			FEMALES			
	ICD - 10	Site	AMR	ICD - 10	Site	AMR	
1	C33-34	Lung	2.7	C50	Breast	1.9	
2	C82-85,C96	NHL	0.9	C23-24	Gall Bladder	0.9	
3	C91	Lymphoid Leuk.	0.7	C82-85,C96	NHL	0.7	
4	C15	Oesophagus	0.7	C56	Ovary etc.	0.6	
5	C92-94	Myeloid Leuk.	0.6	C53	Cervix Ute	0.6	
6	C32	Larynx	0.6	C92-94	Myeloid Leuk.	0.4	
7	C67	Bladder	0.6	C91	Lymphoid Leuk.	0.3	
8	C61	Prostate	0.6	C70-72	Brain NS	0.3	
9	C23-24	Gall Bladder	0.5	C22	Liver	0.3	
10	C90	Multiple Myeloma	0.5	C15	Oesophagus	0.2	
<b>All sites (C00-C96)</b>			<b>13.5</b>	<b>All sites (C00-C96)</b>			<b>9.8</b>

**TABLE 27**

Leading Sites of Cancer by World Truncated Mortality Rates (TMR) per 100,000 persons for Males & Females, 2001

Rank	MALES			FEMALES			
	ICD - 10	Site	TMR	ICD - 10	Site	TMR	
1	C33-34	Lung	4.9	C50	Breast	4.9	
2	C15	Oesophagus	1.7	C81	Hodgkins Diseas.	2.3	
3	C82-85,C96	NHL	1.3	C23-24	Gall Bladder	2.0	
4	C92-94	Myeloid Leuk.	1.1	C56	Ovary etc.	1.5	
5	C32	Larynx	1.0	C53	Cervix Ute.	1.0	
6	C23-24	Gall Bladder	1.0	C82-85,C96	NHL	1.0	
7	C90	Multiple Myeloma	1.0	C15	Oesophagus	0.6	
8	C18	Colon	0.9	C92-94	Myeloid Leuk.	0.5	
9	C16	Stomach	0.9	C22	Liver	0.5	
10	C67	Bladder	0.8	C73	Thyroid	0.4	
<b>All sites (C00-C96)</b>			<b>22.5</b>	<b>All sites (C00-96)</b>			<b>18.8</b>