

CANCER INCIDENCE AND MORTALITY IN DELHI UT URBAN - 2002 & 2003

**Vinod Raina
B. B. Tyagi
N. Manoharan**



शरीरमाधं खलू धर्मसाधनम्

**DELHI CANCER REGISTRY
Dr. B. R. AMBEDKAR INSTITUTE ROTARY CANCER HOSPITAL
ALL INDIA INSTITUTE OF MEDICAL SCIENCES
NEW DELHI 110 029**

CANCER INCIDENCE AND MORTALITY IN DELHI UT URBAN - 2002 & 2003

Dr. VINOD RAINA, MD, FRCP
PROFESSOR & HEAD OF MEDICAL ONCOLOGY
&
HEAD

Dr. B.B.TYAGI, M.Sc., Ph.D
SCIENTIST – IV

N. MANOHARAN, M.Sc., P.G.D.C.A.
SCIENTIST – I



DELHI CANCER REGISTRY
Dr. B.R.AMBEDKAR INSTITUTE ROTARY CANCER HOSPITAL
ALL INDIA INSTITUTE OF MEDICAL SCIENCES
NEW DELHI – 110 029

MARCH 2007

FOREWORD



Dear Colleague

My staff has prepared the latest version of the annual report of Delhi Cancer Registry, which relates to two years 2002 and 2003. With this the backlog has been cleared and we are now at par with other cancer registries in India. I must remind you that this is a population-based registry.

We have tried to improve the report. It is now in colour and in a more attractive format. The report is also available on AIIMS website under Institute Rotary Cancer Hospital.

Notable trends are the increase in the incidence of breast cancer and decrease in cervical cancer in females and increase in prostate cancer and decrease in head and neck and lung cancer in males. The overall incidence of cancer has remained unchanged.

I would like to thank all my staff for the hard work they have put in particularly Dr. B.B.Tyagi whose tireless and focused efforts against heavy odds has turned our registry around. Our thanks are also due to Dr. Nandakumar for his continuous input.

I also wish to thank Roche Pharmaceuticals for defraying the cost of printing this report.

A handwritten signature in black ink, appearing to read 'Vinod Raina', with a long horizontal flourish extending to the right.

Dr. Vinod Raina, MD, FRCP.

Prof. & Head
Deptt. of Medical Oncology
&
Head, Delhi Cancer Registry
Dr. BRAIRCH
DECEMBER 2006

ACKNOWLEDGEMENTS

We are grateful to the Directors/Medical Superintendents, Head of the departments of Pathology, Radiotherapy and Medical records and other staff members of all the collaborating hospitals/Institutions who have co-operated with us by permitting our Medical Social Service Officers to collect the data on cancer patients in their care.

We are also thankful to the Health Officers and the staff of NDMC and MCD. They deserve special mention, for making death records of Delhi city available for abstracting information on cancer cases.

Finally we are also thankful to the Indian Council of Medical Research, New Delhi and Dr. A. NandaKumar, Deputy Director (Sr.Gr) and Project Officer, NCRP, ICMR, Bangalore for the technical support .

STAFF OF DELHI CANCER REGISTRY

1. Dr. Vinod Raina M.D., F.R.C.P. Head
2. Dr. B.B.Tyagi M.Sc., Ph.D Scientist – IV
3. Mr. N.Manoharan M.Sc., P.G.D.C.A. Scientist – I
4. Mr. Ashok Kumar Singh M.S.W MSSO (Gr.I)
5. Mr. Ratnesh Kumar M.S.W. MSSO (Gr.I)
6. Mr. Shambu Prasad Bhadola M.A. MSSO (Gr.II)
7. Ms. Gayatri Sharma M.A. MSSO (Gr.II)
8. Ms. Indu Gaur M.S.W. MSSO (Gr.II)
9. Mr.S.K.Rai M.S.W. MSSO (Gr.II)
10. Ms. Sudha Saxena M.A. MSSO (Gr.II)
11. Mr. C.P.Singh M.S.W. MSSO (Gr.II)
12. Mr.Anand Sharma M.S.W. MSSO (Gr.II)
13. Ms. Garima Negi LDC

CONTENTS

1. Introduction	9
2. Population Estimate	10
3. Sources of Cancer data	11
4. Cancer Registration Method	11
5. Results	
- Distribution of new cancer cases by age and site	13
- Crude, World age adjusted and Truncated incidence rates	15
- Leading sites of cancer by Crude incidence rates	16
- Leading sites of cancer by the World age adjusted incidence rates	17
- Leading sites of cancer by the truncated incidence rates	18
- Age-specific incidence rates	20
- Cancer in Pediatric age group	21
- Tobacco related cancers	22
- Method of diagnosis	23
- Histology	25
- Mortality	25

LIST OF TABLES

No.	Subject	Page No.
Table 1:	Estimated resident population by 5 year age group and sex in Delhi UT Urban, 2002	27
Table 2:	Estimated resident population by 5 year age group and sex in Delhi UT Urban, 2003.	27
Table 3:	Number and percentage of incident cases of cancer by sources of registration in Delhi UT (Urban), 2002.	28-31
Table 4:	Number and percentage of incident cases of cancer by sources of registration in Delhi UT (Urban), 2003	32-35
Table 5:	The percentage distribution of Delhi UT (Urban) population and new cancer cases by age & sex , 2002 and 2003.	36
Table 6:	Number of new cancer cases by site group and sex , 2002 and 2003.	36
Table 7:	Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for males, 2002.	37
Table 8:	Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for females, 2002.	38
Table 9:	Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for males, 2003.	39
Table 10:	Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for females, 2003	40
Table 11:	Age specific, world age-adjusted and truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for Males, 2002.	41
Table 12:	Age specific, world age-adjusted and truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for females, 2002.	42
Table 13:	Age specific, world age-adjusted and truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for Males, 2003	43
Table 14:	Age specific, world age-adjusted and truncated (35-64years) incidence rates per 100,000 persons by site (ICD.10) for females, 2003	44
Table 15:	Leading sites of cancer by crude incidence rates (CR) per 100,000 persons for Males, 2002 and 2003.	45
Table 16:	Leading sites of cancer by crude incidence rates (CR) per 100,000 persons for Females, 2002 and 2003.	45
Table 17:	Leading sites of cancer by world age-adjusted incidence rates (AAR) in Males per 100,000 persons, 2002 and 2003.	45

No.	Subject	Page No.
Table 18:	Leading sites of cancer by world age-adjusted incidence rates (AAR) in Females per 100,000 persons, 2002 and 2003.	46
Table 19:	Leading sites of cancer by truncated incidence rates (TCR) per 100000 persons for Males, 2002 and 2003.	46
Table 20:	Leading sites of cancer by truncated incidence rates (TCR) per 100000 persons for Females, 2002 and 2003.	46
Table 21:	Age specific incidence rates per 100,000 persons for all cancer sites by sex, 2002 and 2003.	47
Table 22:	The highest incidence rate by age and sex per 100,000 population, 2002.	47
Table 23:	The highest incidence rate by age and sex per 100,000 population, 2003.	48
Table 24:	The percentage distribution of ten most frequently occurring cancer (morbidity) in Paediatric age group by site (ICD.10) in Males, 2002 & 2003.	48
Table 25:	The percentage distribution of ten most frequently occurring cancer (morbidity) in Paediatric age group by site (ICD.10) in Females, 2002 and 2003.	49
Table 26 :	The distribution of Tobacco Related Cancer (TRC) cases in Males and Females, 2002.	49
Table 27 :	The distribution of Tobacco Related Cancer (TRC) cases in Males and Females, 2003.	50
Table 28:	The percentage distribution of new cancer cases diagnosed by sex and method of diagnosis, 2002 and 2003.	50
Table 29:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Males, 2002.	51
Table 30:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Females, 2002.	52
Table 31:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Males, 2003.	53
Table 32:	Number of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) for Females, 2003.	54
Table 33:	Number of Histologically proved incident cases of cancer by histology and sex with percentage, 2002.	55

No.	Subject	Page No.
Table 34:	Number of Histologically proved incident cases of cancer by histology and sex with percentage, 2003.	56
Table 35:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Males, 2002.	57
Table 36:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Females, 2002.	58
Table 37:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Males, 2003.	59
Table 38:	Number of cancer deaths by five year age group and site (ICD.10) and percentages (deaths in period) in Females, 2003.	60
Table 39:	Age specific, world age-adjusted (AAMR) and truncated (35-64 years) (TMR) death rates per 100,000 persons by site in Males,2002.	61
Table 40:	Age specific, world age-adjusted (AAMR) and truncated (35-64 years) (TMR) death rates per 100000 persons by site in Females,2002	62
Table 41:	Age specific, world age-adjusted (AAMR) and truncated (35-64 years) (TMR) death rates per 100,000 persons by site in Males, 2003.	63
Table 42:	Age specific, world age-adjusted (AAMR) and truncated (35-64 years) (TMR) death rates per 100,000 persons by site in Females, 2003.	64
Table 43:	Annual age specific death rates per 100,000 persons by sex, 2002 & 2003.	65
Table 44:	Leading sites of cancer mortality by crude mortality rates (CMR) per 100,000 persons in Males, 2002 and 2003.	65
Table 45:	Leading sites of cancer mortality by crude mortality rates (CMR) per 100,000 persons in Females, 2002 and 2003.	66
Table 46:	Leading sites of cancer mortality by world age-adjusted mortality rates (AAMR) per 100,000 persons in Males, 2002 and 2003.	66
Table 47:	Leading sites of cancer mortality by world age-adjusted mortality rates (AAMR) per 100,000 persons in Females, 2002 and 2003.	66
Table 48:	Leading sites of cancer mortality by truncated (35-64 years) mortality rates (TMR) per 100,000 persons in Males, 2002 and 2003.	67
Table 49:	Leading sites of cancer mortality by truncated (35-64 years) mortality rates (TMR) per 100,000 persons in Females, 2002 and 2003.	67

INTRODUCTION

The population based cancer registry at Institute Rotary Cancer Hospital (IRCH), All India Institute of Medical Sciences (AIIMS), New Delhi was established in January 1986 with the aim of obtaining reliable morbidity and mortality cancer data among the Delhi residents.

The registry collects morbidity and mortality data on cancer patients from 160 major Govt. Hospital centers and Institutions, more than 250 private hospitals and nursing homes, and the Dept. of Vital Statistics of the Delhi Municipal Corporation, New Delhi Municipal Committee and the Cantonment Board.

The data presented in this report pertains to all cancer cases (incident cases) registered at Delhi cancer registry during 2002 and 2003. There has been no change in cancer registration system methodology, diagnostic criteria and working of the registry from the previous years.

Delhi is a densely populated urban metropolis situated between the Himalayas and the Aravalli range in the heart of Indian sub-continent. It lies between 28° 25' and 28° 53' North latitude and 76° 50' and 73° 20' East longitude. It is surrounded on the north, west and south by Haryana and the east by the Uttar Pradesh. The Delhi State for the purpose of census was divided into 4 tracts viz.:-

- (i) Delhi Municipal Corporation (Urban)
- (ii) New Delhi Municipal Committee

- (iii) Delhi Cantonment and
- (iv) 29 Census towns

The population census is taken every ten years in India, the last one being in year 2001. According to 2001 census the population in Delhi UT Urban is 1,28,19,761 (Males: 70,30,671; Females: 57,82,090). The sex ratio in Delhi is 822 females per 1000 males. The density of population is 9294 persons per sq. km. as against 6352 persons in 1991.

The total area of NCT of Delhi is 1483 Sq. kms. As per Population Census 1991, its rural and urban composition are 797.66 sq. kms and 685.34 sq. kms respectively.


During Population Census 2001, the area of NCT of Delhi has remained the same at 1483 Sq. kms. However, its rural-urban composition has undergone change. According to provisional results released by Directorate of Census Operations, Delhi, rural-urban break-up of N.C.T. of Delhi is 591.91 Sq. kms and 891.09 sq. kms respectively.

Since the population by age is available for Delhi UT areas only, it was therefore suggested that Delhi Registry may be defined for Delhi UT Urban areas only.

POPULATION ESTIMATES

The estimation of population of Delhi UT urban areas during the years 2002 and 2003 has been done by exponential method, taking the base of 1991 and 2001 census figures. The estimated population for the year 2002 and 2003 are given in tables 1 & 2 respectively.

Fig.1. Distribution of estimated resident population in Delhi as on 1st July 2002



SOURCES OF CANCER DATA

The sources of cancer data are more than 160 major Government hospital centers, 250 private hospitals and nursing homes and Department of Vital Statistics of New Delhi Municipal Committee and Delhi Municipal Corporation.

From these sources, a total of 10684 cases (Males-5704, Females-4980) and were registered during the year 2002 and a total of 10647 (Males-5460, Females-5187) were registered during the year 2003. The details of various sources of information is given in Tables 3 and 4 for the period 2002 and 2003 respectively.

CANCER REGISTRATION METHOD

Medical Social Service Officers (MSSO) visits various hospitals and nursing homes and interviews the patients who are either undergoing cancer treatment or being investigated for cancer at radiotherapy department. They also examine the case records maintained by various departments of these hospitals viz. Pathology, Hematology, Radiology etc. All the

information collected is cross-checked for completeness of the data. Some time the same patient may register his/her name in more than one hospital for treatment. So care has been taken to exclude duplicates and ensure that each patient is included only once in the records.

MSSO's also personally visit the offices of New Delhi Municipal Committee and Municipal Corporation of Delhi and collect information about deaths where the death certificates states the cause of death as cancer or tumours. These death records are then matched with the morbidity records. Cases not matching with the records are registered as Death certificates only cases (DCO's) in that corresponding year.

RESULTS

The number of cancer cases registered in 2002 was 10684. Out of these, males were 5704(53.4%) and females 4980(46.6%). During 2003 a total of 10647 cancer cases were registered. Among them 5460 (51.2%) were males and 5187 (48.7%) females. The net increase in absolute figures is 861 for the year 2002 compared to the year 2001. There was no increase in 2003.

The age and sex distribution of resident population and new cancer cases for the years 2002 and 2003 are given in table 5.

The percentage of new cancer cases was more in the age group 35-64 years as compared to other age groups during 2002 in both sexes. Although the population distribution is almost similar in both sexes in the age group 35-64 years, the incidence of cancer was more in females compared to males. In children (0-14 Years) and in older individuals (age more than 65 years), the cancer incidence is more in males as compared to females.

The trends were similar for the year 2003. In both males and females, the number of

new cancer cases is more in the age group 35-64 years as compared to all other age groups. In the children (0-14 years) cancer cases are more in males (6.3%) compared to females (3.0%). Similarly in the older age group (65+) the cancer cases is more in males as compared to their female counter parts though the percentage of population in that age group is almost same in both males and females.

Table no. 6 shows the percentage distribution of new cancer cases by site grouping for the years 2002 and 2003.

Among males, Digestive organs (ICD.10: C15-C26, 17.8%), Respiratory and intra thoracic organs (ICD.10: C30-C39, 16.7%), and Lymphatic & haematopoietic and related tissue (ICD.10: C81-C96, 16.1%) are leading site group of cancer during the year 2002.

The system wise predominant site of cancer for females during the year 2002 are female genital organs (ICD.10 : C51-C58, 26.4%) followed by breast (ICD.10:C50, 24.3%) and Digestive organs (ICD.10:C15-C26, 15.2%).


In 2003, Digestive organs (18.6%), Lip, oral cavity & pharynx (16.1), Respiratory and intra thoracic organs (16.0%) are the leading site group of cancer in males whereas in females Genital organs (27.0%) followed by breast (25.2%) and Digestive organs (14.3%) are leading site group of cancer.

DISTRIBUTION OF NEW CANCER CASES BY AGE AND SITE


The detailed distribution of new cancer cases by age and site is given in tables 7,8,9 and 10 for the years 2002 and 2003 respectively.

In males, during 2002 cancer of lung (10.3%) is the leading site followed by cancer of Larynx (6.1%), Prostate (5.7%), NHL (5.2%) and Tongue (5.1%) while in 2003 the five leading

sites of cancer for males were Lung (10.4%), Larynx (5.4%), tongue (5.4%), NHL (4.9%) and Prostate (4.7%).



In females, cancer of Breast (24.3%), Cervix Uteri (13.6%), Ovary (7.3%), Gall bladder (5.4%) and corpus uteri (3.4%) were five leading sites during 2002. In 2003 also the cancer of breast was the leading site (25.2%) followed by cancer of cervix uteri (14.8%), ovary (7.1%), Gall bladder (5.6%) and corpus uteri (3.6%).



In males, the leading site cancer of Lung occurred maximum in the age group 60-64 years during 2002 and 2003. Similarly, the female leading site, cancer of breast occurred maximum in the age group 50-54 years both in the year 2002 and 2003.

CRUDE, WORLD AGE ADJUSTED & TRUNCATED INCIDENCE RATES

The detailed information regarding the Crude incidence rate, World-Age adjusted and truncated (35-64 years) incidence rates per 100,000 persons by site for males and females for the year 2002 are given in tables 11 and 12. The above rates for 2003 are presented in table 13 and 14 for males and females respectively.

The crude incidence rate (CR) for the year 2002 was 76.1 and 80.9 per 100,000 persons for males and females respectively. The corresponding figures for 2003 were 69.8 and 80.9 for males and females respectively.

The world age-adjusted (AAR) for all sites among the males and females are 123.0 and 116.1 per 100,000 persons respectively for the year 2002. For the year 2003 the AAR for males was 111.3 and for females it was 114.9.

The truncated incidence rates (TR) among the males during 2002 & 2003 for all sites were 210.9 & 197.6 per 100,000 persons respectively. Among females the TR of the years 2002 & 2003 are 246.6 & 247.2 respectively which are higher than the males.






Fig.5. Crude (CR), Age adjusted (AAR) and Truncated (TR) incidence rates, 2003



LEADING SITES OF CANCER BY CRUDE INCIDENCE RATES

Leading sites of cancer by crude incidence rates for males and females for the years 2002 and 2003 are presented in table nos. 15 and 16 respectively.


Fig.6. Five leading sites of cancer as per Crude Incidence rates in Males, 2002 & 2003



In males, during 2002, the predominant site of cancer by crude incidence rate was lung (7.9) followed by larynx (4.6), prostate (4.4), NHL (3.9) and tongue (3.9) while in 2003

cancer of lung (7.2) was the leading site followed by larynx (3.8), tongue (3.8) , NHL (3.4) and prostate (3.3).


In females, during 2002 the five leading sites of cancer by crude incidence rate are breast (19.7), cervix uteri (11.0), ovary (5.9), gall bladder (4.4) and corpus uteri (2.7) while in 2003 the five leading sites are breast (20.4), cervix (12.0), ovary (5.8), gall bladder (4.6) and corpus uteri (2.9).




LEADING SITES OF CANCER BY WORLD AGE ADJUSTED INCIDENCE RATES

The world age adjusted incidence rates for leading sites of cancer are presented in table 17 and 18 for males and females respectively.

During 2002 the five leading sites as per AAR for males are lung (14.5), prostate (9.2), larynx (8.2), bladder (7.1) and tongue (6.6) while in the year 2003, lung (13.0), prostate (7.0), larynx (6.7), tongue (6.3) and bladder (5.8) are the five leading sites of cancer.




Among females breast (28.1), cervix uteri (15.8), ovary (8.2), gall bladder (6.8) and corpus uteri (4.4) are the five leading sites during 2002 and in 2003, breast (29.3), cervix uteri (17.2), ovary (7.8), gall bladder (7.1) and corpus uteri (4.6) are leading sites.




LEADING SITES OF CANCER BY TRUNCATED (35-64 years) INCIDENCE RATES (WORLD POPULATION)

The leading cancer sites as per truncated incident rates are presented in table 19 and 20 for males and females respectively.

Among males, the predominant site of cancer as per truncated incidence rates for the years 2002 are lung (26.2), larynx (15.0), tongue (14.0), bladder (11.5) and esophagus (8.9). In 2003, the leading sites are lung (26.8), larynx (13.4), tongue (13.4), esophagus (9.7) and mouth (9.0).



In females, during 2002, breast (66.9), cervix uteri (37.5), ovary (18.8), gall bladder (14.8) and corpus uteri (9.2) are five leading sites of cancer as per truncated incidence rates. Breast




(69.8), cervix uteri (41.6), ovary (17.5), gall bladder (15.8) and corpus uteri (10.5) are five leading sites as per truncated incidence rates in the year 2003.

AGE-SPECIFIC INCIDENCE RATES

Table 21, gives the age-specific incidence rates per 100,000 persons for all cancer sites for the years 2002 and 2003 for both sexes.

The age specific incident rates in general were found to increase with age in both the years. During 2002, the age-specific incidence rates were higher in females as compared to males in the ages 25 to 59 years. The difference in rates may be due to the occurrence of cancers involving the female genital organs and breast in that age group. At older ages, 60 to 75 and above, the incident rates are higher in males in comparison to females (perhaps due to high incidence of lung, larynx and prostate cancers). A similar trend was observed in the year 2003 also.



The highest incidence rates by primary site in males and females by age-wise are presented for the years 2002 and 2003 in table nos. 22 and 23.

In children (age < 15 years), both in males and females during the year 2002, the Lymphoid leukemia were found to be the most predominant. Also in young adult males, myeloid leukemia was the predominant cancer followed by bone, brain and NHL. The lung was the leading site in the age group 35-69 years for males and for the age above 69 years, prostate cancer was found to be with highest incidence. In females cancer of the breast was found to be predominant site for the age above 19 years.

During 2003, in the pediatric age, in males the lymphoid leukemia was found to be the most predominant. In 20-34 years age group, brain and nervous system was the leading site followed by myeloid leukemia. In 35-74 years age group, the lung was the leading site and for the age more than 74 years the cancer of the prostate was the leading site. In females, leukemias are the leading site for the age group 00-14 years and breast was the leading site for the age group 15-34 and 35-75 years.

CANCER IN PAEDIATRIC AGE GROUP (0-14years)

Paediatric Cancers constituted 519 (4.9%) and 502 (4.7%) of all cancer registered during the period 2002 and 2003 respectively.

The distribution of ten leading sites of cancer occurring in pediatric age groups are presented in tables 24 and 25 for males and females respectively.

During 2002, in male children the predominant site of cancer was Lymphoid leukemia (26.0%) followed by Non Hodgkin's disease (11.2%), Hodgkin's disease (8.4%) and brain (7.8%). In 2003, the first among the five leading site of cancer was Lymphoid leukemia


(25.8%). The other leading sites are brain (13.6%), Hodgkin’s disease (12.5%), bone (8.7%) and NHL (7.5%).

In female children during 2002, lymphoid leukemia (18.0%) was the leading site followed by connective and soft tissue (10.6%), brain (9.3%), kidney (8.7%) and bone (7.5%) while in 2003, lymphoid leukemia (20.4%), brain (18.5%), bone (8.9%), eye (7.0%) and kidney (5.1%) are leading sites.

TOBACCO RELATED CANCERS


Cancers of the lip, tongue, mouth, pharyngeal cancers (excluding nasopharynx), esophagus, larynx, lung and urinary bladder were considered as sites of cancer related to tobacco use.

The distribution of tobacco related cancers by sex are presented in tables 26 and 27 for the years 2002 and 2003 respectively. During 2002, tobacco related cancers constituted for 32.2% of all cancers in males and 9.3% of all cancers in females.



Among the tobacco related cancer sites, cancer of the lung was the most common site (32.1%) followed by the cancer of larynx (18.8%) and urinary bladder (15.6%). In females, cancer of the esophagus (29.9%) was the leading site associated with tobacco related cancer followed by lung (26.5%) and mouth (15.9%).

The tobacco related cancers constituted 33.2% and 8.8% of all cancers in males and females respectively for the year 2003. Among the tobacco related cancer sites, cancer of the lung was the most common site (31.1%) followed by the cancer of larynx (16.3%) and urinary bladder (13.4%). In females, cancer of the lung (29.8%) was the leading site associated with tobacco related cancer followed by esophagus (26.1%) and urinary bladder (13.6%).




METHOD OF DIAGNOSIS

The distribution of new cancer cases by method of diagnosis for males and females during 2002 and 2003 are presented in table 28. There has been a increase in the proportion of microscopically confirmed cases in the year 2003 compared to 2002 for both males and

females. During 2003, 8863 (83.2%) cases were microscopically confirmed while in 2002, 8566 (80.2%) were microscopically confirmed. Also the percentage of cases with microscopic proof of cancer diagnosis was slightly more in males compared to females both in 2002 and 2003. The numbers of case registered through death certificates only are 113 (1.1%) in 2002 and 166 (1.6%) in 2003.

Fig. 15. Percentage distribution of cancer cases by method of diagnosis, 2002 & 2003



The detailed tables of incident cases of cancer by most valid basis of diagnosis and site (ICD.10) by sex for the years 2002 and 2003 are presented in table nos. 29,30,31and 32.

HISTOLOGY

The various histological varieties observed for all sites together during 2002 and 2003 by sex with percentage distribution were presented in table 33 and 34 respectively.

Epithelial Neoplasm's are found to be the commonest histological type constituting about 29.0% and 32.5% of the total number of the histologically proved cases in 2002 and 2003 respectively. This is the most common variety affecting both males and females. The second common variety affecting both males and females in both 2002 and 2003 are papillary and squamous cell neoplasm followed by Adenocarcinoma.

MORTALITY

The mortality data for the years 2002 and 2003 has been obtained from the death records maintained by the vital statistics division of New Delhi Municipal Committee, Municipal Corporation of Delhi, Delhi Contonment Board and from all the collaborating hospitals. Copies are made for all death certificates, which mention the words 'Cancer' or 'Tumor' as cause of death.

The distribution of cancer deaths by age and sex for 2002 and 2003 are presented in tables 35,36,37 and 38.

The crude mortality rate, age-specific mortality rate, world-age adjusted mortality rate and truncated mortality rate (35-64) years per 100,000 persons by age and site (ICD.10) for males and females for the years 2002 and 2003 are presented in tables 39,40,41 and 42 .


The crude mortality rate for all sites for males during 2002 was 8.9 while in 2003 it was 9.8 per 100,000 population. For females the crude mortality rates are 7.7 and 8.4 for 2002 and 2003 respectively. Registry staff faced a lot of problems in collecting mortality data as all

the death records were not available in some of the hospitals and MCD. This may explain the lower mortality rates for the year 2002 and 2003.

The age-adjusted death rates for 2002 at all sites were found to be 14.3 for males and 11.3 for females, while in 2003 it was 15.4 for males and 11.9 for females.

In males during 2002, the truncated death rate was 22.8 and in 2003, it was 27.9 per 100,000 males. In females it was 21.8 and 24.5 per 100,000 females for 2002 and 2003 respectively.

Annual age-specific death rates per 100,000 persons by sex for the years 2002 and 2003 are presented in table 43. In general, in both males and females the age-specific death rates were found to increase with advancing age.



The leading sites of cancer mortality by crude mortality rate (CMR), age-adjusted mortality rate (AAMR) and truncated mortality rate (TMR) for males and females for the year 2002 and 2003 are given in tables 44 to 49. According to CMR, AAMR and TMR, deaths from cancers of the lung top the list in males whereas it was breast in females.

TABLE 1

Estimated Delhi Population by Age and Sex as on July 1st, 2002

Age group	MALES		FEMALES		TOTAL	
	No.	%	No.	%	No.	%
00-04	707312	9.4	610978	9.9	1318290	9.7
05-09	805729	10.7	700008	11.4	1505737	11.0
10-14	824461	11.0	716937	11.7	1541398	11.3
15-19	810893	10.8	607770	9.9	1418663	10.4
20-24	808116	10.8	601430	9.8	1409546	10.3
25-29	735106	9.8	601735	9.8	1336841	9.8
30-34	621792	8.3	517759	8.4	1139551	8.3
35-39	574915	7.7	478959	7.8	1053874	7.7
40-44	465135	6.2	349693	5.7	814828	6.0
45-49	353189	4.7	274782	4.5	627971	4.6
50-54	257928	3.4	192137	3.1	450065	3.3
55-59	167340	2.2	142846	2.3	310186	2.3
60-64	129371	1.7	127498	2.1	256869	1.9
65-69	96842	1.3	98859	1.6	195701	1.4
70-74	69834	0.9	64450	1.0	134284	1.0
75+	70603	0.9	66455	1.1	137058	1.0
Total	7498566	100.0	6152296	100.0	13650862	100.0

TABLE 2

Estimated Delhi Population by Age and Sex as on July 1st, 2003

Age group	MALES		FEMALES		TOTAL	
	No.	%	No.	%	No.	%
00-04	729104	9.3	626120	9.8	1355224	9.5
05-09	837179	10.7	724917	11.3	1562096	11.0
10-14	862995	11.0	750449	11.7	1613444	11.3
15-19	849848	10.9	635576	9.9	1485424	10.4
20-24	844372	10.8	623864	9.7	1468236	10.3
25-29	765354	9.8	624838	9.7	1390192	9.8
30-34	647709	8.3	541038	8.4	1188747	8.3
35-39	601588	7.7	503576	7.9	1105164	7.8
40-44	488339	6.2	368299	5.7	856638	6.0
45-49	370591	4.7	288543	4.5	659134	4.6
50-54	269428	3.4	200696	3.1	470124	3.3
55-59	174255	2.2	148941	2.3	323196	2.3
60-64	134015	1.7	133434	2.1	267449	1.9
65-69	101818	1.3	104846	1.6	206664	1.5
70-74	73334	0.9	68220	1.1	141554	1.0
75+	74465	1.0	70035	1.1	144500	1.0
Total	7824394	100.0	6413392	100.0	14237786	100.0

TABLE 3

Number of incident cases of cancer by sources of registration and sex in Delhi UT (Urban), 2002

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
001\002	AIIMS/IRCH	1144	20.1	818	16.4	1962	18.4
003	Safdarjung	507	8.9	420	8.4	927	8.7
004	Inst. Of Pathology	19	0.3	28	0.6	47	0.4
005	Inst. Of Otho.	0	0.0	0	0.0	0	0.0
006	UCMS/GTB	131	2.3	151	3.0	282	2.6
007	CRC/MAMC/LNJP	642	11.3	639	12.8	1281	12.0
008	GB Pant	109	1.9	68	1.4	177	1.7
009	LHMC/KSH	115	2.0	149	3.0	264	2.5
010	Command H	6	0.1	5	0.1	11	0.1
011	Base H	5	0.1	1	0.0	6	0.1
012	MCKR H.	2	0.0	6	0.1	8	0.1
013	Holy Family	75	1.3	50	1.0	125	1.2
014	Gangaram	425	7.4	300	6.0	725	6.8
015	Batra	257	4.5	263	5.3	520	4.9
016	St.Stephen	109	1.9	84	1.7	193	1.8
017	Modi	2	0.0	2	0.0	4	0.0
018	RMLH	280	4.9	179	3.6	459	4.3
019	Hindu Rao	9	0.2	7	0.1	16	0.2
020	ESI	65	1.1	109	2.2	174	1.6
021	Tirath Ram	4	0.1	4	0.1	8	0.1
022	Jessaram	0	0.0	1	0.0	1	0.0
023	SL Jain	1	0.0	2	0.0	3	0.0
024	TMH, Mumbai	4	0.1	3	0.1	7	0.1
025	Deen Dayal	67	1.2	52	1.0	119	1.1
026	Khera H.	0	0.0	0	0.0	0	0.0
027	S L Kapoor	0	0.0	0	0.0	0	0.0
028	MCD	4	0.1	1	0.0	5	0.1
029	NDMC	0	0	1	0.0	1	0.0
030	Majethia	0	0.0	0	0.0	0	0.0
031	Northern Railway	1	0.0	1	0.0	2	0.0
032	Jeevan Nursing H.	3	0.0	1	0.0	4	0.0
033	Can Det (Sahadra)	0	0.0	0	0.0	0	0.0
034	Can Det (Beng)	0	0.0	0	0.0	0	0.0
035	Cyto.&Hist. Lab.	1	0.0	2	0.0	3	0.0
036	Diagnostic centre	0	0.0	0	0.0	0	0.0
037	Diwan chand	4	0.1	0	0.0	4	0.0
038	Daya Memo. H.	0	0.0	0	0.0	0	0.0
039	Jeevodaya H.	0	0.0	0	0.0	0	0.0
040	Veena Med. Cen.	0	0.0	0	0.0	0	0.0
041	Handa X-ray	0	0.0	0	0.0	0	0.0
042	New Path. Cl.	0	0.0	0	0.0	0	0.0
043	Lalaram H.	3	0.0	1	0.0	4	0.0
044	Patel Chest	0	0.0	0	0.0	0	0.0

DELHI CANCER REGISTRY

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
045	Delhi Nursing H.	0	0.0	0	0.0	0	0.0
046	Deepak Man H.	0	0.0	0	0.0	0	0.0
047	Police H.	0	0.0	0	0.0	0	0.0
048	Daulat ram H.	0	0.0	0	0.0	0	0.0
049	Bali Nursing H.	0	0.0	0	0.0	0	0.0
050	CD Lab.	0	0.0	0	0.0	0	0.0
051	Aashlok H.	0	0.0	0	0.0	0	0.0
052	Shyam Lal H.	0	0.0	0	0.0	0	0.0
053	Mata CD H.	1	0.0	3	0.1	4	0.0
054	L & C Lajpat	0	0.0	0	0.0	0	0.0
055	Deepak Memo. H.	0	0.0	0	0.0	0	0.0
056	Sood Nursing H.	1	0.0	0	0.0	1	0.0
057	Central CL L	0	0.0	1	0.0	1	0.00
58	Anubhuv CH L	2	0.0	0	0.0	2	0.0
059	Dr.Sudhir Lab.	17	3.0	11	0.2	28	0.3
060	Mahajan Nurs. H.	0	0.0	0	0.0	0	0.0
061	Jaipur G H.	5	0.1	6	0.1	11	0.1
062	Shama Nursing H	0	0.0	0	0.0	0	0.0
063	MMR Lab	0	0.0	0	0.0	0	0.0
064	RBTB H	0	0.0	0	0.0	0	0.0
065	Maha Laxmi H	0	0.0	0	0.0	0	0.0
066	Kolmat H	0	0.0	0	0.0	0	0.0
067	Shankar H	0	0.0	0	0.0	0	0.0
068	Maharaja Ug H	7	0.1	6	0.1	13	0.1
069	Parmarath N H	0	0.0	0	0.0	0	0.0
070	National CI	0	0.0	0	0.0	0	0.0
071	Astha Nurs & M H	0	0.0	0	0.0	0	0.0
072	Wallia Nursing H	0	0.0	0	0.0	0	0.0
073	Sanjeevan Nursing	0	0.0	0	0.0	0	0.0
074	Handa X-ray C L	1	0.0	0	0.0	1	0.0
075	Kasturba H	0	0.0	0	0.0	0	0.0
076	Private Nursing H	0	0.0	0	0.0	0	0.0
077	Roop Nagar H	0	0.0	0	0.0	0	0.0
078	Swami Dayanand	0	0.0	2	0.0	2	0.0
079	Ashok Vihar NH	1	0.0	0	0.0	1	0.0
080	Med. Tech. Dia. C	0	0.0	0	0.0	0	0.0
081	Private Diag Lab	0	0.0	1	0.0	1	0.0
082	Sehgal's N. Re. I	0	0.0	0	0.0	0	0.0
083	ESI H Jhilmil	0	0.0	0	0.0	0	0.0
084	Charak Palika H	0	0.0	0	0.0	0	0.0
085	Cancer Inst Adyar	0	0.0	0	0.0	0	0.0
086	Mangalam H	0	0.0	0	0.0	0	0.0
087	Inst. Of Nucl Med.	0	0.0	0	0.0	0	0.0
088	Anubhav C Model	0	0.0	0	0.0	0	0.0
089	CMC Vellore	0	0.0	0	0.0	0	0.0
090	Shakti Diag Lab	0	0.0	0	0.0	0	0.0

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
091	Indian Red Cros H	0	0.0	0	0.0	0	0.0
092	Sarvodaya Med R	1	0.0	0	0.0	1	0.0
093	Poonam MF Pune	0	0.0	0	0.0	0	0.0
094	Suprime Diag C	0	0.0	1	0.0	1	0.0
095	Holy Angles NH	0	0.0	0	0.0	0	0.0
096	Sanjay H Mangol	2	0.0	0	0.0	2	0.0
097	Anand Hospital	54	0.9	37	0.7	91	0.8
098	Spring Meadows	0	0.0	0	0.0	0	0.0
100	Delhi X-rays CL	0	0.0	0	0.0	0	0.0
101	Khetarpal H	3	0.1	0	0.0	3	0.0
102	Sadiba Diag	0	0.0	0	0.0	0	0.0
103	Jain Medical C	0	0.0	0	0.0	0	0.0
104	B S Diag Cl	0	0.0	0	0.0	0	0.0
105	Gambhir Surg Cl	0	0.0	0	0.0	0	0.0
106	Janta X-ray & C	3	0.0	9	0.2	12	0.1
107	Mohinder H	0	0.0	0	0.0	0	0.0
108	Keshlata Can H	0	0.0	0	0.0	0	0.0
109	Dr Sachdeva's Cl	0	0.0	0	0.0	0	0.0
110	Prem Sagar Diag	0	0.0	0	0.0	0	0.0
111	South Delhi Ultra	0	0.0	0	0.0	0	0.0
112	Rohtak Me College	1	0.0	0	0.0	1	0.0
113	Taneja H	0	0.0	0	0.0	0	0.0
114	Springdales M C	0	0.0	0	0.0	0	0.0
115	Dr Sarma's Cl	0	0.0	0	0.0	0	0.0
116	Jeewan Mata H	1	0.0	1	0.0	2	0.0
117	Saral Diag C	0	0.0	0	0.0	0	0.0
118	UI Sound & X-ray	0	0.0	0	0.0	0	0.0
119	Holy Child NH	0	0.0	0	0.0	0	0.0
120	Dr R C Khandpur	0	0.0	0	0.1	0	0.0
121	S S Diag Centre	0	0.0	0	0.0	0	0.0
122	Himanshu Diag C	0	0.0	0	0.0	0	0.0
123	Kukreja NH	0	0.0	0	0.0	0	0.0
124	Lab Histo & Cyto	0	0.0	3	0.1	3	0.0
125	West Delhi Med C	0	0.0	0	0.0	0	0.0
126	Classic Diag L	0	0.0	0	0.0	0	0.0
127	Sita Pati Cl	0	0.0	0	0.0	0	0.0
128	City Clinic	5	0.1	7	0.1	12	0.1
129	Nizam Inst.	0	0.0	0	0.0	0	0.0
130	Surya Nursing H	0	0.0	0	0.0	0	0.0
131	Dr H K Dua's L	0	0.0	0	0.0	0	0.0
132	Narender Mohan	0	0.0	0	0.0	0	0.0
133	Dr. Sood Lab.	0	0.0	0	0.0	0	0.0
134	Hinduja H,Mumbai	0	0.0	0	0.0	0	0.0
135	Life Line Lab.	0	0.0	1	0.0	1	0.0
136	Ruby Hall Clinic	0	0.0	0	0.0	0	0.0
137	Aligarh Med.Coll.	0	0.0	0	0.0	0	0.0

DELHI CANCER REGISTRY

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
138	Sudha rama lab.	0	0.0	0	0.0	0	0.0
139	GMR Institute	0	0.0	0	0.0	0	0.0
140	Balaji Hospital	0	0.0	0	0.0	0	0.0
141	Bombay H.Trust	0	0.0	2	0.0	2	0.0
142	Dr.Verma's US	3	0.0	0	0.0	3	0.0
143	Pushpanjali MC	1	0.0	0	0.0	1	0.0
144	Healing Nur. H.	1	0.0	0	0.0	1	0.0
145	N Delhi Path Cl.	1	0.0	0	0.0	1	0.0
146	N Delhi S Res Inst	0	0.0	0	0.0	0	0.0
147	Santokha Del.H.	0	0.0	0	0.0	0	0.0
148	PGI,Chandigarh	0	0.0	1	0.0	1	0.0
149	Sita Ram B Inst.	2	0.0	2	0.0	4	0.0
150	Escort H.	0	0.0	0	0.0	0	0.0
151	Dharamshila H.	253	4.4	241	4.8	494	4.6
152	Skin Inst S Der.	2	0.0	0	0.0	2	0.0
153	Rajiv Gandhi C.H.	939	16.5	938	18.8	1877	17.6
154	Delhi Path Cen	0	0.0	0	0.0	0	0.0
155	Anand Nur. H.	0	0.0	0	0.0	0	0.0
156	Sitaram H.	0	0.0	0	0.0	0	0.0
157	Gautam H.	0	0.0	0	0.0	0	0.0
158	Micro Lab.	0	0.0	0	0.0	0	0.0
159	Apollo H.	151	2.6	108	2.2	259	2.4
160	Shanti Avedna	54	0.9	68	1.4	122	1.1
99/999	Others	198	3.5	183	3.7	381	3.6
	TOTAL	5704	100.0	4980	100.0	10684	100.0

TABLE 4

Number of incident cases of cancer by sources of registration and sex in Delhi UT (Urban), 2003

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
001\002	AIIMS/IRCH	1200	22.0	982	18.9	2182	20.5
003	Safdarjung	567	10.4	553	10.7	1120	10.5
004	Inst. Of Pathology	27	0.5	17	0.3	44	0.4
005	Inst. Of Otho.	0	0.0	0	0.0	0	0.0
006	UCMS/GTB	160	2.9	152	2.9	312	2.9
007	CRC/MAMC/LNJP	608	11.1	653	12.6	1261	11.8
008	GB Pant	141	2.6	101	1.9	242	2.3
009	LHMC/KSH	64	1.2	110	2.1	174	1.6
010	Command H	2	0.0	2	0.0	4	0.0
011	Base H	1	0.0	0	0.0	1	0.0
012	MCKR H.	3	0.1	0	0.0	3	0.0
013	Holy Family	46	0.8	38	0.7	84	0.8
014	Gangaram	339	6.2	266	5.1	605	5.7
015	Batra	282	5.2	274	5.3	556	5.2
016	St.Stephen	58	1.1	64	1.2	122	1.1
017	Modi	0	0.0	0	0.0	0	0.0
018	RMLH	216	4.0	181	3.5	397	3.7
019	Hindu Rao	20	0.4	16	0.3	36	0.3
020	ESI	105	1.9	124	2.4	229	2.2
021	Tirath Ram	3	0.1	1	0.0	4	0.0
022	Jessaram	0	0.0	0	0.0	0	0.0
023	SL Jain	1	0.0	1	0.0	2	0.0
024	TMH, Mumbai	52	1.0	40	0.8	92	0.9
025	Deen Dayal	59	1.1	58	1.1	117	1.1
026	Khera H.	0	0.0	0	0.0	0	0.0
027	S L Kapoor	0	0.0	0	0.0	0	0.0
028	MCD	0	0.0	1	0.0	1	0.0
029	NDMC	0	0.0	0	0.0	0	0.0
030	Majethia	0	0.0	1	0.0	1	0.0
031	Northern Railway	13	0.2	4	0.1	17	0.2
032	Jeevan Nursing H.	1	0.0	3	0.1	4	0.0
033	Can Det (Sahadra)	0	0.0	0	0.0	0	0.0
034	Can Det (Beng)	0	0.0	0	0.0	0	0.0
035	Cyto.&Hist. Lab.	0	0.0	1	0.0	1	0.0
036	Diagnostic centre	1	0.0	0	0.0	1	0.0
037	Diwan chand	3	0.1	1	0.0	4	0.0
038	Daya Memo. H.	1	0.0	0	0.0	1	0.0
039	Jeevodaya H.	0	0.0	0	0.0	0	0.0
040	Veena Med. Cen.	0	0.0	0	0.0	0	0.0
041	Handa X-ray	0	0.0	0	0.0	0	0.0
042	New Path. Cl.	0	0.0	0	0.0	0	0.0
043	Lalaram H.	5	0.1	1	0.0	6	0.1
044	Patel Chest	1	0.0	0	0.0	1	0.0

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
045	Delhi Nursing H.	0	0.0	0	0.0	0	0.0
046	Deepak Man H.	0	0.0	0	0.0	0	0.0
047	Police H.	0	0.0	0	0.0	0	0.0
048	Daulat ram H.	0	0.0	0	0.0	0	0.0
049	Bali Nursing H.	0	0.0	0	0.0	0	0.0
050	CD Lab.	0	0.0	0	0.0	0	0.0
051	Aashlok H.	1	0.0	0	0.0	1	0.0
052	Shyam Lal H.	1	0.0	0	0.0	1	0.0
053	Mata CD H.	2	0.0	2	0.0	4	0.0
054	L & C Lajpat	0	0.0	0	0.0	0	0.0
055	Deepak Memo. H.	0	0.0	1	0.0	1	0.0
056	Sood Nursing H.	0	0.0	0	0.0	0	0.0
057	Central CL L	0	0.0	0	0.0	0	0.0
058	Anubhuv CH L	0	0.0	0	0.0	0	0.0
059	Dr.Sudhir Lab.	9	0.2	3	0.1	12	0.1
060	Mahajan Nurs. H.	0	0.0	0	0.0	0	0.0
061	Jaipur G H.	2	0.0	8	0.2	10	0.1
062	Shama Nursing H	0	0.0	0	0.0	0	0.0
063	MMR Lab	0	0.0	0	0.0	0	0.0
064	RBTB H	7	0.1	1	0.0	8	0.1
065	Maha Laxmi H	0	0.0	1	0.0	1	0.0
066	Kolmat H	1	0.0	0	0.0	1	0.0
067	Shankar H	0	0.0	1	0.0	1	0.0
068	Maharaja Ug H	8	0.1	8	0.2	16	0.2
069	Parmarath N H	0	0.0	1	0.0	1	0.0
070	National CI	0	0.0	1	0.0	1	0.0
071	Astha Nurs & M H	0	0.0	0	0.0	0	0.0
072	Wallia Nursing H	0	0.0	0	0.0	0	0.0
073	Sanjeevan Nursing	1	0.0	0	0.0	1	0.0
074	Handa X-ray C L	0	0.0	1	0.0	1	0.0
075	Kasturba H	0	0.0	0	0.0	0	0.0
076	Private Nursing H	0	0.0	0	0.0	0	0.0
077	Roop Nagar H	0	0.0	1	0.0	1	0.0
078	Swami Dayanand	3	0.1	1	0.0	4	0.0
079	Ashok Vihar NH	0	0.0	0	0.0	0	0.0
080	Med. Tech. Dia. C	0	0.0	1	0.0	1	0.0
081	Private Diag Lab	1	0.0	4	0.1	5	0.0
082	Sehgal's N. Re. I	0	0.0	0	0.0	0	0.0
083	ESI H Jhilmil	0	0.0	1	0.0	1	0.0
084	Charak Palika H	1	0.0	0	0.0	1	0.0
085	Cancer Inst Adyar	0	0.0	0	0.0	0	0.0
086	Mangalam H	0	0.0	0	0.0	0	0.0
087	Inst. Of Nucl Med.	0	0.0	0	0.0	0	0.0
088	Anubhav C Model	0	0.0	0	0.0	0	0.0
089	CMC Vellore	0	0.0	1	0.0	1	0.0
090	Shakti Diag Lab	0	0.0	0	0.0	0	0.0

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
091	Indian Red Cros H	1	0.0	0	0.0	1	0.0
092	Sarvodaya Med R	1	0.0	0	0.0	1	0.0
093	Poonam MF Pune	0	0.0	0	0.0	0	0.0
094	Suprime Diag C	0	0.0	0	0.0	0	0.0
095	Holy Angles NH	0	0.0	1	0.0	1	0.0
096	Sanjay H Mangol	1	0.0	0	0.0	1	0.0
097	Anand Hospital	65	1.2	48	0.9	113	1.1
098	Spring Meadows	0	0.0	0	0.0	0	0.0
100	Delhi X-rays CL	0	0.0	0	0.0	0	0.0
101	Khetarpal H	2	0.0	3	0.1	5	0.0
102	Sadiba Diag	0	0.0	1	0.0	1	0.0
103	Jain Medical C	0	0.0	1	0.0	1	0.0
104	B S Diag Cl	0	0.0	0	0.0	0	0.0
105	Gambhir Surg Cl	0	0.0	0	0.0	0	0.0
106	Janta X-ray & C	6	0.1	5	0.1	11	0.1
107	Mohinder H	0	0.0	0	0.0	0	0.0
108	Keshlata Can H	0	0.0	0	0.0	0	0.0
109	Dr Sachdeva's Cl	0	0.0	0	0.0	0	0.0
110	Prem Sagar Diag	0	0.0	0	0.0	0	0.0
111	South Delhi Ultra	0	0.0	0	0.0	0	0.0
112	Rohtak Me College	4	0.1	1	0.0	5	0.0
113	Taneja H	1	0.0	0	0.0	1	0.0
114	Springdales M C	0	0.0	0	0.0	0	0.0
115	Dr Sarma's Cl	0	0.0	0	0.0	0	0.0
116	Jeewan Mata H	3	0.1	1	0.0	4	0.0
117	Saral Diag C	0	0.0	0	0.0	0	0.0
118	UI Sound & X-ray	0	0.0	0	0.0	0	0.0
119	Holy Child NH	0	0.0	0	0.0	0	0.0
120	Dr R C Khandpur	0	0.0	0	0.0	0	0.0
121	S S Diag Centre	0	0.0	0	0.0	0	0.0
122	Himanshu Diag C	0	0.0	0	0.0	0	0.0
123	Kukreja NH	0	0.0	0	0.0	0	0.0
124	Lab Histo & Cyto	4	0.1	4	0.1	8	0.1
125	West Delhi Med C	0	0.0	0	0.0	0	0.0
126	Classic Diag L	0	0.0	0	0.0	0	0.0
127	Sita Pati Cl	0	0.0	0	0.0	0	0.0
128	City Clinic	3	0.1	0	0.0	3	0.0
129	Nizam Inst.	0	0.0	0	0.0	0	0.0
130	Surya Nursing H	0	0.0	0	0.0	0	0.0
131	Dr H K Dua's L	0	0.0	0	0.0	0	0.0
132	Narender Mohan	0	0.0	1	0.0	1	0.0
133	Dr. Sood Lab.	1	0.0	0	0.0	1	0.0
134	Hinduja H, Mumbai	0	0.0	0	0.0	0	0.0
135	Life Line Lab.	0	0.0	1	0.0	1	0.0
136	Ruby Hall Clinic	0	0.0	0	0.0	0	0.0
137	Aligarh Med.Coll.	0	0.0	0	0.0	0	0.0

Source Code	Name of Source	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
138	Sudha rama lab.	0	0.0	0	0.0	0	0.0
139	GMR Institute	0	0.0	0	0.0	0	0.0
140	Balaji Hospital	0	0.0	0	0.0	0	0.0
141	Bombay H.Trust	0	0.0	1	0.0	1	0.0
142	Dr.Verma's US	1	0.0	3	0.1	4	0.0
143	Pushpanjali MC	2	0.0	0	0.0	2	0.0
144	Healing Nur. H.	0	0.0	0	0.0	0	0.0
145	N Delhi Path Cl.	0	0.0	0	0.0	0	0.0
146	N Delhi S Res Inst	0	0.0	0	0.0	0	0.0
147	Santokha Del.H.	0	0.0	0	0.0	0	0.0
148	PGI,Chandigarh	0	0.0	1	0.0	1	0.0
149	Sita Ram B Inst.	0	0.0	1	0.0	1	0.0
150	Escort H.	1	0.0	0	0.0	1	0.0
151	Dharamshila H.	270	4.9	273	5.3	543	5.1
152	Skin Inst S Der.	0	0.0	0	0.0	0	0.0
153	Rajiv Gandhi C.H.	779	14.3	832	16.0	1611	15.1
154	Delhi Path Cen	0	0.0	0	0.0	0	0.0
155	Anand Nur. H.	0	0.0	0	0.0	0	0.0
156	Sitaram H.	0	0.0	0	0.0	0	0.0
157	Gautam H.	0	0.0	0	0.0	0	0.0
158	Micro Lab.	0	0.0	1	0.0	1	0.0
159	Apollo H.	67	1.2	101	1.9	168	1.6
160	Shanti Avedna	61	1.1	69	1.3	130	1.2
99/999	Others	171	3.1	156	3.0	327	3.1
	TOTAL	5460	100.0	5187	100.0	10647	100.0

TABLE 5

The Percentage distribution of Delhi UT urban population and new cancer cases by age and sex, 2002 & 2003

Age group	POPULATION			NEW CANCER CASES		
	Male %	Female %	Total %	Male %	Female %	Total %
2002						
00-14	31.2	33.0	32.0	6.3	3.2	4.9
15-34	39.7	37.9	38.9	11.4	10.8	11.1
35-64	26.0	25.4	25.7	54.2	65.4	59.4
65+	3.1	3.7	3.4	28.1	20.6	24.6
Total	100.0	100.0	100.0	100.0	100.0	100.0
2003						
00-14	31.1	32.8	31.8	6.3	3.0	4.7
15-34	39.6	37.8	38.9	10.9	11.3	11.1
35-64	26.1	25.6	25.9	55.8	65.8	60.6
65+	3.2	3.8	3.4	27.0	19.9	23.6
Total	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 6

Number of new cancer cases by Site Group and sex, 2002 and 2003.

S.No.	Site Group	ICD. 10	2002				2003			
			MALE		FEMALE		MALE		FEMALE	
			Cases	%	Cases	%	Cases	%	Cases	%
1	LIP, ORAL CAVITY & PHARYNX	C00-C14	822	14.4	247	5.0	881	16.1	226	4.4
2	DIGESTIVE ORGANS	C15-C26	1014	17.8	759	15.2	1015	18.6	743	14.3
3	RESP & INTRA THORACIC ORG	C30-C39	950	16.7	166	3.3	875	16.0	189	3.6
4	BONE & ARTICULAR CARTILAGE	C40-C41	128	2.2	71	1.4	143	2.6	70	1.3
5	MELANOMA OF SKIN	C43-C44	113	2.0	44	0.9	86.0	1.6	59	1.1
6	MESOTHELIL & SOFT TISSUE	C45-C49	156	2.7	119	2.4	135	2.5	93	1.8
7	BREAST	C50	35	0.6	1212	24.3	23	0.4	1309	25.2
8	FEMALE GENTIAL ORGANS	C51-C58	-	-	1315	26.4	-	-	1400	27.0
9	MALE GENTIAL ORGANS	C60-C63	424	7.4	-	-	360	6.6	-	-
10	URINARY TRACT	C64-C68	417	7.3	110	2.2	350	6.4	131	2.5
11	EYE ,BRAIN & OTH PARTS OF CNS	C69-C72	257	4.5	112	2.2	261	4.8	161	3.1
12	THYROID & OTH ENDO GLANDS	C73-C75	70	1.2	143	2.9	71	1.3	128	2.5
13	ILL DEFINED SEC & UNS SITES	C76-C80	397	7.0	229	4.6	396	7.3	244	4.7
14	LYMP, HAEMATO & RELATED TISSUES	C81-C96	921	16.1	453	9.1	864	15.8	434	8.4
	ALL SITES (C00-C96)		5704	100.0	4980	100.0	5460	100.0	5187	100.0

TABLE 7

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Males, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	1	0	0	1	1	1	1	0	0	0	4	2	0	2	0		0.2
C01-02	Tongue	0	0	0	0	1	5	5	11	33	35	40	40	48	30	24	17	5	294	5.1
C03-06	Mouth	0	0	0	0	1	5	7	12	21	27	32	22	19	18	8	13	4	189	3.3
C07-08	Salivary Gland	0	2	0	3	2	1	2	0	5	6	6	7	7	3	5	3	0	52	0.9
C09	Tonsil	0	0	0	1	0	0	4	4	7	10	19	4	14	5	4	4	0	76	1.3
C10	Oth. Oropharynx	0	0	0	0	0	1	2	0	0	9	7	5	8	4	5	3	0	44	0.8
C11	Nasopharynx	0	1	2	1	0	3	2	5	0	5	6	5	3	3	2	0	0	38	0.7
C12-13	Hypopharynx	0	0	1	0	0	3	0	3	2	10	14	19	19	11	6	6	1	95	1.7
C14	Pharynx Unsepcif	0	0	0	0	0	1	1	0	3	2	2	4	3	0	3	2	0	21	0.4
C15	Oesophagus	0	0	0	0	0	2	2	4	17	16	27	28	33	24	15	17	3	188	3.3
C16	Stomach	0	0	0	0	2	3	3	5	10	18	27	24	23	13	17	11	3	159	2.8
C17	Small Intestine	0	0	0	0	0	0	0	0	3	0	1	1	2	1	0	0	0	8	0.1
C18	Colon	0	0	0	0	3	1	2	10	9	15	18	5	20	12	8	9	1	113	2.0
C19-20	Rectum	0	0	0	0	3	6	10	9	12	5	12	9	12	15	14	7	1	115	2.0
C21	Anus & Anal Cana	0	0	0	0	1	0	0	1	0	3	1	6	7	7	4	3	0	33	0.6
C22	Liver	5	0	1	1	2	2	7	4	11	5	8	22	16	15	13	14	1	127	2.2
C23-24	Gall Bladder	0	0	0	0	1	2	7	6	14	14	28	23	25	24	19	11	1	175	3.1
C25	Pancreas	0	1	0	0	1	0	1	5	5	8	11	12	16	15	12	8	1	96	1.7
C30-31	Nose, Sinus etc.	0	0	0	0	1	0	0	1	1	2	1	0	1	0	2	0	0	9	0.2
C32	Larynx	1	0	1	0	1	1	8	11	18	40	60	37	51	55	33	28	1	346	6.1
C33-34	Lung etc.	0	1	0	1	2	2	11	15	37	38	72	94	103	98	68	45	3	590	10.3
C37-38	Other Thoracic Org	0	0	0	0	0	1	0	0	1	0	0	1	0	0	2	0	0	5	0.1
C40-41	Bone	2	7	13	24	14	12	1	6	5	9	8	7	7	6	4	3	0	128	2.2
C43	Melanoa of Skin	0	0	1	0	0	2	1	0	1	0	2	1	0	0	2	1	0	11	0.2
C44	Other Skin	0	0	0	1	3	5	4	3	9	11	16	7	15	13	4	11	0	102	1.8
C45	Mesothelioma	0	0	0	0	1	1	0	3	1	1	2	2	6	4	1	0	0	22	0.4
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss	10	5	6	5	10	12	8	14	8	6	13	6	12	6	8	5	0	134	2.4
C50	Breast	0	0	0	0	1	0	2	2	3	2	4	5	4	4	1	6	1	35	0.6
C60	Penis	0	0	0	0	0	2	2	5	4	6	9	3	5	2	2	3	1	44	0.8
C61	Prostate	0	0	0	0	0	0	0	2	4	6	9	25	52	65	69	95	0	327	5.7
C62	Testis	1	0	0	4	8	5	8	4	7	3	5	2	2	2	1	1	0	53	0.9
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C64	Kidney	15	6	1	4	0	4	2	5	5	8	15	7	21	15	8	9	2	127	2.2
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.0
C67	Bladder	2	0	0	0	1	2	3	7	16	17	39	37	44	43	36	39	1	287	5.0
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.0
C69	Eye	12	5	0	1	0	0	1	0	0	0	2	2	0	0	0	1	0	24	0.4
C70-72	Brain, Nervous Sys	3	17	8	14	13	19	17	12	18	23	25	20	15	11	11	4	3	233	4.1
C73	Thyroid	0	1	2	1	3	4	6	6	5	4	5	4	6	1	3	2	0	53	0.9
C74	Adrenal Gland	6	3	1	0	1	1	0	0	2	0	0	1	0	1	1	0	0	17	0.3
C77	Sec Lymph Node	1	0	0	4	0	6	3	3	3	8	9	9	7	6	12	1	0	72	1.3
C78	Sec Resp & Digest	0	0	1	0	1	0	5	4	4	7	8	11	15	6	9	5	0	76	1.3
C79	Sec Other	0	0	0	2	0	1	5	2	2	6	9	8	7	10	7	4	0	63	1.1
C81	Hodgkins Disease	3	12	15	15	7	11	7	5	6	3	8	2	3	5	1	0	1	104	1.8
C82-85,C96	NHL	7	17	16	9	19	16	17	9	22	26	30	19	19	31	18	17	4	296	5.2
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	7	19	23	12	17	10	17	6	1	113	2.0
C91	Leukaemia Uns	32	33	28	17	9	4	4	3	4	6	5	3	7	6	5	7	0	173	3.0
C92-94	Myeloid Leukaemia	7	6	6	12	12	16	26	13	15	12	15	10	15	3	4	4	0	176	3.1
C95	Leukaemia Uns	9	3	4	10	5	3	1	5	3	2	5	4	1	1	2	1	0	59	1.0
O&U	Other and Uns	7	3	4	4	7	5	9	16	19	13	22	18	18	13	14	12	2	186	3.3
	All Sites	123	123	112	134	136	171	207	237	383	467	681	594	732	619	504	440	41	5704	100.0
	%	2.2	2.2	2.0	2.3	2.4	3.0	3.6	4.2	6.7	8.2	11.9	10.4	12.8	10.8	8.8	7.7	0.7	100.0	

TABLE 8

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Females, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	1	0	0	0	1	1	1	2	1	0	0	1	0	0	8	0.2
C01-02	Tongue	0	0	0	1	0	1	2	3	6	8	7	9	14	10	5	3	0	69	1.4
C03-06	Mouth	0	0	0	1	0	2	3	5	11	6	17	7	7	5	5	4	1	74	1.5
C07-08	Salivary Gland	0	0	2	0	1	2	4	7	6	4	2	1	3	2	3	1	0	38	0.8
C09	Tonsil	0	0	0	0	0	0	0	0	2	1	1	1	3	2	4	0	0	14	0.3
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	3	0.1
C11	Nasopharynx	0	0	0	1	0	0	1	0	1	2	2	2	3	0	1	0	0	13	0.3
C12-13	Hypopharynx	0	0	0	0	1	0	2	1	6	3	2	1	4	3	2	1	0	26	0.5
C14	Pharynx	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0.0
C15	Oesophagus	0	0	0	0	0	0	0	5	11	16	14	25	15	21	20	11	1	139	2.8
C16	Stomach	0	0	0	0	1	1	5	11	2	13	3	8	13	6	3	4	0	70	1.4
C17	Small Intestine	1	0	0	0	0	0	0	1	0	0	0	2	4	2	0	1	0	11	0.2
C18	Colon	0	0	0	0	0	3	5	5	1	7	10	8	7	12	9	5	0	72	1.4
C19-20	Rectum	0	0	1	0	0	7	2	3	5	9	6	8	11	1	1	5	1	60	1.2
C21	Anus & Anal Canal	0	0	0	0	0	1	1	0	0	2	2	2	4	2	0	1	0	15	0.3
C22	Liver	1	2	0	0	1	4	1	3	9	6	7	7	14	7	2	1	1	66	1.3
C23-24	Gall Bladder	0	0	0	0	1	4	10	9	28	38	38	31	42	25	24	17	1	268	5.4
C25	Pancreas	0	0	0	0	1	3	0	2	4	4	6	4	12	10	8	4	0	58	1.2
C30-31	Nose, Sinus etc.	1	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	4	0.1
C32	Larynx	0	0	0	0	1	0	1	3	2	4	0	6	3	6	3	1	1	31	0.6
C33-34	Lung etc.	1	0	0	0	0	0	5	6	5	15	18	15	24	17	6	10	1	123	2.5
C37-38	Oth. Thoracic Org.	0	0	0	0	0	0	1	0	0	3	1	0	2	0	1	0	0	8	0.2
C40-41	Bone	0	3	9	3	7	5	5	1	7	5	5	5	1	4	6	4	1	71	1.4
C43	Melanoma of Skin	0	0	0	0	0	0	0	1	1	0	1	1	1	1	0	1	0	7	0.1
C44	Other Skin	0	0	1	0	0	0	1	1	2	2	5	4	7	5	2	5	2	37	0.7
C45	Mesothelioma	0	0	0	0	0	0	1	1	1	2	0	0	4	2	0	3	0	14	0.3
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tissu.	5	0	12	1	4	10	5	10	7	8	13	10	7	8	2	3	0	105	2.1
C50	Breast	0	0	0	1	13	33	56	111	169	166	184	141	130	108	48	45	7	1212	24.3
C51	Vulva	0	0	0	0	1	0	0	2	2	1	7	2	2	2	6	3	0	28	0.6
C52	Vagina	1	0	0	0	0	0	0	2	4	3	8	3	1	0	2	0	0	24	0.5
C53	Cervix Uteri	0	1	0	0	2	13	31	60	104	101	99	72	73	59	41	19	3	678	13.6
C54	Corpus Uteri	0	0	0	0	1	2	5	2	12	16	32	24	24	31	13	5	2	169	3.4
C55	Uterus Unspec.	0	0	0	0	0	3	1	0	4	1	6	5	7	2	4	0	3	36	0.7
C56	Ovary etc.	1	1	6	4	9	15	19	27	47	47	44	44	41	24	17	15	2	363	7.3
C57	Oth. Fem. Gen. org	0	0	0	0	0	0	0	1	0	3	0	1	0	0	0	0	0	5	0.1
C58	Placenta	0	0	0	1	3	4	4	0	0	0	0	0	0	0	0	0	0	12	0.2
C64	Kidney etc.	10	2	2	2	1	4	2	4	3	4	4	3	2	3	3	5	1	55	1.1
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.0
C67	Bladder	1	0	1	0	0	0	0	3	3	5	7	3	9	6	8	7	0	53	1.1
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.0
C69	Eye	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0.1
C70-72	Brain, Nerv. Sys	4	5	6	7	6	7	12	11	7	11	11	3	7	3	6	0	0	106	2.1
C73	Thyroid	0	0	1	2	8	14	22	20	11	10	7	11	7	13	7	3	0	136	2.7
C74	Adrenal Gland	3	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	7	0.1
C77	Sec Lymph Node	2	0	1	1	1	0	1	0	4	5	5	3	8	2	4	1	1	39	0.8
C78	Sec Resp & Dig.	0	0	0	0	0	0	1	4	4	4	6	7	3	3	2	4	0	38	0.8
C79	Sec Other	0	0	0	0	0	0	2	5	4	2	4	5	5	4	4	5	0	40	0.8
C81	Hodgkins Disease	0	1	1	5	4	2	1	3	4	1	3	1	3	2	2	3	0	36	0.7
C82-85 C96	NHL	3	2	3	5	4	12	11	15	13	10	15	15	23	14	10	14	0	169	3.4
C90	Multiple Myeloma	0	0	0	0	0	0	1	2	4	9	6	8	4	9	11	6	0	60	1.2
C91	Lymphoid Leuk.	8	12	9	4	3	0	3	6	1	2	3	1	4	1	4	1	0	62	1.2
C92-94	Myeloid Leukemia	1	6	5	4	6	13	5	9	9	10	17	10	2	4	1	5	0	107	2.2
C95	Leukemia Uns	4	1	5	0	0	0	2	3	1	0	2	0	1	2	0	0	0	19	0.4
O&U	Other and Uns	1	1	1	0	2	7	6	9	5	15	14	12	12	11	7	6	3	112	2.3
	All Sites	53	40	68	44	83	173	240	378	534	588	646	532	574	454	309	232	32	4980	100.0
	%	1.1	0.8	1.4	0.9	1.7	3.5	4.8	7.6	10.7	11.8	12.9	10.7	11.5	9.1	6.2	4.7	0.6	100.0	

TABLE 9

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Males, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	2	0	5	2	1	0	0	1	1	0	12	0.2
C01-02	Tongue	0	0	0	0	0	3	6	20	29	38	35	43	45	25	21	28	1	294	5.4
C03-06	Mouth	0	0	0	4	2	5	12	15	20	28	23	24	32	20	13	6	0	204	3.7
C07-08	Salivary Gland	0	0	1	0	6	4	2	3	4	4	6	3	4	2	5	1	0	45	0.8
C09	Tonsil	0	4	0	0	0	2	3	3	10	15	14	15	7	8	4	5	1	91	1.7
C10	Oth. Oropharynx	1	0	0	0	0	0	1	1	6	6	10	7	8	5	5	1	0	51	0.9
C11	Nasopharynx	0	0	0	2	4	2	2	3	3	5	3	7	4	1	1	0	0	37	0.7
C12-13	Hypopharynx	0	0	0	0	1	2	3	1	3	10	18	23	21	17	17	8	4	128	2.3
C14	Pharynx Unsepcif.	0	0	0	0	1	0	1	1	2	3	4	3	2	0	0	2	0	19	0.4
C15	Oesophagus	0	0	0	0	1	2	4	7	13	24	37	34	31	18	23	20	3	217	4.0
C16	Stomach	0	0	0	0	1	3	2	10	12	11	20	12	17	11	12	6	1	118	2.2
C17	Small Intestine	0	0	0	0	2	1	0	1	1	5	1	1	1	1	0	0	0	14	0.3
C18	Colon	0	0	0	0	0	3	6	15	15	18	14	17	14	11	8	12	0	133	2.4
C19-20	Rectum	0	0	0	0	9	5	5	4	12	13	14	12	9	9	4	17	0	113	2.1
C21	Anus & Anal Canal	0	0	0	0	0	1	0	2	2	5	5	2	7	1	2	5	0	32	0.6
C22	Liver	5	3	1	0	0	2	6	6	8	11	7	10	25	14	12	7	0	117	2.1
C23-24	Gall Bladder	0	0	0	0	2	5	3	12	16	14	28	20	24	12	14	20	4	174	3.2
C25	Pancreas	0	1	0	0	0	0	2	3	4	9	9	16	17	7	18	9	2	97	1.8
C30-31	Nose, Sinus etc.	0	0	0	0	0	1	0	0	2	1	1	0	0	0	3	1	0	9	0.2
C32	Larynx	0	1	0	0	0	0	1	7	24	33	49	40	48	35	28	26	4	296	5.4
C33-34	Lung etc.	0	1	1	0	2	2	5	8	42	60	84	69	121	71	52	41	6	565	10.4
C37-38	Other Thoracic Org.	0	0	0	0	0	0	0	1	1	0	2	0	1	0	0	0	0	5	0.1
C40-41	Bone	1	3	26	24	12	11	8	5	3	7	9	9	8	10	2	3	2	143	2.6
C43	Melanoma of Skin	0	0	0	1	0	0	0	3	3	2	1	1	1	3	0	1	0	16	0.3
C44	Other Skin	1	0	0	2	2	1	2	8	3	7	8	4	11	3	9	8	1	70	1.3
C45	Mesothelioma	0	0	0	0	0	0	0	1	2	2	3	2	3	4	1	2	0	20	0.4
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tissu.	7	5	4	10	5	10	12	8	6	8	10	4	7	7	7	1	4	115	2.1
C50	Breast	0	0	0	0	0	0	0	2	4	1	6	0	3	3	2	2	0	23	0.4
C60	Penis	0	0	0	0	0	1	3	3	6	6	0	8	5	7	4	5	0	48	0.9
C61	Prostate	0	0	0	0	0	1	0	0	2	6	9	17	41	55	46	81	1	259	4.7
C62	Testis	1	1	0	1	7	3	10	5	3	5	2	2	2	2	1	0	0	45	0.8
C63	Other Male Genital	0	0	0	0	0	0	1	0	0	1	0	1	2	1	2	0	0	8	0.2
C64	Kidney	7	5	1	0	1	2	0	7	12	8	12	8	18	7	8	7	1	104	1.9
C65	Renal Pelvis	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	0	0	1	0	1	1	7	7	9	12	31	18	39	37	41	37	2	243	4.5
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2	0.0
C69	Eye	14	4	1	1	0	1	0	1	0	1	1	0	1	0	1	1	1	28	0.5
C70-72	Brain, Nervous Sys	16	19	12	13	7	14	23	21	18	15	6	18	13	19	9	8	2	233	4.3
C73	Thyroid	0	0	0	4	3	2	3	6	4	5	5	3	6	6	4	1	0	52	1.0
C74	Adrenal Gland	7	5	1	1	0	0	1	1	1	0	1	1	0	0	0	0	0	19	0.4
C77	Sec Lymph Node	0	0	0	1	0	2	2	2	5	4	12	13	11	11	5	5	1	74	1.4
C78	Sec Resp & Digest	0	0	0	0	1	3	1	3	0	6	5	13	17	5	5	6	1	66	1.2
C79	Sec Other	0	0	0	0	1	0	2	0	5	6	14	13	12	6	10	3	0	72	1.3
C81	Hodgkins Disease	5	23	15	13	11	6	8	5	3	10	4	4	1	2	2	1	0	113	2.1
C82-85, C96	NHL	5	11	10	11	9	15	9	19	17	12	32	19	32	24	16	25	2	268	4.9
C90	Multiple Myeloma	0	1	0	0	0	0	1	2	4	8	18	8	13	12	9	9	1	86	1.6
C91	Leukaemia Uns	33	30	26	22	8	5	4	2	3	8	7	4	4	3	4	3	1	167	3.1
C92-94	Myeloid Leukaemia	8	2	2	17	10	18	23	14	19	28	12	4	13	8	3	5	3	189	3.5
C95	Leukaemia Uns	3	2	1	2	3	6	6	2	3	1	4	0	1	4	2	1	0	41	0.8
O&U	Other and Uns	2	3	2	5	6	3	7	11	17	16	24	17	22	16	19	9	5	184	3.4
	All Sites	116	124	105	134	118	148	197	264	382	503	622	550	724	523	456	440	54	5460	100.0
	%	2.1	2.3	1.9	2.5	2.2	2.7	3.6	4.8	7.0	9.2	11.4	10.1	13.3	9.6	8.4	8.1	1.0	100.0	

TABLE 10

Number of incident cases of cancer by 5 year age group and site (ICD.10) and percentages for Females, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	1	1	0	0	0	1	4	0	0	7	0.1
C01-02	Tongue	0	0	0	1	1	2	2	1	10	22	12	5	8	8	3	2	1	78	1.5
C03-06	Mouth	1	1	0	0	1	1	1	5	2	5	3	4	10	12	5	6	0	57	1.1
C07-08	Salivary Gland	0	0	0	1	3	2	4	5	3	4	0	3	3	2	0	0	1	31	0.6
C09	Tonsil	0	2	1	0	0	0	0	0	0	0	3	2	4	0	1	1	0	14	0.3
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	1	1	0	2	1	0	2	0	7	0.1
C11	Nasopharynx	1	0	0	0	0	1	2	1	0	3	0	3	1	0	1	0	1	14	0.3
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	3	0	1	2	2	2	2	0	13	0.3
C14	Pharynx	0	0	0	0	0	0	0	0	1	2	0	0	1	0	1	0	0	5	0.1
C15	Oesophagus	0	0	0	0	0	4	2	14	12	10	17	13	19	14	4	10	0	119	2.3
C16	Stomach	0	0	0	0	1	4	2	6	5	10	13	4	6	4	6	3	0	64	1.2
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.0
C18	Colon	0	0	0	1	1	1	5	6	7	8	12	12	15	4	3	8	1	84	1.6
C19-20	Rectum	0	0	1	0	3	4	3	6	7	6	12	7	2	4	8	1	2	66	1.3
C21	Anus & Anal Canal	0	0	0	0	0	2	0	1	2	2	1	2	2	0	2	1	0	15	0.3
C22	Liver	2	0	0	0	1	0	2	1	3	7	6	5	6	8	4	5	0	50	1.0
C23-24	Gall Bladder	0	0	0	0	1	0	8	22	26	32	45	41	44	35	27	10	1	292	5.6
C25	Pancreas	0	0	0	0	0	1	2	3	4	7	5	7	5	9	5	3	0	51	1.0
C30-31	Nose, Sinus etc.	0	0	1	0	1	1	3	0	0	0	1	0	0	1	1	0	0	9	0.2
C32	Larynx	0	0	0	0	0	0	0	1	3	6	6	8	3	7	5	3	1	43	0.8
C33-34	Lung etc.	0	0	0	0	1	5	1	5	12	7	18	18	18	30	8	11	2	136	2.6
C37-38	Other Thoracic Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.0
C40-41	Bone	0	2	12	12	9	4	5	3	2	5	3	4	3	5	1	0	0	70	1.4
C43	Melanoma of Skin	0	0	0	0	1	0	0	1	2	2	3	0	0	0	2	0	0	11	0.2
C44	Other Skin	0	0	0	0	1	1	0	2	3	6	4	5	8	8	7	3	0	48	0.9
C45	Mesothelioma	0	0	0	0	0	0	1	1	1	2	1	1	1	0	0	3	0	11	0.2
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tissu.	3	0	1	2	7	8	6	7	6	4	9	5	14	7	0	2	1	82	1.6
C50	Breast	0	0	0	0	9	37	61	112	165	189	211	136	159	103	61	58	8	1309	25.2
C51	Vulva	0	0	0	0	0	0	1	2	1	0	4	1	2	1	1	5	1	19	0.4
C52	Vagina	0	0	0	0	1	0	0	4	2	2	2	4	6	1	1	0	0	23	0.4
C53	Cervix Uteri	0	0	0	0	4	16	42	71	103	100	105	90	109	65	39	19	6	769	14.8
C54	Corpus Uteri	0	0	0	0	0	2	2	8	5	24	34	30	31	23	18	5	2	184	3.6
C55	Uterus Unspecified	0	0	0	0	1	0	2	2	2	6	2	1	2	3	1	1	0	23	0.4
C56	Ovary etc.	1	3	3	9	12	19	19	24	51	47	58	32	34	26	18	11	3	370	7.1
C57	Other Female Genital	0	0	0	0	0	1	1	0	0	0	1	0	0	1	0	0	0	4	0.1
C58	Placenta	0	0	0	0	1	3	2	0	1	1	0	0	0	0	0	0	0	8	0.2
C64	Kidney etc.	3	5	0	0	3	3	1	4	8	8	7	2	8	5	5	5	1	68	1.3
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	0	0	0	2	1	0	2	3	5	4	11	4	10	8	6	4	2	62	1.2
C68	Uns. Urinary Organs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	7	4	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	13	0.3
C70-72	Brain, Nervous Sys	8	9	12	4	11	7	10	17	9	18	16	9	8	3	3	3	1	148	2.9
C73	Thyroid	0	2	2	7	9	17	12	10	14	6	13	5	6	5	3	5	2	118	2.3
C74	Adrenal Gland	3	3	0	2	0	1	0	0	1	0	0	0	0	0	0	0	0	10	0.2
C77	Sec Lymph Node	0	0	0	0	1	1	0	2	6	2	3	3	2	2	2	1	0	25	0.5
C78	Sec Resp & Digesti	0	0	0	0	1	1	0	1	4	6	3	3	11	8	3	1	0	42	0.8
C79	Sec Other	0	0	0	0	0	0	1	2	3	2	5	4	2	4	5	1	0	29	0.6
C81	Hodgkins Disease	1	0	2	2	6	2	3	4	3	2	1	7	4	1	1	1	0	40	0.8
C82-85 C96	NHL	4	0	4	8	7	5	6	14	13	4	13	6	18	14	11	5	0	132	2.5
C90	Multiple Myeloma	0	0	0	0	0	0	1	1	2	5	4	5	8	14	5	6	0	51	1.0
C91	Lymphoid Leuk.	14	8	10	6	2	3	4	5	3	4	4	6	2	2	2	4	0	79	1.5
C92-94	Myeloid Leukemia	1	1	2	6	6	10	6	19	11	9	11	12	5	5	3	3	0	110	2.1
C95	Leukemia Uns	4	2	1	0	1	2	3	2	1	2	1	0	0	1	1	0	1	22	0.4
O&U	Other and Uns	4	1	5	4	1	5	8	9	11	12	20	16	17	14	9	10	2	148	2.9
	All Sites	57	43	57	67	109	176	236	407	538	608	705	526	623	471	299	225	40	5187	100.0
	%	1.1	0.8	1.1	1.3	2.1	3.4	4.6	7.9	10.4	11.7	13.6	10.1	12.0	9.1	5.8	4.3	0.8	100.0	

TABLE 11

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD.10), Males, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.2	0.2	0.0	0.0	0.0	3.1	2.1	0.0	2.8	0.2	0.3	0.5
C01-02	Tongue	0.0	0.0	0.0	0.0	0.1	0.7	0.8	1.9	7.1	9.9	15.5	23.9	37.1	31.0	34.4	24.1	3.9	6.6	14.0
C03-06	Mouth	0.0	0.0	0.0	0.0	0.1	0.7	1.1	2.1	4.5	7.6	12.4	13.1	14.7	18.6	11.5	18.4	2.5	3.9	8.3
C07-08	Salivary Gland	0.0	0.2	0.0	0.4	0.2	0.1	0.3	0.0	1.1	1.7	2.3	4.2	5.4	3.1	7.2	4.2	0.7	1.1	2.1
C09	Tonsil	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.7	1.5	2.8	7.4	2.4	10.8	5.2	5.7	5.7	1.0	1.6	3.9
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	2.5	2.7	3.0	6.2	4.1	7.2	4.2	0.6	1.0	2.1
C11	Nasopharynx	0.0	0.1	0.2	0.1	0.0	0.4	0.3	0.9	0.0	1.4	2.3	3.0	2.3	3.1	2.9	0.0	0.5	0.7	1.5
C12-13	Hypopharynx	0.0	0.0	0.1	0.0	0.0	0.4	0.0	0.5	0.4	2.8	5.4	11.4	14.7	11.4	8.6	8.5	1.3	2.3	5.0
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.6	0.6	0.8	2.4	2.3	0.0	4.3	2.8	0.3	0.5	1.0
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	3.7	4.5	10.5	16.7	25.5	24.8	21.5	24.1	2.5	4.4	8.9
C16	Stomach	0.0	0.0	0.0	0.0	0.2	0.4	0.5	0.9	2.1	5.1	10.5	14.3	17.8	13.4	24.3	15.6	2.1	3.6	7.4
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	0.6	1.5	1.0	0.0	0.0	0.1	0.2	0.5
C18	Colon	0.0	0.0	0.0	0.0	0.4	0.1	0.3	1.7	1.9	4.2	7.0	3.0	15.5	12.4	11.5	12.7	1.5	2.5	5.0
C19-20	Rectum	0.0	0.0	0.0	0.0	0.4	0.8	1.6	1.6	2.6	1.4	4.7	5.4	9.3	15.5	20.0	9.9	1.5	2.4	3.7
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.8	0.4	3.6	5.4	7.2	5.7	4.2	0.4	0.9	1.4
C22	Liver	0.7	0.0	0.1	0.1	0.2	0.3	1.1	0.7	2.4	1.4	3.1	13.1	12.4	15.5	18.6	19.8	1.7	2.9	4.7
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.1	0.3	1.1	1.0	3.0	4.0	10.9	13.7	19.3	24.8	27.2	15.6	2.3	4.0	7.6
C25	Pancreas	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.9	1.1	2.3	4.3	7.2	12.4	15.5	17.2	11.3	1.3	2.3	4.0
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.6	0.4	0.0	0.8	0.0	2.9	0.0	0.1	0.2	0.3
C32	Larynx	0.1	0.0	0.1	0.0	0.1	0.1	1.3	1.9	3.9	11.3	23.3	22.1	39.4	56.8	47.3	39.7	4.6	8.2	15.0
C33-34	Lung etc.	0.0	0.1	0.0	0.1	0.2	0.3	1.8	2.6	8.0	10.8	27.9	56.2	79.6	101.2	97.4	63.7	7.9	14.5	26.2
C37-38	Other Thoracic Org.	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.6	0.0	0.0	2.9	0.0	0.1	0.1	0.1
C40-41	Bone	0.3	0.9	1.6	3.0	1.7	1.6	0.2	1.0	1.1	2.5	3.1	4.2	5.4	6.2	5.7	4.2	1.7	2.0	2.6
C43	Melanoma of Skin	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.0	0.2	0.0	0.8	0.6	0.0	0.0	2.9	1.4	0.1	0.2	0.2
C44	Other Skin	0.0	0.0	0.0	0.1	0.4	0.7	0.6	0.5	1.9	3.1	6.2	4.2	11.6	13.4	5.7	15.6	1.4	2.2	4.1
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.5	0.2	0.3	0.8	1.2	4.6	4.1	1.4	0.0	0.3	0.5	1.1
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissu	1.4	0.6	0.7	0.6	1.2	1.6	1.3	2.4	1.7	1.7	5.0	3.6	9.3	6.2	11.5	7.1	1.8	2.3	3.6
C50	Breast	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.3	0.6	0.6	1.6	3.0	3.1	4.1	1.4	8.5	0.5	0.8	1.3
C60	Penis	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.9	0.9	1.7	3.5	1.8	3.9	2.1	2.9	4.2	0.6	0.9	2.0
C61	Prostate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	1.7	3.5	14.9	40.2	67.1	98.8	134.6	4.4	9.2	8.2
C62	Testis	0.1	0.0	0.0	0.5	1.0	0.7	1.3	0.7	1.5	0.8	1.9	1.2	1.5	2.1	1.4	1.4	0.7	0.8	1.3
C63	Other Male Genital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	2.1	0.7	0.1	0.5	0.0	0.5	0.3	0.9	1.1	2.3	5.8	4.2	16.2	15.5	11.5	12.7	1.7	2.8	4.4
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C67	Bladder	0.3	0.0	0.0	0.0	0.1	0.3	0.5	1.2	3.4	4.8	15.1	22.1	34.0	44.4	51.6	55.2	3.8	7.1	11.5
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C69	Eye	1.7	0.6	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.8	1.2	0.0	0.0	0.0	1.4	0.3	0.4	0.3
C70-72	Brain, Nervous Sys	0.4	2.1	1.0	1.7	1.6	2.6	2.7	2.1	3.9	6.5	9.7	12.0	11.6	11.4	15.8	5.7	3.1	3.9	7.0
C73	Thyroid	0.0	0.1	0.2	0.1	0.4	0.5	1.0	1.0	1.1	1.1	1.9	2.4	4.6	1.0	4.3	2.8	0.7	0.9	1.8
C74	Adrenal Gland	0.8	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.4	0.0	0.0	0.6	0.0	1.0	1.4	0.0	0.2	0.3	0.2
C77	Sec Lymph Nodes	0.1	0.0	0.0	0.5	0.0	0.8	0.5	0.5	0.6	2.3	3.5	5.4	5.4	6.2	17.2	1.4	1.0	1.5	2.6
C78	Sec Resp & Digest	0.0	0.0	0.1	0.0	0.1	0.0	0.8	0.7	0.9	2.0	3.1	6.6	11.6	6.2	12.9	7.1	1.0	1.7	3.5
C79	Sec Others	0.0	0.0	0.0	0.2	0.0	0.1	0.8	0.3	0.4	1.7	3.5	4.8	5.4	10.3	10.0	5.7	0.8	1.4	2.4
C81	Hodgkins Disease	0.4	1.5	1.8	1.8	0.9	1.5	1.1	0.9	1.3	0.8	3.1	1.2	2.3	5.2	1.4	0.0	1.4	1.4	1.5
C82-85, C96	NHL	1.0	2.1	1.9	1.1	2.4	2.2	2.7	1.6	4.7	7.4	11.6	11.4	14.7	32.0	25.8	24.1	3.9	5.5	7.9
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	5.4	8.9	7.2	13.1	10.3	24.3	8.5	1.5	2.6	5.4
C91	Lymphoid Leuk.	4.5	4.1	3.4	2.1	1.1	0.5	0.6	0.5	0.9	1.7	1.9	1.8	5.4	6.2	7.2	9.9	2.3	2.7	1.8
C92-94	Myeloid Leukemia	1.0	0.7	0.7	1.5	1.5	2.2	4.2	2.3	3.2	3.4	5.8	6.0	11.6	3.1	5.7	5.7	2.3	2.8	4.9
C95	Leukaemia Uns	1.3	0.4	0.5	1.2	0.6	0.4	0.2	0.9	0.6	0.6	1.9	2.4	0.8	1.0	2.9	1.4	0.8	0.9	1.1
O&U	Other and Uns	1.0	0.4	0.5	0.5	0.9	0.7	1.4	2.8	4.1	3.7	8.5	10.8	13.9	13.4	20.0	17.0	2.5	3.6	6.6
	All Sites	17.4	15.3	13.6	16.5	16.8	23.3	33.3	41.2	82.3	132.2	264.0	355.0	565.8	639.2	721.7	623.2	76.1	123.0	210.9

TABLE 12

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD.10), Females, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.3	0.4	1.0	0.7	0.0	0.0	1.6	0.0	0.1	0.2	0.4
C01-02	Tongue	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.6	1.7	2.9	3.6	6.3	11.0	10.1	7.8	4.5	1.1	1.8	3.8
C03-06	Mouth	0.0	0.0	0.0	0.2	0.0	0.3	0.6	1.0	3.1	2.2	8.8	4.9	5.5	5.1	7.8	6.0	1.2	1.7	4.0
C07-08	Salivary Gland	0.0	0.0	0.3	0.0	0.2	0.3	0.8	1.5	1.7	1.5	1.0	0.7	2.4	2.0	4.7	1.5	0.6	0.7	1.5
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.5	0.7	2.4	2.0	6.2	0.0	0.2	0.4	0.7
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.1	0.1
C11	Nasopharynx	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.3	0.7	1.0	1.4	2.4	0.0	1.6	0.0	0.2	0.3	0.8
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.2	1.7	1.1	1.0	0.7	3.1	3.0	3.1	1.5	0.4	0.6	1.2
C14	Pharynx	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.1	5.8	7.3	17.5	11.8	21.2	31.0	16.6	2.3	3.7	6.9
C16	Stomach	0.0	0.0	0.0	0.0	0.2	0.2	1.0	2.3	0.6	4.7	1.6	5.6	10.2	6.1	4.7	6.0	1.1	1.6	3.8
C17	Small Intestine	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.4	3.1	2.0	0.0	1.5	0.2	0.3	0.6
C18	Colon	0.0	0.0	0.0	0.0	0.0	0.5	1.0	1.0	0.3	2.5	5.2	5.6	5.5	12.1	14.0	7.5	1.2	1.8	3.0
C19-20	Rectum	0.0	0.0	0.1	0.0	0.0	1.2	0.4	0.6	1.4	3.3	3.1	5.6	8.6	1.0	1.6	7.5	1.0	1.4	3.4
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.7	1.0	1.4	3.1	2.0	0.0	1.5	0.2	0.4	0.9
C22	Liver	0.2	0.3	0.0	0.0	0.2	0.7	0.2	0.6	2.6	2.2	3.6	4.9	11.0	7.1	3.1	1.5	1.1	1.6	3.7
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.2	0.7	1.9	1.9	8.0	13.8	19.8	21.7	32.9	25.3	37.2	25.6	4.4	6.8	14.8
C25	Pancreas	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.4	1.1	1.5	3.1	2.8	9.4	10.1	12.4	6.0	0.9	1.6	2.7
C30-31	Nose, Sinus	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C32	Larynx	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.6	0.6	1.5	0.0	4.2	2.4	6.1	4.7	1.5	0.5	0.8	1.4
C33-34	Lung etc.	0.2	0.0	0.0	0.0	0.0	0.0	1.0	1.3	1.4	5.5	9.4	10.5	18.8	17.2	9.3	15.0	2.0	3.2	6.9
C37-38	Other Thoracic Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.1	0.5	0.0	1.6	0.0	1.6	0.0	0.1	0.2	0.5
C40-41	Bone	0.0	0.4	1.3	0.5	1.2	0.8	1.0	0.2	2.0	1.8	2.6	3.5	0.8	4.0	9.3	6.0	1.2	1.4	1.8
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.3	0.0	0.5	0.7	0.8	1.0	0.0	1.5	0.1	0.2	0.4
C44	Other Skin	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.2	0.6	0.7	2.6	2.8	5.5	5.1	3.1	7.5	0.6	0.9	1.8
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.7	0.0	0.0	3.1	2.0	0.0	4.5	0.2	0.4	0.6
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissue	0.8	0.0	1.7	0.2	0.7	1.7	1.0	2.1	2.0	2.9	6.8	7.0	5.5	8.1	3.1	4.5	1.7	2.2	4.1
C50	Breast	0.0	0.0	0.0	0.2	2.2	5.5	10.8	23.2	48.3	60.4	95.8	98.7	102.0	109.2	74.5	67.7	19.7	28.1	66.9
C51	Vulva	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.6	0.4	3.6	1.4	1.6	2.0	9.3	4.5	0.5	0.7	1.2
C52	Vagina	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	1.1	4.2	2.1	0.8	0.0	3.1	0.0	0.4	0.6	1.6
C53	Cervix Uteri	0.0	0.1	0.0	0.0	0.3	2.2	6.0	12.5	29.7	36.8	51.5	50.4	57.3	59.7	63.6	28.6	11.0	15.8	37.5
C54	Corpus Uteri	0.0	0.0	0.0	0.0	0.2	0.3	1.0	0.4	3.4	5.8	16.7	16.8	18.8	31.4	20.2	7.5	2.7	4.4	9.2
C55	Uterus Unspecif.	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	1.1	0.4	3.1	3.5	5.5	2.0	6.2	0.0	0.6	0.8	2.0
C56	Ovary etc.	0.2	0.1	0.8	0.7	1.5	2.5	3.7	5.6	13.4	17.1	22.9	30.8	32.2	24.3	26.4	22.6	5.9	8.2	18.8
C57	Other Female Gen.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.1	0.0	0.7	0.0	0.0	0.0	0.0	0.1	0.1	0.3
C58	Placenta	0.0	0.0	0.0	0.2	0.5	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0
C64	Kidney	1.6	0.3	0.3	0.3	0.2	0.7	0.4	0.8	0.9	1.5	2.1	2.1	1.6	3.0	4.7	7.5	0.9	1.1	1.4
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C67	Bladder	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.6	0.9	1.8	3.6	2.1	7.1	6.1	12.4	10.5	0.9	1.4	2.4
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
C69	Eye	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
C70-72	Brain, Nervous sys	0.7	0.7	0.8	1.2	1.0	1.2	2.3	2.3	2.0	4.0	5.7	2.1	5.5	3.0	9.3	0.0	1.7	2.0	3.5
C73	Thyroid	0.0	0.0	0.1	0.9	1.3	2.3	4.2	4.2	3.1	3.6	3.6	7.7	5.5	13.2	10.9	4.5	2.2	2.7	4.4
C74	Adrenal Gland	0.5	0.3	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
C77	Sec Lymph Nodes	0.3	0.0	0.1	0.2	0.2	0.0	0.2	0.0	1.1	1.8	2.6	2.1	6.3	2.0	6.2	1.5	0.6	0.9	2.1
C78	Sec Resp & Digest.	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.1	1.5	3.1	4.9	2.4	3.0	3.1	6.0	0.6	0.9	2.1
C79	Sec Others	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.1	0.7	2.1	3.5	3.9	4.0	6.2	7.5	0.7	1.0	1.9
C81	Hodgkins Disease	0.0	0.1	0.1	0.8	0.7	0.3	0.2	0.6	1.1	0.4	1.6	0.7	2.4	2.0	3.1	4.5	0.6	0.7	1.1
C82-85, C96	NHL	0.5	0.3	0.4	0.8	0.7	2.0	2.1	3.1	3.7	3.6	7.8	10.5	18.0	14.2	15.5	21.1	2.7	3.9	7.0
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.1	3.3	3.1	5.6	3.1	9.1	17.1	9.0	1.0	1.6	2.6
C91	Lymphoid Leuk.	1.3	1.7	1.3	0.7	0.5	0.0	0.6	1.3	0.3	0.7	1.6	0.7	3.1	1.0	6.2	1.5	1.0	1.1	1.2
C92-94	Myeloid Leuk.	0.2	0.9	0.7	0.7	1.0	2.2	1.0	1.9	2.6	3.6	8.8	7.0	1.6	4.0	1.6	7.5	1.7	2.1	4.1
C95	Leukaemia Uns	0.7	0.1	0.7	0.0	0.0	0.0	0.4	0.6	0.3	0.0	1.0	0.0	0.8	0.0	0.0	0.0	0.3	0.3	0.4
O&U	Others and Uns	0.2	0.1	0.1	0.0	0.3	1.2	1.2	1.9	1.4	5.5	7.3	8.4	9.4	11.1	10.9	9.0	1.8	2.6	5.2
	All Sites	8.7	5.7	9.5	7.2	13.8	28.8	46.4	78.9	52.7	214.0	336.2	372.4	450.2	459.2	479.4	349.1	80.9	116.1	246.6

TABLE 13

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD.10), Males, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.3	0.7	0.6	0.0	0.0	1.4	1.3	0.2	0.2	0.5
C01-02	Tongue	0.0	0.0	0.0	0.0	0.0	0.4	0.9	3.3	5.9	10.3	13.0	24.7	33.6	24.6	28.6	37.6	3.8	6.3	13.4
C03-06	Mouth	0.0	0.0	0.0	0.5	0.2	0.7	1.9	2.5	4.1	7.6	8.5	13.8	23.9	19.6	17.7	8.1	2.6	4.1	9.0
C07-08	Salivary Gland	0.0	0.0	0.1	0.0	0.7	0.5	0.3	0.5	0.8	1.1	2.2	1.7	3.0	2.0	6.8	1.3	0.6	0.8	1.4
C09	Tonsil	0.0	0.5	0.0	0.0	0.0	0.3	0.5	0.5	2.0	4.0	5.2	8.6	5.2	7.9	5.5	6.7	1.2	1.8	3.9
C10	Oth. Oropharynx	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.2	1.6	3.7	4.0	6.0	4.9	6.8	1.3	0.7	1.1	2.5
C11	Nasopharynx	0.0	0.0	0.0	0.2	0.5	0.3	0.3	0.5	0.6	1.3	1.1	4.0	3.0	1.0	1.4	0.0	0.5	0.6	1.6
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.1	0.3	0.5	0.2	0.6	2.7	6.7	13.2	15.7	16.7	23.2	10.7	1.6	2.9	5.5
C14	Pharynx	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.4	0.8	1.5	1.7	1.5	0.0	0.0	2.7	0.2	0.4	0.9
C15	Oesophagus	0.0	0.0	0.0	0.0	0.1	0.3	0.6	1.2	2.7	6.5	13.7	19.5	23.1	17.7	31.4	26.9	2.8	4.8	9.7
C16	Stomach	0.0	0.0	0.0	0.0	0.1	0.4	0.3	1.7	2.5	3.0	7.4	6.9	12.7	10.8	16.4	8.1	1.5	2.5	5.1
C17	Small Intestine	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.2	1.3	0.4	0.6	0.7	1.0	0.0	0.0	0.2	0.2	0.6
C18	Colon	0.0	0.0	0.0	0.0	0.0	0.4	0.9	2.4	3.1	4.9	5.2	9.8	10.4	10.8	10.9	16.1	1.7	2.6	5.5
C19-20	Rectum	0.0	0.0	0.0	0.0	1.1	0.7	0.8	0.7	2.5	3.5	5.2	6.9	6.7	8.8	5.5	22.8	1.4	2.2	3.9
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.4	1.3	1.9	1.1	5.2	1.0	2.7	6.7	0.4	0.7	1.5
C22	Liver	0.7	0.4	0.1	0.0	0.0	0.3	0.9	1.0	1.6	3.0	2.6	5.7	18.7	13.8	16.4	9.4	1.5	2.6	4.7
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.2	0.7	0.5	2.0	3.3	3.8	10.4	11.5	17.9	11.8	19.1	26.9	2.2	3.6	7.2
C25	Pancreas	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.8	2.4	3.3	9.2	12.7	6.9	24.5	12.1	1.2	2.2	4.1
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.3	0.4	0.0	0.0	0.0	4.1	1.3	0.1	0.2	0.2
C32	Larynx	0.0	0.1	0.0	0.0	0.0	0.0	0.2	1.2	4.9	8.9	18.2	23.0	35.8	34.4	38.2	34.9	3.8	6.7	13.4
C33-34	Lung etc.	0.0	0.1	0.1	0.0	0.2	0.3	0.8	1.3	8.6	16.2	31.2	39.6	90.3	69.7	70.9	55.1	7.2	13.0	26.8
C37-38	Other Thoracic Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.1	0.1	0.3
C40-41	Bone	0.1	0.4	3.0	2.8	1.4	1.4	1.2	0.8	0.6	1.9	3.3	5.2	6.0	9.8	2.7	4.0	1.8	2.1	2.6
C43	Melanoma of Skin	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	0.6	0.5	0.4	0.6	0.7	2.9	0.0	1.3	0.2	0.3	0.6
C44	Other Skin	0.1	0.0	0.0	0.2	0.2	0.1	0.3	1.3	0.6	1.9	3.0	2.3	8.2	2.9	12.3	10.7	0.9	1.4	2.6
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.5	1.1	1.1	2.2	3.9	1.4	2.7	0.3	0.5	0.8
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissu	1.0	0.6	0.5	1.2	0.6	1.3	1.9	1.3	1.2	2.2	3.7	2.3	5.2	6.9	9.5	1.3	1.5	1.8	2.5
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.3	2.2	0.0	2.2	2.9	2.7	2.7	0.3	0.5	0.9
C60	Penis	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.5	1.2	1.6	0.0	4.6	3.7	6.9	5.5	6.7	0.6	1.0	1.7
C61	Prostate	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	1.6	3.3	9.8	30.6	54.0	62.7	108.8	3.3	7.0	6.1
C62	Testis	0.1	0.1	0.0	0.1	0.8	0.4	1.5	0.8	0.6	1.3	0.7	1.1	1.5	2.0	1.4	0.0	0.6	0.6	1.0
C63	Other Male Genital	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.6	1.5	1.0	2.7	0.0	0.1	0.2	0.3
C64	Kidney etc.	1.0	0.6	0.1	0.0	0.1	0.3	0.0	1.2	2.5	2.2	4.5	4.6	13.4	6.9	10.9	9.4	1.3	2.1	4.2
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.1	0.0	0.1	0.1	1.1	1.2	1.8	3.2	11.5	10.3	29.1	36.3	55.9	49.7	3.1	5.8	8.2
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0
C69	Eye	1.9	0.5	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.3	0.4	0.0	0.7	0.0	1.4	1.3	0.4	0.4	0.2
C70-72	Brain, Nervous Sys	2.2	2.3	1.4	1.5	0.8	1.8	3.6	3.5	3.7	4.0	2.2	10.3	9.7	18.7	12.3	10.7	3.0	3.8	5.1
C73	Thyroid	0.0	0.0	0.0	0.5	0.4	0.3	0.5	1.0	0.8	1.3	1.9	1.7	4.5	5.9	5.5	1.3	0.7	1.0	1.7
C74	Adrenal Gland	1.0	0.6	0.1	0.1	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.3	0.2
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.1	0.0	0.3	0.3	0.3	1.0	1.1	4.5	7.5	8.2	10.8	6.8	6.7	0.9	1.6	3.2
C78	Sec Resp & Digest	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.5	0.0	1.6	1.9	7.5	12.7	4.9	6.8	8.1	0.8	1.5	3.3
C79	Sec Others	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	1.0	1.6	5.2	7.5	9.0	5.9	13.6	4.0	0.9	1.6	3.5
C81	Hodgkins Disease	0.7	2.7	1.7	1.5	1.3	0.8	1.2	0.8	0.6	2.7	1.5	2.3	0.7	2.0	2.7	1.3	1.4	1.5	1.4
C82-85, C96	NHL	0.7	1.3	1.2	1.3	1.1	2.0	1.4	3.2	3.5	3.2	11.9	10.9	23.9	23.6	21.8	33.6	3.4	5.2	8.3
C90	Multiple Myeloma	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.8	2.2	6.7	4.6	9.7	11.8	12.3	12.1	1.1	2.0	3.6
C91	Lymphoid Leuk.	4.5	3.6	3.0	2.6	0.9	0.7	0.6	0.3	0.6	2.2	2.6	2.3	3.0	2.9	5.5	4.0	2.1	2.4	1.7
C92-94	Myeloid Leukemia	1.1	0.2	0.2	2.0	1.2	2.4	3.6	2.3	3.9	7.6	4.5	2.3	9.7	7.9	4.1	6.7	2.4	2.8	4.9
C95	Leukaemia Uns	0.4	0.2	0.1	0.2	0.4	0.8	0.9	0.3	0.6	0.3	1.5	0.0	0.7	3.9	2.7	1.3	0.5	0.6	0.6
O&U	Other and Uns	0.3	0.4	0.2	0.6	0.7	0.4	1.1	1.8	3.5	4.3	8.9	9.8	16.4	15.7	25.9	12.1	2.4	3.6	6.7
	All Sites	15.9	14.8	12.2	15.8	14.0	19.3	30.4	43.9	78.2	135.7	230.9	315.6	540.2	513.7	621.8	590.9	69.8	111.3	197.6

TABLE 14

Age-Specific, World Age-adjusted and Truncated (35-64 years) incidence rates per 100,000 persons by site (ICD.10), Females, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.0	5.9	0.0	0.1	0.2	0.1
C01-02	Tongue	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.2	2.7	7.6	6.0	3.4	6.0	7.6	4.4	2.9	1.2	1.8	4.2
C03-06	Mouth	0.2	0.1	0.0	0.0	0.2	0.2	0.2	1.0	0.5	1.7	1.5	2.7	7.5	11.4	7.3	8.6	0.9	1.4	2.2
C07-08	Salivary Gland	0.0	0.0	0.0	0.2	0.5	0.3	0.7	1.0	0.8	1.4	0.0	2.0	2.2	1.9	0.0	0.0	0.5	0.5	1.2
C09	Tonsil	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	3.0	0.0	1.5	1.4	0.2	0.3	0.8
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.0	1.5	1.0	0.0	2.9	0.1	0.2	0.3
C11	Nasopharynx	0.2	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	1.0	0.0	2.0	0.7	0.0	1.5	0.0	0.2	0.3	0.6
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.0	0.7	1.5	1.9	2.9	2.9	0.2	0.3	0.5	0.5
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.7	0.0	1.5	0.0	0.1	0.1	0.3	0.3
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.6	0.4	2.8	3.3	3.5	8.5	8.7	14.2	13.4	5.9	14.3	1.9	2.8	6.2
C16	Stomach	0.0	0.0	0.0	0.0	0.2	0.6	0.4	1.2	1.4	3.5	6.5	2.7	4.5	3.8	8.8	4.3	1.0	1.4	3.1
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.4	0.0	0.1	0.1
C18	Colon	0.0	0.0	0.0	0.2	0.2	0.2	0.9	1.2	1.9	2.8	6.0	8.1	11.2	3.8	4.4	11.4	1.3	1.9	4.6
C19-20	Rectum	0.0	0.0	0.1	0.0	0.5	0.6	0.6	1.2	1.9	2.1	6.0	4.7	1.5	3.8	11.7	1.4	1.0	1.4	2.8
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.5	0.7	0.5	1.3	1.5	0.0	2.9	1.4	0.2	0.3	0.7
C22	Liver	0.3	0.0	0.0	0.0	0.2	0.0	0.4	0.2	0.8	2.4	3.0	3.4	4.5	7.6	5.9	7.1	0.8	1.2	2.2
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.2	0.0	1.5	4.4	7.1	11.1	22.4	27.5	33.0	33.4	39.6	14.3	4.6	7.1	15.8
C25	Pancreas	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.6	1.1	2.4	2.5	4.7	3.7	8.6	7.3	4.3	0.8	1.2	2.3
C30-31	Nose, Sinus	0.0	0.0	0.1	0.0	0.2	0.2	0.6	0.0	0.0	0.0	0.5	0.0	0.0	1.0	1.5	0.0	0.1	0.2	0.1
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	2.1	3.0	5.4	2.2	6.7	7.3	4.3	0.7	1.1	2.1	2.1
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.2	0.8	0.2	1.0	3.3	2.4	9.0	12.1	13.5	28.6	11.7	15.7	2.1	3.4	6.0
C37-38	Oth. Thoracic Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0
C40-41	Bone	0.0	0.3	1.6	1.9	1.4	0.6	0.9	0.6	0.5	1.7	1.5	2.7	2.2	4.8	1.5	0.0	1.1	1.2	1.4
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.5	0.7	1.5	0.0	0.0	0.0	2.9	0.0	0.2	0.2	0.5
C44	Other Skin	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.8	2.1	2.0	3.4	6.0	7.6	10.3	4.3	0.7	1.2	2.2
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.7	0.5	0.7	0.7	0.0	0.0	4.3	0.2	0.2	0.5
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tiss.	0.5	0.0	0.1	0.3	1.1	1.3	1.1	1.4	1.6	1.4	4.5	3.4	10.5	6.7	0.0	2.9	1.3	1.7	3.4
C50	Breast	0.0	0.0	0.0	0.0	1.4	5.9	11.3	22.2	44.8	65.5	105.1	91.3	119.2	98.2	89.4	82.8	20.4	29.3	69.8
C51	Vulva	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.0	2.0	0.7	1.5	1.0	1.5	7.1	0.3	0.4	0.7
C52	Vagina	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	0.5	0.7	1.0	2.7	4.5	1.0	1.5	0.0	0.4	0.5	1.5
C53	Cervix Uteri	0.0	0.0	0.0	0.0	0.6	2.6	7.8	14.1	28.0	34.7	52.3	60.4	81.7	62.0	57.2	27.1	12.0	17.2	41.6
C54	Corpus Uteri	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.6	1.4	8.3	16.9	20.1	23.2	21.9	26.4	7.1	2.9	4.6	10.5
C55	Uterus Unspecif.	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.4	0.5	2.1	1.0	0.7	1.5	2.9	1.5	1.4	0.4	0.5	1.0
C56	Ovary etc.	0.2	0.4	0.4	1.4	1.9	3.0	3.5	4.8	13.8	16.3	28.9	21.5	25.5	24.8	26.4	15.7	5.8	7.8	17.5
C57	Oth. Fem. Gen. Org.	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.5	0.0	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C58	Placenta	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
C64	Kidney	0.5	0.7	0.0	0.0	0.5	0.5	0.2	0.8	2.2	2.8	3.5	1.3	6.0	4.8	7.3	7.1	1.1	1.5	2.6
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.1
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.0	0.3	0.2	0.0	0.4	0.6	1.4	1.4	5.5	2.7	7.5	7.6	8.8	5.7	1.0	1.5	2.8
C68	Uns. Urinary Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1
C70-72	Brain, Nervous sys	1.3	1.2	1.6	0.6	1.8	1.1	1.8	3.4	2.4	6.2	8.0	6.0	6.0	2.9	4.4	4.3	2.3	2.7	5.2
C73	Thyroid	0.0	0.3	0.3	1.1	1.4	2.7	2.2	2.0	3.8	2.1	6.5	3.4	4.5	4.8	4.4	7.1	1.8	2.1	3.6
C74	Adrenal Gland	0.5	0.4	0.0	0.3	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	1.6	0.7	1.5	2.0	1.5	1.9	2.9	1.4	0.4	0.5	1.2
C78	Sec Resp & Dig.	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	1.1	2.1	1.5	2.0	8.2	7.6	4.4	1.4	0.7	1.1	2.2
C79	Sec Others	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.8	0.7	2.5	2.7	1.5	3.8	7.3	1.4	0.5	0.7	1.3
C81	Hodgkins Disease	0.2	0.0	0.3	0.3	1.0	0.3	0.6	0.8	0.8	0.7	0.5	4.7	3.0	1.0	1.5	1.4	0.6	0.8	1.5
C82-85, C96	NHL	0.6	0.0	0.5	1.3	1.1	0.8	1.1	2.8	3.5	1.4	6.5	4.0	13.5	13.4	16.1	7.1	2.1	2.8	4.8
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.7	2.0	3.4	6.0	13.4	7.3	8.6	0.8	1.4	2.0
C91	Lymphoid Leuk.	2.2	1.1	1.3	0.9	0.3	0.5	0.7	1.0	0.8	1.4	2.0	4.0	1.5	1.9	2.9	5.7	1.2	1.4	1.7
C92-94	Myeloid Leuk.	0.2	0.1	0.3	0.9	1.0	1.6	1.1	3.8	3.0	3.1	5.5	8.1	3.7	4.8	4.4	4.3	1.7	2.1	4.3
C95	Leukaemia Uns	0.6	0.3	0.1	0.0	0.2	0.3	0.6	0.4	0.3	0.7	0.5	0.0	0.0	1.0	1.5	0.0	0.3	0.4	0.3
O&U	Others and Uns	0.6	0.1	0.7	0.6	0.2	0.8	1.5	1.8	3.0	4.2	10.0	10.7	12.7	13.4	13.2	14.3	2.3	3.3	6.4
	All Sites	9.1	5.9	7.6	10.5	17.5	28.2	43.6	80.8	146.1	210.7	351.3	353.2	466.9	449.2	438.3	321.3	80.9	114.9	247.2

TABLE 15

Leading sites of cancer by Crude incidence rates (CR) per 100,000 persons for males, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	CR	ICD.10	Site	CR	
1	C33-34	Lung	7.9	C33-34	Lung	7.2	
2	C32	Larynx	4.6	C32	Larynx	3.8	
3	C61	Prostate	4.4	C01-02	Tongue	3.8	
4	C82-85,C96	NHL	3.9	C82-85,C96	NHL	3.4	
5	C01-02	Tongue	3.9	C61	Prostate	3.3	
6	C67	Bladder	3.8	C67	Bladder	3.1	
7	C70-72	Brains, Nervous	3.1	C70-72	Brains, Nervous	3.0	
8	C15	Oesophagus	2.5	C15	Oesophagus	2.8	
9	C03-06	Mouth	2.5	C03-06	Mouth	2.6	
10	C92-94	Myeloid Leuk.	2.3	C92-94	Myeloid Leuk.	2.4	
All Sites (C00-C96)			76.1	All Sites (C00-C96)			69.8

TABLE 16

Leading sites of cancer by Crude incidence rates (CR) per 100,000 persons for female, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	CR	ICD.10	Site	CR	
1	C50	Breast	19.7	C50	Breast	20.4	
2	C53	Cervix Uteri	11.0	C53	Cervix Uteri	12.0	
3	C56	Ovary etc.	5.9	C56	Ovary etc.	5.8	
4	C23-24	Gall Bladder	4.4	C23-24	Gall Bladder	4.6	
5	C54	Corpus Uteri	2.7	C54	Corpus Uteri	2.9	
6	C82-85,C96	NHL	2.7	C70-72	Brain,Nervous	2.3	
7	C15	Oesophagus	2.3	C33-34	Lung etc	2.1	
8	C73	Thyroid	2.2	C82-85,C96	NHL	2.1	
9	C33-34	Lung etc	2.0	C15	Oesophagus	1.9	
10	C70-72	Brain,Nervous	1.7	C73	Thyroid	1.8	
All Sites (C00-C96)			80.9	All Sites (C00-C96)			80.9

TABLE 17

Leading sites of cancer by World age-adjusted incidence rates (AAR) per 100,000 persons for males 2002 & 2003.

Rank	2002			2003			
	ICD.10	Site	AAR	ICD.10	Site	AAR	
1	C33-34	Lung	14.5	C33-34	Lung	13.0	
2	C61	Prostate	9.2	C61	Prostate	7.0	
3	C32	Larynx	8.2	C32	Larynx	6.7	
4	C67	Bladder	7.1	C01-02	Tongue	6.3	
5	C01-02	Tongue	6.6	C67	Bladder	5.8	
6	C82-85,C96	NHL	5.5	C82-85,C96	NHL	5.2	
7	C15	Oesophagus	4.4	C15	Oesophagus	4.8	
8	C23-24	Gall bladder etc	4.0	C03-06	Mouth	4.1	
9	C03-06	Mouth	3.9	C70-72	Brain, Nervous	3.8	
10	C70-72	Brain, Nervous	3.9	C23-24	Gall bladder etc	3.6	
All Sites (C00-C96)			123.0	All Sites (C00-C96)			111.3

TABLE 18

Leading sites of cancer by World age-adjusted incidence rates (AAR) per 100,000 persons for females, 2002 & 2003.

Rank	2002			2003			
	ICD.10	Site	AAR	ICD.10	Site	AAR	
1	C50	Breast	28.1	C50	Breast	29.3	
2	C53	Cervix Uteri	15.8	C53	Cervix Uteri	17.2	
3	C56	Ovary etc.	8.2	C56	Ovary etc.	7.8	
4	C23-24	Gall Bladder	6.8	C23-24	Gall Bladder	7.1	
5	C54	Corpus Uteri	4.4	C54	Corpus Uteri	4.6	
6	C82-85,C96	NHL	3.9	C33-34	Lung	3.4	
7	C15	Oesophagus	3.7	C82-85,C96	NHL	2.8	
8	C33-34	Lung	3.2	C15	Oesophagus	2.8	
9	C73	Thyroid	2.7	C70-72	Brain & Ner.sys	2.7	
10	C47+49	Conn.&soft tissu	2.2	C73	Thyroid	2.1	
All Sites (C00-C96)			116.1	All Sites (C00-C96)			114.9

TABLE 19

Leading sites of cancer by World truncated incidence rates (TCR) per 100,000 persons for males 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	TCR	ICD.10	Site	TCR	
1	C33-34	Lung	26.2	C33-34	Lung	26.8	
2	C32	Larynx	15.0	C32	Larynx	13.4	
3	C01-02	Tongue	14.0	C01-02	Tongue	13.4	
4	C67	Bladder	11.5	C15	Oesophagus	9.7	
5	C15	Oesophagus	8.9	C03-06	Mouth	9.0	
6	C03-06	Mouth	8.3	C82-85,C96	NHL	8.3	
7	C61	Prostate	8.2	C67	Bladder	8.2	
8	C82-85,C96	NHL	7.9	C23-24	Gall bladder etc.	7.2	
9	C23-24	Gall bladder etc.	7.6	C61	Prostate	6.1	
10	C16	Stomach	7.4	C18	Colon	5.5	
All Sites (C00-C96)			210.9	All Sites (C00-C96)			197.6

TABLE 20

Leading sites of cancer by World truncated incidence rates (TCR) per 100,000 persons for females 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	TCR	ICD.10	Site	TCR	
1	C50	Breast	66.9	C50	Breast	69.8	
2	C53	Cervix Uteri	37.5	C53	Cervix Uteri	41.6	
3	C56	Ovary etc.	18.8	C56	Ovary etc.	17.5	
4	C23-24	Gall Bladder	14.8	C23-24	Gall Bladder	15.8	
5	C54	Corpus Uteri	9.2	C54	Corpus Uteri	10.5	
6	C82-85,C96	NHL	7.0	C15	Oesophagus	6.2	
7	C15	Oesophagus	6.9	C33-34	Lung etc	6.0	
8	C33-34	Lung etc	6.9	C70-72	Brain, Nervous	5.2	
9	C92-94	Myeloid Leuk.	4.1	C82-85,C96	NHL	4.8	
10	C03-06	Mouth	4.0	C18	Colon	4.6	
All Sites (C00-C96)			246.6	All Sites (C00-C96)			247.2

TABLE 21

Age specific incidence rates per 100,000 persons for all cancer sites by sex, 2002 & 2003

Age Group	2002		2003	
	Male	Female	Male	Female
00-04	17.4	8.7	15.9	9.1
05-09	15.3	5.7	14.8	5.9
10-14	13.6	9.5	12.2	7.6
15-19	16.5	7.2	15.8	10.5
20-24	16.8	13.8	14.0	17.5
25-29	23.3	28.8	19.3	28.2
30-34	33.3	46.4	30.4	43.6
35-39	41.2	78.9	43.9	80.8
40-44	82.3	152.7	78.2	146.1
45-49	132.2	214.0	135.7	210.7
50-54	264.0	336.2	230.9	351.3
55-59	355.0	372.4	315.6	353.2
60-64	565.8	450.2	540.2	466.9
65-69	639.2	459.2	513.7	449.2
70-74	721.7	479.4	621.8	438.3
75+	623.2	349.1	590.9	321.3
All ages	76.1	80.9	69.8	80.9

TABLE 22

The highest incidence rate by age and sex per 100,000 population, 2002

Age group	MALES		FEMALES	
	Leading site	Rate	Leading Site	Rate
00-04	Lymphoid Leuk.	4.5	Lymphoid Leuk.	1.3
05-09	Lymphoid Leuk.	4.1	Lymphoid Leuk.	1.7
10-14	Lymphoid Leuk.	3.4	Conn. & Soft tiss	1.7
15-19	Bone	3.0	Brain, Nerv. Sys	1.2
20-24	NHL	2.4	Breast	2.2
25-29	Brain Nerv. Sys	2.6	Breast	5.5
30-34	Myeloid Luek.	4.2	Breast	10.8
35-39	Lung etc.	2.6	Breast	23.2
40-44	Lung etc.	8.0	Breast	48.3
45-49	Larynx	11.3	Breast	60.4
50-54	Lung etc.	27.9	Breast	95.8
55-59	Lung etc.	56.2	Breast	98.7
60-64	Lung etc.	79.6	Breast	102.0
65-69	Lung etc.	101.2	Breast	109.2
70-74	Prostate	98.8	Breast	74.5
75+	Prostate	134.6	Breast	67.7

TABLE 23

The highest incidence rate by age and sex per 100,000 population, 2003

Age group	MALES		FEMALES	
	Leading site	Rate	Leading Site	Rate
00-04	Lymphoid Leuk.	4.5	Lymphoid Leuk.	2.2
05-09	Lymphoid Leuk.	3.6	Brain, NS.	1.2
10-14	Lymphoid Leuk.	3.0	Bone	1.6
15-19	Bone	2.8	Bone	1.9
20-24	Bone	1.4	Ovary etc.	1.9
25-29	Myeloid Leuk.	2.4	Breast	5.9
30-34	Brain, NS	3.6	Breast	11.3
35-39	Brain NS	3.5	Breast	22.2
40-44	Lung etc.	8.6	Breast	44.8
45-49	Lung etc.	16.2	Breast	65.5
50-54	Lung etc.	31.2	Breast	105.1
55-59	Lung etc.	39.3	Breast	91.3
60-64	Lung etc.	90.3	Breast	119.2
65-69	Lung etc.	69.7	Breast	98.2
70-74	Lung etc.	70.9	Breast	89.4
75+	Prostate	108.8	Breast	82.8

TABLE 24

The percentage distribution of ten most frequently occurring cancer in Pediatric age group by site (ICD.10) in males, 2002 & 2003

	2002				2003			
	ICD.10	Site	No	%	ICD.10	Site	No	%
1	C91	Lymphoid Leuk.	93	26.0	C91	Lymphoid Leuk.	89	25.8
2	C82-85,C96	NHL	40	11.2	C70-72	Brain, Nervous Sy	47	13.6
3	C81	Hodgkins Disease	30	8.4	C81	Hodgkins Disease	43	12.5
4	C70-72	Brain, Nervous Sy	28	7.8	C40-41	Bone	30	8.7
5	C40-41	Bone	22	6.1	C82-85,C96	NHL	26	7.5
6	C64	Kidney	22	6.1	C69	Eye	19	5.5
7	C47+C49	Conn. & Soft Tiss.	21	5.9	C47+C49	Conn. & Soft Tiss.	16	4.6
8	C92-94	Myeloid Leukaemia	19	5.3	C64	Kidney	13	3.8
9	C69	Eye	17	4.7	C74	Adrenal gland	13	3.8
10	C95	Leukemia Uns.	16	4.5	C92-94	Myeloid Leukaemia	12	3.5
All Sites (C00-C96)			358		All Sites (C-00-C96)			345

TABLE 25

The percentage distribution of ten most frequently occurring cancer in Pediatric age group by site (ICD.10) in Females, 2002 & 2003

	2002				2003				
	ICD.10	Site	No	%	ICD.10	Site	No	%	
1	C91	Lymphoid Leuk.	29	18.0	C91	Lymphoid Leuk.	32	20.4	
2	C47+49	Conn.&Soft Tiss	17	10.6	C70-72	Brain, Nervous Sy	29	18.5	
3	C70-72	Brain, Nervous Sy	15	9.3	C40-41	Bone	14	8.9	
4	C64	Kidney	14	8.7	C69	Eye	11	7.0	
5	C40-41	Bone	12	7.5	C64	Kidney	8	5.1	
6	C92-94	Myeloid Leuk.	12	7.5	C82-85, C96	NHL	8	5.1	
7	C95	Leukaemia Uns	10	6.2	C56	Ovary etc.	7	4.5	
8	C56	Ovary etc.	8	5.0	C95	Leukaemia Uns	7	4.5	
9	C82-85, C96	NHL	8	5.0	C74	Adrenal Gland	6	3.8	
10	C69	Eye	6	3.7	C47+49	Conn.&Soft Tiss	4	2.5	
			All Sites (C00-C96) 161					All Sites (C-00-C96) 157	

TABLE 26

Number and proportion of Tobacco related cancers (TRC), 2002

Site	MALES			FEMALES		
	No.	(a)	(b)	No.	(a)	(b)
Mouth	189	10.3	3.3	74	15.9	1.5
Oropharynx	120	6.5	2.1	17	3.7	0.3
Hypopharynx	95	5.2	1.7	26	5.6	0.5
Pharynx, NOS	21	1.1	0.4	2	0.4	0.0
Oesophagus	188	10.2	3.3	139	29.9	2.8
Larynx	346	18.8	6.1	31	6.7	0.6
Lung	590	32.1	10.3	123	26.5	2.5
Urinary Bladder	287	15.6	5.0	53	11.4	1.1
TRC (Total)	1836	100.0	32.2	465	100.0	9.3
All sites	5704			4980		

(a) Percentage to total tobacco related cancers

(b) Percentage to all sites of cancer

TABLE 27

Number and proportion of Tobacco related cancers (TRC), 2003

Site	MALES			FEMALES		
	No.	(a)	(b)	No.	(a)	(b)
Mouth	204	11.2	3.7	57	12.5	1.1
Oropharynx	142	7.8	2.6	21	4.6	0.4
Hypopharynx	128	7.1	2.3	13	2.9	0.3
Pharynx, NOS	19	1.0	0.3	5	1.1	0.1
Oesophagus	217	12.0	4.0	119	26.1	2.3
Larynx	296	16.3	5.4	43	9.4	0.8
Lung	565	31.1	10.4	136	29.8	2.6
Urinary Bladder	243	13.4	4.5	62	13.6	1.2
TRC (Total)	1814	100.0	33.2	456	100.0	8.8
All sites	5460			5187		

(a) Percentage to total tobacco related cancers

(b) Percentage to all sites of cancer

TABLE 28

The percentage distribution of new cancer cases diagnosed by sex and method of diagnosis, 2002 and 2003

Year	Method of Diagnosis	Male	%	Female	%	Total	%
2002	Microscopic	4608	80.8	3958	79.5	8566	80.2
	X-Rays	118	2.1	62	1.2	180	1.7
	Clinical	875	15.3	886	17.8	1761	16.5
	Others	42	0.7	22	0.5	64	0.6
	DCO's	61	1.1	52	1.0	113	1.1
	Total	5704	100.0	4980	100.0	10684	100.0
2003	Microscopic	4565	83.6	4298	82.9	8863	83.2
	X-Rays	58	1.1	34	0.7	92	0.9
	Clinical	632	11.6	721	13.9	1353	12.7
	Others	103	1.9	70	1.3	173	1.6
	DCO's	102	1.9	64	1.2	166	1.6
	Total	5460	100.0	5187	100.0	10647	100.0

TABLE 29

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD.10) for Males, 2002

ICD.10	Site	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	11	84.6	0	0.0	1	7.7	1	7.7	0	0.0	13	100.0
C01-02	Tongue	241	82.0	0	0.0	51	17.3	0	0.0	2	0.7	294	100.0
C03-06	Mouth	165	87.3	0	0.0	24	12.7	0	0.0	0	0.0	189	100.0
C07-08	Salivary Gl	38	73.1	0	0.0	14	26.9	0	0.0	0	0.0	52	100.0
C09	Tonsil	61	80.3	0	0.0	15	19.7	0	0.0	0	0.0	76	100.0
C10	Oth Oropharynx	35	79.5	0	0.0	9	20.5	0	0.0	0	0.0	44	100.0
C11	Nasopharynx	29	76.3	0	0.0	9	23.7	0	0.0	0	0.0	38	100.0
C12-13	Hypopharynx	84	88.4	0	0.0	9	9.5	0	0.0	2	2.1	95	100.0
C14	Pharynx Uns	16	76.2	0	0.0	4	19.0	0	0.0	1	4.8	21	100.0
C15	Oesophagus	140	74.5	0	0.0	35	18.6	6	3.2	7	3.7	188	100.0
C16	Stomach	114	71.7	0	0.0	30	18.9	12	7.5	3	1.9	159	100.0
C17	Small Int	7	87.5	0	0.0	1	12.5	0	0.0	0	0.0	8	100.0
C18	Colon	85	75.2	0	0.0	26	23.0	0	0.0	2	1.8	113	100.0
C19-20	Rectum	86	74.8	0	0.0	26	22.6	1	0.9	2	1.7	115	100.0
C21	A & Anal Canal	27	81.8	0	0.0	5	15.2	0	0.0	1	3.0	33	100.0
C22	Liver	98	77.2	0	0.0	28	22.0	1	0.8	0	0.0	127	100.0
C23-24	Gallbladder Etc	118	67.4	20	11.4	29	16.6	5	2.9	3	1.7	175	100.0
C25	Pancrease	69	71.9	0	0.0	24	25.0	1	1.0	2	2.1	96	100.0
C30-31	Nose,Sinuses Etc	7	77.8	0	0.0	1	11.1	0	0.0	1	11.1	9	100.0
C32	Larynx	253	73.1	1	0.3	87	25.1	0	0.0	5	1.4	346	100.0
C33-34	Lung Etc	439	74.4	95	16.1	37	6.3	12	2.0	7	1.2	590	100.0
C37-38	Oth Th Org	4	80.0	0	0.0	1	20.0	0	0.0	0	0.0	5	100.0
C40-41	Bone	112	87.5	1	0.8	14	10.9	0	0.0	1	0.8	128	100.0
C43	Melanoma Of Skin	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C44	Oth Skin	86	84.3	0	0.0	15	14.7	0	0.0	1	1.0	102	100.0
C45	Mesothelioma	16	72.7	0	0.0	5	22.7	1	4.5	0	0.0	22	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tiss.	113	84.3	0	0.0	21	15.7	0	0.0	0	0.0	134	100.0
C50	Breast	26	74.3	1	2.9	7	20.0	0	0.0	1	2.9	35	100.0
C60	Penis	36	81.8	0	0.0	6	13.6	0	0.0	2	4.5	44	100.0
C61	Prostate	263	80.4	0	0.0	62	19.0	0	0.0	2	0.6	327	100.0
C62	Testis	47	88.7	0	0.0	6	11.3	0	0.0	0	0.0	53	100.0
C63	Oth Male Genital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C64	Kidney Etc	112	88.2	0	0.0	14	11.0	0	0.0	1	0.8	127	100.0
C65	Renal Pelvis	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C66	Ureter	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C67	Bladder	194	67.6	0	0.0	89	31.0	0	0.0	4	1.4	287	100.0
C68	Uns Urinary Org	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C69	Eye	20	83.3	0	0.0	4	16.7	0	0.0	0	0.0	24	100.0
C70-72	Brain, Nervous Sy	205	88.0	0	0.0	27	11.6	1	0.4	0	0.0	233	100.0
C73	Thyroid	39	73.6	0	0.0	14	26.4	0	0.0	0	0.0	53	100.0
C74	Adrenal Gland	11	64.7	0	0.0	6	35.3	0	0.0	0	0.0	17	100.0
C77	Sec Lymph	61	84.7	0	0.0	10	13.9	0	0.0	1	1.4	72	100.0
C78	Sec Resp & Dig	75	98.7	0	0.0	1	1.3	0	0.0	0	0.0	76	100.0
C79	Sec Others	63	100.0	0	0.0	0	0.0	0	0.0	0	0.0	63	100.0
C81	Hodgkins D	104	100.0	0	0.0	0	0.0	0	0.0	0	0.0	104	100.0
C82-85,96	NHL	296	100.0	0	0.0	0	0.0	0	0.0	0	0.0	296	100.0
C90	Multiple Mye	113	100.0	0	0.0	0	0.0	0	0.0	0	0.0	113	100.0
C91	Lymphoid Leuk	173	100.0	0	0.0	0	0.0	0	0.0	0	0.0	173	100.0
C92-94	Myeloid Leuk	176	100.0	0	0.0	0	0.0	0	0.0	0	0.0	176	100.0
C95	Leuk Uns	59	100.0	0	0.0	0	0.0	0	0.0	0	0.0	59	100.0
O&U	Oth & Uns	68	36.6	0	0.0	107	57.5	1	0.5	10	5.4	186	100.0
	All Sites	4608	80.8	118	2.1	875	15.3	42	0.7	61	1.1	5704	100.0

TABLE 30

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD.10) for Females, 2002

ICD.10	Site	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	6	75.0	0	0.0	2	25.0	0	0.0	0	0.0	8	100.0
C01-02	Tongue	59	85.5	0	0.0	9	13.0	0	0.0	1	1.4	69	100.0
C03-06	Mouth	62	83.8	0	0.0	12	16.2	0	0.0	0	0.0	74	100.0
C07-08	Salivary Gl	25	65.8	1	2.6	12	31.6	0	0.0	0	0.0	38	100.0
C09	Tonsil	13	92.9	0	0.0	1	7.1	0	0.0	0	0.0	14	100.0
C10	Oth Oropharynx	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	3	100.0
C11	Nasopharynx	11	84.6	0	0.0	2	15.4	0	0.0	0	0.0	13	100.0
C12-13	Hypopharynx	24	92.3	0	0.0	2	7.7	0	0.0	0	0.0	26	100.0
C14	Pharynx Uns	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	2	100.0
C15	Oesophagus	110	79.1	1	0.7	23	16.5	4	2.9	1	0.7	139	100.0
C16	Stomach	53	75.7	0	0.0	12	17.1	3	4.3	2	2.9	70	100.0
C17	Small Int	5	45.5	0	0.0	5	45.5	0	0.0	1	9.1	11	100.0
C18	Colon	56	77.8	0	0.0	16	22.2	0	0.0	0	0.0	72	100.0
C19-20	Rectum	40	66.7	0	0.0	19	31.7	0	0.0	1	1.7	60	100.0
C21	A & Anal Canal	13	86.7	0	0.0	2	13.3	0	0.0	0	0.0	15	100.0
C22	Liver	46	69.7	0	0.0	20	30.3	0	0.0	0	0.0	66	100.0
C23-24	Gallbladder Etc	172	64.2	38	14.2	46	17.2	7	2.6	5	1.9	268	100.0
C25	Pancrease	32	55.2	0	0.0	25	43.1	0	0.0	1	1.7	58	100.0
C30-31	Nose,Sinuses Etc	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	100.0
C32	Larynx	22	71.0	0	0.0	9	29.0	0	0.0	0	0.0	31	100.0
C33-34	Lung Etc	97	78.9	13	10.6	7	5.7	3	2.4	3	2.4	123	100.0
C37-38	Oth Th Org	4	50.0	0	0.0	4	50.0	0	0.0	0	0.0	8	100.0
C40-41	Bone	61	85.9	0	0.0	10	14.1	0	0.0	0	0.0	71	100.0
C43	Melanoma Of Skin	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C44	Oth Skin	30	81.1	0	0.0	4	10.8	0	0.0	3	8.1	37	100.0
C45	Mesothelioma	11	78.6	0	0.0	3	21.4	0	0.0	0	0.0	14	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tiss.	95	90.5	0	0.0	10	9.5	0	0.0	0	0.0	105	100.0
C50	Breast	972	80.2	7	0.6	218	18.0	3	0.2	12	1.0	1212	100.0
C51	Vulva	18	64.3	0	0.0	10	35.7	0	0.0	0	0.0	28	100.0
C52	Vagina	18	75.0	0	0.0	5	20.8	0	0.0	1	4.2	24	100.0
C53	Cervix Uteri	546	80.5	0	0.0	131	19.3	0	0.0	1	0.1	678	100.0
C54	Corpus Uteri	141	83.4	0	0.0	28	16.6	0	0.0	0	0.0	169	100.0
C55	Uterus Uns	24	66.7	0	0.0	11	30.6	0	0.0	1	2.8	36	100.0
C56	Ovary Etc	277	76.3	1	0.3	77	21.2	0	0.0	8	2.2	363	100.0
C57	Oth Female Genit.	2	40.0	0	0.0	2	40.0	1	20.0	0	0.0	5	100.0
C58	Placenta	11	91.7	0	0.0	1	8.3	0	0.0	0	0.0	12	100.0
C64	Kidney Etc	43	78.2	0	0.0	12	21.8	0	0.0	0	0.0	55	100.0
C65	Renal Pelvis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C66	Ureter	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C67	Bladder	36	67.9	1	1.9	15	28.3	0	0.0	1	1.9	53	100.0
C68	Uns Urinary Org	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C69	Eye	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
C70-72	Brain,Nervous Sys	92	86.8	0	0.0	14	13.2	0	0.0	0	0.0	106	100.0
C73	Thyroid	94	69.1	0	0.0	41	30.1	0	0.0	1	0.7	136	100.0
C74	Adrenal Gland	4	57.1	0	0.0	3	42.9	0	0.0	0	0.0	7	100.0
C77	Sec Lymph	33	84.6	0	0.0	6	15.4	0	0.0	0	0.0	39	100.0
C78	Sec Resp & Dig	38	100.0	0	0.0	0	0.0	0	0.0	0	0.0	38	100.0
C79	Sec Others	40	100.0	0	0.0	0	0.0	0	0.0	0	0.0	40	100.0
C81	Hodgkins Disease	36	100.0	0	0.0	0	0.0	0	0.0	0	0.0	36	100.0
C82-85,96	NHL	169	100.0	0	0.0	0	0.0	0	0.0	0	0.0	169	100.0
C90	Multiple Mye	60	100.0	0	0.0	0	0.0	0	0.0	0	0.0	60	100.0
C91	Lymphoid Leuk	62	100.0	0	0.0	0	0.0	0	0.0	0	0.0	62	100.0
C92-94	Myeloid Leuk	107	100.0	0	0.0	0	0.0	0	0.0	0	0.0	107	100.0
C95	Leuk Uns	19	100.0	0	0.0	0	0.0	0	0.0	0	0.0	19	100.0
O&U	Oth & Uns	47	42.0	0	0.0	55	49.1	1	0.9	9	8.0	112	100.0
	All Sites	3958	79.5	62	1.2	886	17.8	22	0.4	52	1.0	4980	100.0

TABLE 31

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD.10) for Males, 2003

ICD.10	Site	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	8	66.7	0	0.0	4	33.3	0	0.0	0	0.0	12	100.0
C01-02	Tongue	249	84.7	0	0.0	39	13.3	0	0.0	6	2.0	294	100.0
C03-06	Mouth	185	90.7	0	0.0	18	8.8	0	0.0	1	0.5	204	100.0
C07-08	Salivary Gl	35	77.8	0	0.0	10	22.2	0	0.0	0	0.0	45	100.0
C09	Tonsil	74	81.3	0	0.0	16	17.6	0	0.0	1	1.1	91	100.0
C10	Oth Oropharynx	44	86.3	0	0.0	5	9.8	0	0.0	2	3.9	51	100.0
C11	Nasopharynx	31	83.8	0	0.0	6	16.2	0	0.0	0	0.0	37	100.0
C12-13	Hypopharynx	113	88.3	0	0.0	13	10.2	0	0.0	2	1.6	128	100.0
C14	Pharynx Uns	16	84.2	0	0.0	3	15.8	0	0.0	0	0.0	19	100.0
C15	Oesophagus	164	75.6	1	0.5	29	13.4	18	8.3	5	2.3	217	100.0
C16	Stomach	88	74.6	0	0.0	9	7.6	16	13.6	5	4.2	118	100.0
C17	Small Int	12	85.7	0	0.0	2	14.3	0	0.0	0	0.0	14	100.0
C18	Colon	106	79.7	0	0.0	21	15.8	2	1.5	4	3.0	133	100.0
C19-20	Rectum	89	78.8	0	0.0	20	17.7	3	2.7	1	0.9	113	100.0
C21	A & Anal Canal	26	81.3	0	0.0	5	15.6	1	3.1	0	0.0	32	100.0
C22	Liver	101	86.3	0	0.0	13	11.1	0	0.0	3	2.6	117	100.0
C23-24	Gallbladder Etc	109	62.6	6	3.4	33	19.0	21	12.1	5	2.9	174	100.0
C25	Pancrease	77	79.4	0	0.0	14	14.4	2	2.1	4	4.1	97	100.0
C30-31	Nose,Sinuses Etc	9	100.0	0	0.0	0	0.0	0	0.0	0	0.0	9	100.0
C32	Larynx	248	83.8	0	0.0	43	14.5	0	0.0	5	1.7	296	100.0
C33-34	Lung Etc	427	75.6	48	8.5	31	5.5	33	5.8	26	4.6	565	100.0
C37-38	Oth Th Org	5	100.0	0	0.0	0	0.0	0	0.0	0	0.0	5	100.0
C40-41	Bone	124	86.7	1	0.7	18	12.6	0	0.0	0	0.0	143	100.0
C43	Melanoma Of Skin	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	16	100.0
C44	Oth Skin	62	88.6	0	0.0	6	8.6	0	0.0	2	2.9	70	100.0
C45	Mesothelioma	18	90.0	0	0.0	0	0.0	0	0.0	2	10.0	20	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tiss.	107	93.0	0	0.0	8	7.0	0	0.0	0	0.0	115	100.0
C50	Breast	20	87.0	0	0.0	2	8.7	0	0.0	1	4.3	23	100.0
C60	Penis	38	79.2	0	0.0	10	20.8	0	0.0	0	0.0	48	100.0
C61	Prostate	220	84.9	0	0.0	37	14.3	0	0.0	2	0.8	259	100.0
C62	Testis	41	91.1	0	0.0	4	8.9	0	0.0	0	0.0	45	100.0
C63	Oth Male Genital	5	62.5	0	0.0	3	37.5	0	0.0	0	0.0	8	100.0
C64	Kidney Etc	94	90.4	0	0.0	9	8.7	0	0.0	1	1.0	104	100.0
C65	Renal Pelvis	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	196	80.7	0	0.0	45	18.8	0	0.0	2	0.8	243	100.0
C68	Uns Urinary Org	0	0.0	0	0.0	2	100.0	0	0.0	0	0.0	2	100.0
C69	Eye	24	85.7	0	0.0	2	7.1	0	0.0	2	7.1	28	100.0
C70-72	Brain, Nervous Sy	187	80.3	2	0.9	39	16.7	4	1.7	1	0.4	233	100.0
C73	Thyroid	46	88.5	0	0.0	6	11.0	0	0.0	0	0.0	52	100.0
C74	Adrenal Gland	17	89.5	0	0.0	1	5.3	0	0.0	1	5.3	19	100.0
C77	Sec Lymph	74	100.0	0	0.0	0	0.0	0	0.0	0	0.0	74	100.0
C78	Sec Resp & Dig	62	93.9	0	0.0	1	1.4	1	1.5	2	3.0	66	100.0
C79	Sec Others	70	97.2	0	0.0	1	1.4	1	1.4	0	0.0	72	100.0
C81	Hodgkins D	113	100.0	0	0.0	0	0.0	0	0.0	0	0.0	113	100.0
C82-85,96	NHL	268	100.0	0	0.0	0	0.0	0	0.0	0	0.0	268	100.0
C90	Multiple Mye	86	100.0	0	0.0	0	0.0	0	0.0	0	0.0	86	100.0
C91	Lymphoid Leuk	167	100.0	0	0.0	0	0.0	0	0.0	0	0.0	167	100.0
C92-94	Myeloid Leuk	189	100.0	0	0.0	0	0.0	0	0.0	0	0.0	189	100.0
C95	Leuk Uns	41	100.0	0	0.0	0	0.0	0	0.0	0	0.0	41	100.0
O&U	Oth & Uns	63	34.2	0	0.0	104	56.5	1	0.5	16	8.7	184	100.0
	All Sites	4565	83.6	58	1.1	632	11.6	103	1.9	102	1.9	5460	100.0

TABLE 32

Number of incident cases of cancers by most valid basis of diagnosis by site (ICD.10) for Females, 2003

ICD.10	Site	Microscopic		X-Ray		Clinical		Others		D.C.O		Total	
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
C00	Lip	6	85.7	0	0.0	1	14.3	0	0.0	0	0.0	7	100.0
C01-02	Tongue	65	83.3	0	0.0	12	15.4	0	0.0	1	1.3	78	100.0
C03-06	Mouth	49	86.0	0	0.0	8	14.0	0	0.0	0	0.0	57	100.0
C07-08	Salivary Gl	23	74.2	0	0.0	8	25.8	0	0.0	0	0.0	31	100.0
C09	Tonsil	12	85.7	0	0.0	2	14.3	0	0.0	0	0.0	14	100.0
C10	Oth Oropharynx	7	100.0	0	0.0	0	0.0	0	0.0	0	0.0	7	100.0
C11	Nasopharynx	10	71.4	0	0.0	4	28.6	0	0.0	0	0.0	14	100.0
C12-13	Hypopharynx	12	92.3	0	0.0	1	7.7	0	0.0	0	0.0	13	100.0
C14	Pharynx Uns	3	60.0	0	0.0	1	20.0	0	0.0	1	20.0	5	100.0
C15	Oesophagus	86	72.3	0	0.0	19	16.0	12	10.1	2	1.7	119	100.0
C16	Stomach	46	71.9	1	1.6	11	17.2	6	9.4	0	0.0	64	100.0
C17	Small Int	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0
C18	Colon	62	73.8	0	0.0	20	23.8	0	0.0	2	2.4	84	100.0
C19-20	Rectum	54	81.8	0	0.0	12	18.2	0	0.0	0	0.0	66	100.0
C21	A & Anal Canal	13	86.7	0	0.0	2	13.3	0	0.0	0	0.0	15	100.0
C22	Liver	40	80.0	0	0.0	8	16.0	1	2.0	1	2.0	50	100.0
C23-24	Gallbladder Etc	190	65.1	15	5.1	49	16.8	33	11.3	5	1.7	292	100.0
C25	Pancreas	39	76.5	0	0.0	12	23.5	0	0.0	0	0.0	51	100.0
C30-31	Nose,Sinuses Etc	7	77.8	0	0.0	2	22.2	0	0.0	0	0.0	9	100.0
C32	Larynx	37	86.0	0	0.0	6	14.0	0	0.0	0	0.0	43	100.0
C33-34	Lung Etc	107	78.7	10	7.4	5	3.7	10	7.4	4	2.9	136	100.0
C37-38	Oth Th Org	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
C40-41	Bone	57	81.4	0	0.0	13	18.6	0	0.0	0	0.0	70	100.0
C43	Melanoma Of Skin	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C44	Oth Skin	43	89.6	0	0.0	4	8.3	0	0.0	1	2.1	48	100.0
C45	Mesothelioma	11	100.0	0	0.0	0	0.0	0	0.0	0	0.0	11	100.0
C46	Kaposi Sarcoma	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C47+C49	Conn & Soft Tissue	72	87.8	0	0.0	9	11.0	1	1.2	0	0.0	82	100.0
C50	Breast	1153	88.1	7	0.5	133	10.2	0	0.0	16	1.2	1309	100.0
C51	Vulva	14	73.7	0	0.0	5	26.3	0	0.0	0	0.0	19	100.0
C52	Vagina	20	87.0	0	0.0	3	13.0	0	0.0	0	0.0	23	100.0
C53	Cervix Uteri	627	81.5	0	0.0	129	16.8	2	0.3	11	1.4	769	100.0
C54	Corpus Uteri	165	89.7	0	0.0	19	10.3	0	0.0	0	0.0	184	100.0
C55	Uterus Uns	18	78.3	0	0.0	4	17.4	0	0.0	1	4.3	23	100.0
C56	Ovary Etc	316	85.4	0	0.0	46	12.4	1	0.3	7	1.9	370	100.0
C57	Oth Female Genit.	2	50.0	0	0.0	2	50.0	0	0.0	0	0.0	4	100.0
C58	Placenta	6	75.0	0	0.0	2	25.0	0	0.0	0	0.0	8	100.0
C64	Kidney Etc	63	92.6	1	1.5	4	5.9	0	0.0	0	0.0	68	100.0
C65	Renal Pelvis	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1	100.0
C66	Ureter	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67	Bladder	46	74.2	0	0.0	15	24.2	1	1.6	0	0.0	62	100.0
C68	Uns Urinary Org	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C69	Eye	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	13	100.0
C70-72	Brain,Nervous Sys	112	75.7	0	0.0	35	23.6	0	0.0	1	0.7	148	100.0
C73	Thyroid	95	80.5	0	0.0	23	19.5	0	0.0	0	0.0	118	100.0
C74	Adrenal Gland	8	80.0	0	0.0	2	20.0	0	0.0	0	0.0	10	100.0
C77	Sec Lymp	23	92.0	0	0.0	1	4.0	1	4.0	0	0.0	25	100.0
C78	Sec Resp & Dig	41	97.6	0	0.0	0	0.0	1	2.4	0	0.0	42	100.0
C79	Sec Others	28	96.6	0	0.0	1	3.4	0	0.0	0	0.0	29	100.0
C81	Hodgkins D	40	100.0	0	0.0	0	0.0	0	0.0	0	0.0	40	100.0
C82-85,96	NHL	132	100.0	0	0.0	0	0.0	0	0.0	0	0.0	132	100.0
C90	Multiple Mye	51	100.0	0	0.0	0	0.0	0	0.0	0	0.0	51	100.0
C91	Lymphoid Leuk	79	100.0	0	0.0	0	0.0	0	0.0	0	0.0	79	100.0
C92-94	Myeloid Leuk	110	100.0	0	0.0	0	0.0	0	0.0	0	0.0	110	100.0
C95	Leuk Uns	22	100.0	0	0.0	0	0.0	0	0.0	0	0.0	22	100.0
O&U	Oth & Uns	49	33.1	0	0.0	87	58.8	1	0.7	11	7.4	148	100.0
	All Sites	4298	82.9	34	0.6	721	13.9	70	1.3	64	1.2	5187	100.0

TABLE 33

Number of Histologically proved incidence cases of cancer by histology and sex with percentage 2002

Histology	Description	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
800	Malignant Neoplasms	2	0.0	1	0.0	3	0.0
801-804	Epithelial Neo, Nos	1219	27.6	1182	30.7	2401	29.0
805-808	Pap & Squamous Cell Neo	934	21.1	716	18.6	1650	19.9
809-811	Basal Cell Neoplasms	21	0.5	6	0.2	27	0.3
812-813	Transitional Cell Ca	138	3.1	23	0.6	161	1.9
814-838	Adenocarcinomas	651	14.7	520	13.5	1171	14.1
839-842	Adnexal & Sk. In App Neo	2	0.0	1	0.0	3	0.0
843	Mucoepidermoid Neo	7	0.2	11	0.3	18	0.2
844-849	Cy, Mucinous & Serous Neo	30	0.7	78	2.0	108	1.3
850-854	Ductal, Lobular & Med Neo	18	0.4	594	15.4	612	7.4
855	Acinar Cell Neoplasms	1	0.0	1	0.0	2	0.0
856-858	Complex Epithelial Neo	2	0.0	2	0.0	4	0.0
859-867	Specialised Gonadal Neo	0	0.0	2	0.0	2	0.0
868-871	Paragangliomas & Glomas T	1	0.0	0	0.0	1	0.0
872-879	Nevi And Melanomas	12	0.3	6	0.2	18	0.2
880	Soft Tiss Tr & Sarcomas Nos	61	1.4	44	1.1	105	1.3
881-883	Fibromatous Neoplasms	17	0.4	11	0.3	28	0.3
884	Myxomatous Neoplasms	0	0.0	0	0.0	0	0.0
885-888	Lipomatous Neoplasms	8	0.2	5	0.1	13	0.2
889-892	Mytomatous Neoplasms	17	0.4	24	0.6	41	0.5
893-899	Complex Mixed & St Neo	21	0.5	15	0.4	36	0.4
900-903	Fibroepithelial Neoplasms	0	0.0	3	0.1	3	0.0
904	Synovial Neoplasms	1	0.0	3	0.1	4	0.0
905	Mesothelial Neoplasms	0	0.0	0	0.0	0	0.0
906-909	Germ Cell Neoplasms	33	0.7	11	0.3	44	0.5
910	Trophoblastic Neoplasms	1	0.0	13	0.3	14	0.2
911	Mesonephromas, Malignant	0	0.0	0	0.0	0	0.0
912-916	Blood Vessel Tumors	2	0.0	2	0.0	4	0.0
917	Lymphatic Vessel Tumors	0	0.0	0	0.0	0	0.0
918-920	Osteomas & Osteosarcoma	39	0.9	9	0.2	48	0.6
921-924	Chondromatous Neoplasm	13	0.3	3	0.1	16	0.2
925	Giant Cell Tumors	6	0.1	4	0.1	10	0.1
926	Miscellaneous Bone Tumor	25	0.6	12	0.3	37	0.4
927-934	Odontogenic Tumors	2	0.0	4	0.1	6	0.1
935-937	Miscellaneous Neoplasms	3	0.1	1	0.0	4	0.0
938-948	Gliomas	189	4.3	86	2.2	275	3.3
949-952	Neuroepitheliomatous Neo	23	0.5	10	0.3	33	0.4
953	Menegiomias	2	0.0	0	0.0	2	0.0
954-957	Nerve Sheath Tumors	2	0.0	0	0.0	2	0.0
958	Granular C Tr & Alv Sftt Sr	0	0.0	0	0.0	0	0.0
959-963	Lymphomas, Nos Or Diffuse	293	6.6	167	4.3	460	5.6
964	Reticulosarcomas	0	0.0	0	0.0	0	0.0
965-968	Hodgkin's Disease	104	2.4	36	0.9	140	1.7
969	Lymph, Nodular Or Folli	2	0.0	0	0.0	2	0.0
970	Mycosis Fungoides	0	0.0	0	0.0	0	0.0
971-972	Misc Reticulo-endo Neo	0	0.0	2	0.0	2	0.0
973	Plasma Cell Tumors	113	2.6	59	1.5	172	2.1
974	Mast Cell Tumors	0	0.0	0	0.0	0	0.0
975	Burkitts Tumors	1	0.0	0	0.0	1	0.0
980	Leukaemias, Nos	59	1.3	19	0.5	78	0.9
981	Compound Leukaemias	0	0.0	0	0.0	0	0.0
982	Lymphoid Leukaemias	172	3.9	61	1.6	233	2.8
983	Plasma Cell Leukaemias	0	0.0	1	0.0	1	0.0
984	Erythroleukaemias	1	0.0	0	0.0	1	0.0
985	Lymphosarcoma Cell Leuk	0	0.0	0	0.0	0	0.0
986	Myeloid Leukamias	174	3.9	107	2.8	281	3.4
Total		4422	100.0	3855	100.0	8277	100.0

TABLE 34

Number of Histologically proved incidence cases of cancer by histology and sex with percentage 2003

Histology	Description	MALES		FEMALES		TOTAL	
		No.	%	No.	%	No.	%
800	Malignant Neoplasms	24	0.5	28	0.6	52	0.6
801-804	Epithelial Neo, Nos	1366	31.2	1432	34.0	2798	32.5
805-808	Pap & Squamous Cell Neo	929	21.2	724	17.2	1653	19.2
809-811	Basal Cell Neoplasms	15	0.3	17	0.4	32	0.4
812-813	Transitional Cell Ca	122	2.8	27	0.6	149	1.7
814-838	Adenocarcinomas	536	12.2	525	12.4	1061	12.3
839-842	Adnexal & Sk. In App Neo	2	0.0	0	0.0	2	0.0
843	Mucoepidermoid Neo	6	0.1	4	0.1	10	0.1
844-849	Cy, Mucinous & Serous Neo	39	0.9	81	1.9	120	1.4
850-854	Ductal, Lobular & Med Neo	14	0.3	653	15.5	667	7.8
855	Acinar Cell Neoplasms	1	0.0	1	0.0	2	0.0
856-858	Complex Epithelial Neo	0	0.0	0	0.0	0	0.0
859-867	Specialised Gonadal Neo	0	0.0	4	0.1	4	0.0
868-871	Paragangliomas & Glomas T	2	0.0	2	0.0	4	0.0
872-879	Nevi And Melanomas	16	0.4	11	0.3	27	0.3
880	Soft Tiss Tr & Sarcomas Nos	54	1.2	36	0.9	90	1.0
881-883	Fibromatous Neoplasms	13	0.3	8	0.2	21	0.2
884	Myxomatous Neoplasms	1	0.0	0	0.0	1	0.0
885-888	Lipomatous Neoplasms	9	0.2	3	0.1	12	0.1
889-892	Mytomatous Neoplasms	22	0.5	23	0.5	45	0.5
893-899	Complex Mixed & St Neo	24	0.5	13	0.3	37	0.4
900-903	Fibroepithelial Neoplasms	0	0.0	6	0.1	6	0.1
904	Synovial Neoplasms	1	0.0	2	0.0	3	0.0
905	Mesothelial Neoplasms	0	0.0	1	0.0	1	0.0
906-909	Germ Cell Neoplasms	36	0.8	14	0.3	40	0.5
910	Trophoblastic Neoplasms	0	0.0	8	0.2	8	0.1
911	Mesonephromas, Malignant	0	0.0	0	0.0	0	0.0
912-916	Blood Vessel Tumors	1	0.0	1	0.0	2	0.0
917	Lymphatic Vessel Tumors	0	0.0	0	0.0	0	0.0
918-920	Osteomas & Osteosarcoma	50	1.1	18	0.4	68	0.8
921-924	Chondromatous Neoplasm	8	0.2	5	0.1	13	0.1
925	Giant Cell Tumors	4	0.1	4	0.1	8	0.1
926	Miscellaneous Bone Tumor	22	0.5	10	0.2	32	0.4
927-934	Odontogenic Tumors	3	0.1	1	0.0	4	0.0
935-937	Miscellaneous Neoplasms	1	0.0	0	0.0	1	0.0
938-948	Gliomas	172	3.9	97	2.3	269	3.1
949-952	Neuroepitheliomatous Neo	30	0.7	18	0.4	48	0.6
953	MeNigiomas	2	0.0	2	0.0	4	0.0
954-957	Nerve Sheath Tumors	0	0.0	4	0.1	4	0.0
958	Granular C Tr & Alv Sftt Sr	0	0.0	0	0.0	0	0.0
959-963	Lymphomas, Nos Or Diffuse	261	6.0	131	3.1	392	4.6
964	Reticulosarcomas	0	0.0	0	0.0	0	0.0
965-968	Hodgkin's Disease	113	2.6	40	0.1	153	1.8
969	Lymp, Nodular Or Folli	0	0.0	1	0.0	1	0.0
970	Mycosis Fungoides	2	0.0	0	0.0	2	0.0
971-972	Misc Reticulo-endo Neo	0	0.0	0	0.0	0	0.0
973	Plasma Cell Tumors	84	1.9	50	1.2	134	1.6
974	Mast Cell Tumors	0	0.0	0	0.0	0	0.0
975	Burkitts Tumors	5	0.1	0	0.0	5	0.1
980	Leukaemias, Nos	41	0.9	22	0.5	63	0.7
981	Compound Leukaemias	0	0.0	0	0.0	0	0.0
982	Lymphoid Leukaemias	166	3.8	77	1.8	243	2.8
983	Plasma Cell Leukaemias	0	0.0	1	0.0	1	0.0
984	Erythroleukaemias	1	0.0	1	0.0	2	0.0
985	Lymphosarcoma Cell Leuk	0	0.0	0	0.0	0	0.0
986	Myeloid Leukamias	186	4.2	109	2.6	295	3.4
Total		4384	100.0	4215	100.0	8599	100.0

TABLE 35

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Males, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C01-02	Tongue	0	0	0	0	0	0	0	0	2	1	5	2	1	4	4	0	0	19	2.9
C03-06	Mouth	0	0	0	0	0	1	1	0	2	0	2	2	0	1	0	0	0	9	1.4
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C09	Tonsil	0	0	0	0	0	0	1	0	0	2	1	0	0	0	0	0	0	4	0.6
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.3
C11	Nasopharynx	0	1	0	0	0	0	0	0	0	1	0	2	0	1	0	0	0	5	0.8
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0	0	5	0.8
C14	Pharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.2
C15	Oesophagus	0	0	0	0	0	0	0	1	3	4	7	7	7	3	2	5	0	39	5.9
C16	Stomach	0	0	0	0	0	0	1	1	1	3	5	3	4	3	2	0	0	23	3.5
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C18	Colon	0	0	0	0	1	0	0	2	1	2	1	0	4	0	0	2	0	13	2.0
C19-20	Rectum	0	0	0	0	0	0	1	1	2	1	0	2	2	2	2	0	1	14	2.1
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	4	0.6
C22	Liver	1	0	0	0	0	0	1	0	1	0	3	4	3	5	1	4	0	23	3.5
C23-24	Gall Bladder	0	0	0	0	0	0	0	1	1	1	4	6	5	4	5	4	0	31	4.7
C25	Pancreas	0	1	0	0	0	0	1	0	0	4	1	2	1	4	1	2	0	17	2.6
C30-31	Nose, Sinus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.2
C32	Larynx	0	0	0	0	0	0	0	1	0	0	5	1	2	5	3	2	1	20	3.0
C33-34	Lung etc.	0	0	0	1	0	0	4	3	6	7	12	8	15	17	8	9	0	90	13.5
C37-38	Other Thoracic Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C40-41	Bone	0	0	1	1	1	2	0	0	0	1	0	0	1	1	1	1	0	10	1.5
C43	Melanoma of Skin	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.2
C44	Other Skin	0	0	0	0	0	0	1	0	0	1	2	0	1	0	0	1	0	6	0.9
C45	mesothelioma	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.3
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss	2	0	1	0	1	2	0	0	0	1	0	0	1	0	0	0	0	8	1.2
C50	Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3	0.5
C60	Penis	0	0	0	0	0	0	1	1	0	0	2	0	0	0	1	0	0	5	0.8
C61	Prostate	0	0	0	0	0	0	0	0	1	0	2	1	3	4	8	6	0	25	3.8
C62	Testis	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	3	0.5
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C64	Kidney etc.	0	1	0	0	0	0	0	0	0	2	1	1	3	3	0	0	0	11	1.7
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	1	0	0	0	0	0	0	0	1	1	2	0	6	7	5	4	0	27	4.1
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.3
C70-72	Brian, Nervous Sys	0	0	0	2	1	2	1	1	1	4	9	3	1	0	0	1	1	27	4.1
C73	Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.2
C74	Adrenal Gland	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0.3
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3	0.5
C78	Sec Resp & Digest	0	0	1	0	1	0	0	2	0	0	0	2	0	0	3	0	0	9	1.4
C79	Sec Others	0	0	0	1	0	0	0	0	0	1	0	2	0	1	0	0	0	5	0.8
C81	Hodgkins Disease	2	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	4	0.6
C82-85, C96	NHL	2	3	2	1	2	5	2	0	3	3	3	2	1	7	3	4	1	44	6.6
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	3	2	1	1	2	3	2	1	0	16	2.4
C91	Lymphoid Leuk.	9	6	8	6	3	3	3	1	1	1	1	1	1	0	1	1	0	46	6.9
C92-94	Myeloid Leuk.	3	1	1	2	4	4	6	1	5	4	3	3	3	0	2	0	0	42	6.3
C95	Leukaemia Uns	5	1	1	0	2	2	0	1	2	1	2	1	0	0	1	0	0	19	2.9
O&U	Others and Uns	0	1	0	0	0	1	1	3	2	1	5	1	5	1	2	1	0	24	3.6
	All Sites	27	18	15	15	17	23	25	22	40	50	81	62	78	79	58	51	4	665	100.0
	%	4.1	2.7	2.2	2.2	2.6	3.5	3.8	3.3	6.0	7.5	12.2	9.3	11.7	11.9	8.7	7.7	0.6	100.0	

TABLE 36

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Females, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%	
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C01-02	Tongue	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3	0.6
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	1	0	2	0.4	
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.2	
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C11	Nasopharynx	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.2	
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.2	
C14	Pharynx Unspec.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C15	Oesophagus	0	0	0	0	0	0	0	1	2	3	3	2	6	1	4	1	0	23	4.9	
C16	Stomach	0	0	0	0	0	0	0	0	0	1	1	1	1	3	1	1	0	9	1.9	
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0.4	
C18	Colon	0	0	0	0	0	0	0	0	0	2	0	1	0	2	2	1	0	8	1.7	
C19-20	Rectum	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	5	1.1	
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	4	0.9	
C22	Liver	0	0	0	0	0	0	0	0	1	0	1	1	4	1	1	0	0	9	1.9	
C23-24	Gall Bladder	0	0	0	0	0	0	1	1	5	5	5	6	6	2	2	3	0	36	7.6	
C25	Pancreas	0	0	0	0	0	1	0	1	0	0	1	0	2	2	1	0	0	8	1.7	
C30-31	Nose, Sinus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C32	Larynx	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1	0	4	0.9	
C33-34	Lung etc.	0	0	0	0	0	0	1	1	1	3	5	0	4	5	0	0	0	20	4.3	
C37-38	Other Thoracic Org	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2	
C40-41	Bone	0	0	3	1	0	0	1	0	1	0	0	0	0	0	1	1	0	8	1.7	
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.2	
C44	Other Skin	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1	1	0	6	1.3	
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C47+C49	Conn. & Soft Tiss.	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0.2	
C50	Breast	0	0	0	0	0	2	2	5	8	9	12	14	5	6	4	3	1	71	15.1	
C51	Vulva	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2	0.4	
C52	Vagina	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	0.4	
C53	Cervix Uteri	0	0	0	0	0	0	1	2	6	6	3	3	2	3	2	2	0	30	6.4	
C54	Corpus Uteri	0	0	0	0	0	1	0	0	0	2	1	1	1	0	0	0	0	6	1.3	
C55	Uterus Unspecified	0	0	0	0	0	2	0	0	0	0	0	1	1	0	0	0	0	4	0.9	
C56	Ovary	0	0	0	0	1	1	2	3	4	4	6	7	3	0	2	4	0	37	7.9	
C57	Other Female Gnt.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C58	Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C64	Kidney etc.	0	0	0	1	0	1	0	0	0	0	0	1	0	1	0	0	0	4	0.9	
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C67	Bladder	0	0	0	0	0	0	0	0	0	0	1	0	3	0	3	2	0	9	1.9	
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C69	Eye	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.2	
C70-72	Brain, Nervous Sys	1	2	2	1	0	1	2	0	2	3	2	1	1	3	1	0	0	22	4.7	
C73	Thyroid	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0	0	5	1.1	
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	
C77	Sec Lymph Node	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.2	
C78	Sec Resp & Digest.	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0	1	0	5	1.1	
C79	Sec Other	0	0	0	0	0	0	0	2	0	0	2	1	1	0	0	1	0	7	1.5	
C81	Hodgkins Disease	0	0	0	1	0	0	0	0	0	0	1	0	0	1	1	1	0	5	1.1	
C82-85, C96	NHL	1	0	2	0	2	1	3	1	5	0	2	2	1	5	3	1	0	29	6.2	
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	1	1	0	0	0	1	3	1	0	8	1.7	
C91	Lymphoid Leuk.	3	3	2	3	1	0	0	2	1	0	1	1	0	1	1	0	0	19	4.0	
C92-94	Myeloid Leuk.	0	1	2	0	2	4	0	0	2	1	0	0	1	1	1	1	0	16	3.4	
C95	Leukaemia Uns	3	1	4	0	0	0	1	1	0	0	2	0	0	0	0	0	0	12	2.6	
O&U	Other & Uns	0	0	0	0	0	2	0	2	0	2	4	3	4	2	2	2	0	23	4.9	
	All Sites	9	7	15	8	7	17	14	25	41	53	55	53	53	46	38	29	1	471	100.0	
	%	1.9	1.5	3.2	1.7	1.5	3.6	2.9	5.3	8.7	11.3	11.7	11.3	11.3	9.8	8.1	6.2	0.2	100.0		

TABLE 37

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Male, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C01-02	Tongue	0	0	0	0	0	0	0	5	3	3	3	6	6	2	3	2	0	33	4.3
C03-06	Mouth	0	0	0	0	0	0	0	1	2	0	0	4	1	2	0	0	0	10	1.3
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.3
C09	Tonsil	0	0	0	0	0	0	0	0	3	2	2	0	2	0	0	0	0	9	1.2
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	0	0	4	0.5
C11	Nasopharynx	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0.3
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	1	0	1	2	2	0	1	0	0	7	0.9
C14	Pharynx	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0.1
C15	Oesophagus	0	0	0	0	0	0	2	1	1	6	6	4	10	2	5	3	0	40	5.2
C16	Stomach	0	0	0	0	0	1	1	0	5	2	3	3	3	0	1	2	0	21	2.8
C17	Small Intestine	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	0.3
C18	Colon	0	0	0	0	0	0	1	1	2	2	0	1	1	4	2	2	0	16	2.1
C19-20	Rectum	0	0	0	0	3	0	0	0	3	4	4	1	0	0	0	2	0	17	2.2
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	3	0.4
C22	Liver	1	0	0	0	0	1	1	0	1	2	5	2	3	4	3	1	0	24	3.1
C23-24	Gall Bladder	0	0	0	0	0	1	1	2	2	2	7	4	1	2	2	2	0	26	3.4
C25	Pancreas	0	0	0	0	0	0	0	0	0	2	0	3	3	1	4	1	1	15	2.0
C30-31	Nose, Sinus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C32	Larynx	0	0	0	0	0	0	0	0	6	4	5	3	5	2	2	6	0	33	4.3
C33-34	Lung etc.	0	0	0	0	0	1	2	0	10	20	19	12	28	11	10	12	2	127	16.6
C37-38	Other Thoracic Org.	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.1
C40-41	Bone	0	0	3	0	1	0	1	2	0	0	0	1	0	1	0	0	0	9	1.2
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2	0.3
C44	Other Skin	0	0	0	0	0	0	0	1	0	3	1	0	0	0	0	1	0	6	0.8
C45	mesothelioma	0	0	0	0	0	0	0	0	0	1	2	0	1	2	1	0	0	7	0.9
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss	0	1	0	0	0	1	4	1	0	0	0	0	0	1	0	0	0	8	1.1
C50	Breast	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	3	0.4
C60	Penis	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	4	0.5
C61	Prostate	0	0	0	0	0	0	0	0	0	0	1	1	2	3	2	8	0	17	2.2
C62	Testis	0	0	0	0	3	0	2	0	0	1	0	1	0	0	0	0	0	7	0.9
C63	Other Male Genital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C64	Kidney etc.	1	1	0	0	0	0	0	0	2	0	0	2	0	1	0	1	0	8	1.1
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	0	0	0	0	0	0	0	1	0	1	4	3	3	1	3	3	0	19	2.5
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0.4
C70-72	Brian, Nervous Sys	3	3	2	1	2	1	2	2	1	4	0	3	0	3	3	2	1	33	4.3
C73	Thyroid	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	0	4	0.5
C74	Adrenal Gland	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0.3
C77	Sec Lymph Nodes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.1
C78	Sec Resp & Digest	0	0	0	0	0	0	0	0	0	0	1	6	5	1	0	3	0	16	2.1
C79	Sec Others	0	0	0	0	0	0	1	0	2	0	0	1	0	1	1	2	0	8	1.1
C81	Hodgkins Disease	0	1	0	0	0	0	2	0	2	1	0	0	0	1	0	0	0	7	0.9
C82-85, C96	NHL	1	4	1	2	3	3	1	8	2	2	5	3	10	6	3	3	0	57	7.5
C90	Multiple Myeloma	0	0	0	0	0	0	0	0	2	0	3	0	3	1	2	1	0	12	1.6
C91	Lymphoid Leuk.	16	4	9	6	3	1	2	1	1	2	2	0	1	0	0	0	0	48	6.3
C92-94	Myeloid Leuk.	2	0	0	4	1	4	4	3	3	8	2	1	2	3	1	1	0	39	5.1
C95	Leukaemia Uns	1	1	0	1	1	4	3	1	2	1	1	0	0	2	0	0	0	18	2.4
O&U	Others and Uns	0	0	0	1	1	0	1	1	1	2	8	4	3	2	4	4	2	34	4.4
	All Sites	28	16	15	16	18	18	32	32	62	78	89	73	100	63	53	66	6	765	100.0
	%	3.7	2.1	2.0	2.1	2.4	2.4	4.2	4.2	8.1	10.2	11.6	9.5	13.1	8.2	6.9	8.6	0.8	100.0	

TABLE 38

Number of Cancer Death by Five Year Age Group and Site (ICD.10) and percentages for Females, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	ANS	TOTAL	%
C00	Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C01-02	Tongue	0	0	0	1	0	0	1	0	0	3	0	0	0	0	2	0	0	7	1.3
C03-06	Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0.4
C07-08	Salivary Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C09	Tonsil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C10	Oth. Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C11	Nasopharynx	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2
C12-13	Hypopharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C14	Pharynx Unspec.	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2
C15	Oesophagus	0	0	0	0	0	0	2	1	2	1	4	1	1	0	0	1	0	13	2.4
C16	Stomach	0	0	0	0	0	1	1	1	1	2	3	1	0	0	0	0	0	10	1.9
C17	Small Intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C18	Colon	0	0	0	0	0	0	0	3	1	0	1	4	2	0	0	0	0	11	2.1
C19-20	Rectum	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2	0.4
C21	Anus & Anal Canal	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.2
C22	Liver	0	0	0	0	0	1	0	1	2	0	1	1	1	1	2	3	0	13	2.4
C23-24	Gall Bladder	0	0	0	0	0	1	0	2	2	5	6	6	5	7	3	3	0	40	7.5
C25	Pancreas	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	0	0	5	0.9
C30-31	Nose, Sinus	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0.2
C32	Larynx	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0.4
C33-34	Lung etc.	0	0	0	0	0	1	0	1	4	2	8	2	2	5	1	1	0	27	5.0
C37-38	Other Thoracic Org	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C40-41	Bone	0	0	1	1	1	0	0	0	1	0	0	0	0	2	1	0	0	7	1.3
C43	Melanoma of Skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0.2
C44	Other Skin	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.2
C45	Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0.4
C46	Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C47+C49	Conn. & Soft Tiss.	0	0	1	1	0	0	0	0	1	0	1	0	1	0	0	0	0	5	0.9
C50	Breast	0	0	0	0	0	4	6	6	16	12	17	12	9	9	8	6	1	106	19.7
C51	Vulva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.2
C52	Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C53	Cervix Uteri	0	0	0	0	0	1	2	4	11	7	6	6	5	6	3	0	0	51	9.5
C54	Corpus Uteri	0	0	0	0	0	0	0	0	0	1	0	1	1	2	2	0	0	7	1.3
C55	Uterus Unspecified	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	0.6
C56	Ovary	0	0	0	1	1	1	4	2	5	7	12	5	6	5	3	1	0	53	9.9
C57	Other Female Gnt.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C58	Placenta	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2	0.4
C64	Kidney etc.	0	0	0	0	0	0	0	0	1	1	1	0	1	0	1	1	0	6	1.1
C65	Renal Pelvis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C66	Ureter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C67	Bladder	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	3	0.6
C68	Uns. Urinary Org.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C69	Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C70-72	Brain, Nervous Sys	2	1	2	1	4	0	4	4	2	2	0	1	1	0	0	0	0	24	4.5
C73	Thyroid	0	0	0	0	0	0	0	0	2	0	0	0	2	0	1	0	0	5	0.9
C74	Adrenal Gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
C77	Sec Lymph Node	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0.2
C78	Sec Resp & Digest.	0	0	0	0	0	0	0	0	2	0	0	1	1	1	1	0	0	6	1.1
C79	Sec Other	0	0	0	0	0	0	1	1	2	0	1	0	0	1	1	0	0	7	1.3
C81	Hodgkins Disease	0	0	1	1	0	0	0	1	0	0	0	0	2	0	0	0	0	5	0.9
C82-85, C96	NHL	1	0	0	1	3	0	0	0	2	1	2	1	7	2	2	0	0	22	4.1
C90	Multiple Myeloma	0	0	0	0	0	0	0	1	0	0	0	0	0	3	1	0	0	5	0.9
C91	Lymphoid Leuk.	2	1	1	2	1	0	2	1	0	2	1	1	2	0	0	2	0	18	3.4
C92-94	Myeloid Leuk.	1	0	0	1	1	2	4	5	3	3	2	3	2	0	1	1	0	29	5.4
C95	Leukaemia Uns	1	1	0	0	1	0	1	0	0	0	0	0	0	1	1	0	0	6	1.1
O&U	Other & Uns	1	0	0	0	0	0	0	2	4	1	4	7	2	2	2	0	0	25	4.7
	All Sites	8	3	7	10	13	12	29	36	65	56	74	53	56	48	41	25	1	537	100.0
	%	1.5	0.6	1.3	1.9	2.4	2.2	5.4	6.7	12.1	10.4	13.8	9.9	10.4	8.9	7.6	4.7	0.2	100.0	

TABLE 39

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD.10) Males, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CMR	AMR	TMR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	Tongue	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.9	1.2	0.8	4.1	5.7	0.0	0.3	0.5	0.7
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.4	0.0	0.8	1.2	0.0	1.0	0.0	0.0	0.1	0.2	0.4
C07-08	Salivary Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2
C10	Other Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.0	0.0	0.0	0.0	0.1	0.2
C11	Nasopharynx	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.2	0.0	1.0	0.0	0.0	0.1	0.1	0.2
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.6	0.8	1.0	0.0	0.0	0.1	0.1	0.3
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.1	2.7	4.2	5.4	3.1	2.9	7.1	0.5	0.9	2.1
C16	Stomach	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.8	1.9	1.8	3.1	2.9	2.9	1.5	0.3	0.5	1.2
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C18	Colon	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.6	0.4	0.0	3.1	0.0	0.0	2.8	0.2	0.3	0.7
C19-20	Rectum	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.3	0.0	1.2	1.5	2.1	2.9	0.0	0.2	0.3	0.5
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	1.0	0.0	1.4	0.1	0.1	0.2
C22	Liver	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	1.2	2.4	2.3	5.2	1.4	5.7	0.3	0.6	0.8
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.6	3.6	3.9	4.1	7.2	5.7	0.4	0.8	1.3
C25	Pancreas	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.1	0.4	1.2	0.8	4.1	1.4	2.8	0.2	0.4	0.5
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.9	0.6	1.5	5.2	4.3	2.8	0.3	0.5	0.6
C33-34	Lung Etc	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.5	1.3	2.0	4.7	4.8	11.6	17.6	11.5	12.7	1.2	2.2	3.6
C37-38	Other Thoracic Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C40-41	Bone	0.0	0.0	0.1	0.1	0.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.8	1.0	1.4	1.4	0.1	0.2	0.2
C43	Melanoma Of Skin	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
C44	Other Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.8	0.0	0.8	0.0	0.0	1.4	0.1	0.1	0.3
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	0.0	0.0	0.0	0.1	0.2
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn & Soft Tiss	0.3	0.0	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.1	0.1	0.2
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.8	0.0	0.1	0.0
C60	Penis	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.8	0.0	0.0	0.0	1.4	0.0	0.1	0.1	0.2
C61	Prostate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.6	2.3	4.1	11.5	8.5	0.3	0.7	0.5
C62	Testis	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C63	Other Male Gent	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.6	2.3	3.1	0.0	0.0	0.1	0.3	0.5
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.8	0.0	4.6	7.2	7.2	5.7	0.4	0.7	0.8
C68	Uns. Urinary Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	Brain, Nervous Sys	0.0	0.0	0.0	0.2	0.1	0.3	0.2	0.2	0.2	1.1	3.5	1.8	0.8	0.0	0.0	1.4	0.4	0.5	1.2
C73	Thyriod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C74	Adrenal Gland	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.8	0.0	0.0	0.0	0.0	0.1	0.2
C78	Sec Resp & Digest	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.0	1.2	0.0	0.0	4.3	0.0	0.1	0.2	0.2
C79	Sec Others	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	1.2	0.0	1.0	0.0	0.0	0.0	0.1	0.1	0.2
C81	Hodgkins Disease	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
C82-85, C96	NHL	0.3	0.4	0.2	0.1	0.2	0.7	0.3	0.0	0.6	0.8	1.2	1.2	0.8	7.2	4.3	5.7	0.6	0.8	0.7
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.6	0.4	0.6	1.5	3.1	2.9	1.4	0.2	0.4	0.6
C91	Lymphoid Leuk.	1.3	0.7	1.0	0.7	0.4	0.4	0.5	0.2	0.2	0.3	0.4	0.6	0.8	0.0	1.4	1.4	0.6	0.6	0.4
C92-94	Myeloid Leuk.	0.4	0.1	0.1	0.2	0.5	0.5	1.0	0.2	1.1	1.1	1.2	1.8	2.3	0.0	2.9	0.0	0.6	0.7	1.2
C95	Leukaemia Uns	0.7	0.1	0.1	0.0	0.2	0.3	0.0	0.2	0.4	0.3	0.8	0.6	0.0	0.0	1.4	0.0	0.3	0.3	0.4
O&U	Other and Uns	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.5	0.4	0.3	1.9	0.6	3.9	1.0	2.9	1.4	0.3	0.5	1.1
	All Sites	3.8	2.2	1.8	1.8	2.1	3.1	4.0	3.8	8.6	14.2	31.4	37.1	60.3	81.6	83.1	72.2	8.9	14.3	22.8

TABLE 40

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD.10) Females, 2002

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CMR	AMR	TMR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	Tongue	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.0	0.0	0.0	0.0	0.1	0.2
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.5	0.0	0.1	0.0
C07-08	Salivary Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.1	1.6	1.4	4.7	1.0	6.2	1.5	0.4	0.6	1.4
C16	Stomach	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.7	0.8	3.0	1.6	1.5	0.1	0.3	0.3	0.3
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C18	Colon	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	2.0	3.1	1.5	0.1	0.2	0.2	0.2
C19-20	Rectum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.4
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.8	1.0	0.0	0.0	0.1	0.1	0.3
C22	Liver	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.7	3.1	1.0	1.6	0.0	0.1	0.3	0.6
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.4	1.8	2.6	4.2	4.7	2.0	3.1	4.5	0.6	0.9	2.2
C25	Pancreas	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.5	0.0	1.6	2.0	1.6	0.0	0.1	0.2	0.3
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	1.5	0.1	0.1	0.2	0.2
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.1	2.6	0.0	3.1	5.1	0.0	0.0	0.3	0.5	1.1
C37-38	Other Thoracic Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C40-41	Bone	0.0	0.0	0.4	0.2	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	1.6	1.5	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C44	Other Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.4	0.0	1.0	1.6	1.5	0.1	0.2	0.3	0.3
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tiss	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.0	2.3	3.3	6.2	9.8	3.9	6.1	6.2	4.5	1.2	1.7	4.1
C51	Vulva	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C52	Vagina	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
C53	Cervix Uteri	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.7	2.2	1.6	2.1	1.6	3.0	3.1	3.0	0.5	0.7	1.6
C54	Corpus Uteri	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	0.5	0.7	0.8	0.0	0.0	0.0	0.1	0.1	0.4
C55	Uterus Unspecified	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.0	0.0	0.1	0.1	0.2
C56	Ovary etc.	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.6	1.1	1.5	3.1	4.9	2.4	0.0	3.1	6.0	0.6	0.9	2.1
C57	Other Female Gent	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.4	0.0	4.7	3.0	0.1	0.3	0.4
C68	Uns. Urinary Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	Brain, Nervous Sys	0.2	0.3	0.3	0.2	0.0	0.2	0.4	0.0	0.6	1.1	1.0	0.7	0.8	3.0	1.6	0.0	0.4	0.5	0.7
C73	Thyroid	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.6	1.0	1.6	0.0	0.1	0.1	0.3
C74	Adrenal Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C78	Sec Resp & Digest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.7	0.8	0.0	0.0	1.5	0.1	0.1	0.3
C79	Sec Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.0	0.7	0.8	0.0	0.0	1.5	0.1	0.2	0.4
C81	Hodgkins Disease	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.0	1.6	1.5	0.1	0.1	0.1
C82-85, C96	NHL	0.2	0.0	0.3	0.0	0.3	0.2	0.6	0.2	1.4	0.0	1.0	1.4	0.8	5.1	4.7	1.5	0.5	0.6	0.8
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.0	0.0	0.0	1.0	4.7	1.5	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.5	0.4	0.3	0.5	0.2	0.0	0.0	0.4	0.3	0.0	0.5	0.7	0.0	1.0	1.6	0.0	0.3	0.3	0.3
C92-94	Myeloid Leuk.	0.0	0.1	0.3	0.0	0.3	0.7	0.0	0.0	0.6	0.4	0.0	0.0	0.8	1.0	1.6	1.5	0.3	0.3	0.3
C95	Leukaemia Uns	0.5	0.1	0.6	0.0	0.0	0.0	0.2	0.2	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2
O&U	Other and Uns	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.7	2.1	2.1	3.1	2.0	3.1	3.0	0.4	0.6	1.2
	All Sites	1.5	1.0	2.1	1.3	1.2	2.8	2.7	5.2	11.7	19.3	28.6	37.1	41.6	46.5	59.0	43.6	7.7	11.3	21.8

TABLE 41

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD.10) Males, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AMR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	Tongue	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.8	1.1	3.4	4.5	2.0	4.1	2.7	0.4	0.7	1.6
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	2.3	0.7	2.0	0.0	0.0	0.1	0.2	0.5
C07-08	Salivary Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.3	0.0	0.1	0.1
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.7	0.0	1.5	0.0	0.0	0.0	0.1	0.2	0.5
C10	Other Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.7	2.9	0.0	0.0	0.1	0.1	0.1
C11	Nasopharynx	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	1.1	1.5	0.0	1.4	0.0	0.1	0.2	0.4
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	1.6	2.2	2.3	7.5	2.0	6.8	4.0	0.5	0.9	2.0
C16	Stomach	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	1.0	0.5	1.1	1.7	2.2	0.0	1.4	2.7	0.3	0.4	1.0
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C18	Colon	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.5	0.0	0.6	0.7	3.9	2.7	2.7	0.2	0.4	0.4
C19-20	Rectum	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.6	1.1	1.5	0.6	0.0	0.0	0.0	2.7	0.2	0.3	0.6
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.0	0.0	1.3	0.0	0.1	0.1
C22	Liver	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.2	0.5	1.9	1.1	2.2	3.9	4.1	1.3	0.3	0.5	0.9
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.4	0.5	2.6	2.3	0.7	2.0	2.7	2.7	0.3	0.5	1.1
C25	Pancreas	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.0	1.7	2.2	1.0	5.5	1.3	0.2	0.4	0.6
C30-31	Nose, Sinus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	1.9	1.7	3.7	2.0	2.7	8.1	0.4	0.7	1.7
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	2.0	5.4	7.1	6.9	20.9	10.8	13.6	16.1	1.6	2.9	6.2
C37-38	Other Thoracic Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C40-41	Bone	0.0	0.0	0.3	0.0	0.1	0.0	0.2	0.3	0.0	0.0	0.0	0.6	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C43	Melanoma Of Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2
C44	Other Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.4	0.0	0.0	0.0	0.0	1.3	0.1	0.1	0.2
C45	Mesotheliom	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.7	2.0	1.4	0.0	0.1	0.2	0.3
C46	Kaposi Sarcom	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tiss	0.0	0.1	0.0	0.0	0.0	0.1	0.6	0.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.1	0.1	0.0
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.1	0.1
C60	Penis	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.0	1.3	0.1	0.1	0.1
C61	Prostate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	1.5	2.0	2.7	10.7	0.2	0.5	0.3
C62	Testis	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.3	0.0	0.6	0.0	0.0	0.0	0.0	0.1	0.1	0.1
C63	Other Male Gent	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1
C64	Kidney etc.	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.1	0.0	1.0	0.0	1.3	0.1	0.2	0.1
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.5	1.7	2.2	1.0	4.1	4.0	0.2	0.5	0.8
C68	Uns. Urinary Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	Brain Nervous Sys	0.4	0.4	0.2	0.1	0.2	0.1	0.3	0.3	0.2	1.1	0.0	1.7	0.0	2.9	4.1	2.7	0.4	0.6	0.5
C73	Thyriod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.7	1.0	0.0	0.0	0.1	0.1	0.2
C74	Ad Gland	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.3	0.0	0.0	0.0
C78	Sec Resp & Digest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.4	3.7	1.0	0.0	4.0	0.2	0.4	1.0
C79	Sec others	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.6	0.0	1.0	1.4	2.7	0.1	0.2	0.2
C81	Hodgkins D	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.3	0.0	0.0	0.0	1.0	0.0	0.0	0.1	0.1	0.1
C82-85, C96	NHL	0.1	0.5	0.1	0.2	0.4	0.4	0.2	1.3	0.4	0.5	1.9	1.7	7.5	5.9	4.1	4.0	0.7	1.1	1.9
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	0.0	2.2	1.0	2.7	1.3	0.2	0.3	0.5
C91	Lymphoid Leuk.	2.2	0.5	1.0	0.7	0.4	0.1	0.3	0.2	0.2	0.5	0.7	0.0	0.7	0.0	0.0	0.0	0.6	0.6	0.4
C92-94	Myeloid Leuk.	0.3	0.0	0.0	0.5	0.1	0.5	0.6	0.5	0.6	2.2	0.7	0.6	1.5	2.9	1.4	1.3	0.5	0.6	1.0
C95	Leukaemia Uns	0.1	0.1	0.0	0.1	0.1	0.5	0.5	0.2	0.4	0.3	0.4	0.0	0.0	2.0	0.0	0.0	0.2	0.2	0.2
O&U	Other & Uns	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.2	0.2	0.5	3.0	2.3	2.2	2.0	5.5	5.4	0.4	0.7	1.2
	All Sites	3.8	1.9	1.7	1.9	2.1	2.4	4.9	5.3	12.7	21.0	33.0	41.9	74.6	61.9	72.3	88.6	9.8	15.4	27.9

TABLE 42

Age-Specific, World Age-adjusted and Truncated (35-64 years) mortality rates per 100,000 persons by site (ICD.10) Females, 2003

ICD.10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	TR
C00	Lip	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C01-02	Tongue	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	1.0	0.0	0.0	0.0	0.0	2.9	0.0	0.1	0.1	0.2
C03-06	Mouth	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.1	0.0
C07-08	Salivary Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C12-13	Hypopharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C14	Pharynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C15	Oesophagus	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.5	0.3	2.0	0.7	0.7	0.0	0.0	1.4	0.2	0.3	0.7
C16	Stomach	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.7	1.5	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.6
C17	Small Intestine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C18	Colon	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.5	2.7	1.5	0.0	0.0	0.0	0.2	0.2	0.8
C19-20	Rectum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.4	0.0	0.1	0.1
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.1
C22	Liver	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.5	0.0	0.5	0.7	0.7	1.0	2.9	4.3	0.2	0.3	0.4
C23-24	Gall Bladder	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.5	1.7	3.0	4.0	3.7	6.7	4.4	4.3	0.6	1.0	2.0
C25	Pancreas	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	1.5	1.5	0.0	1.5	0.0	0.1	0.1	0.3
C30-31	Nose, Sinus	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.1	0.1
C33-34	Lung etc.	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	1.1	0.7	4.0	1.3	1.5	4.8	1.5	1.4	0.4	0.6	1.4
C37-38	Other Thoracic Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C40-41	Bone	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.9	1.5	0.0	0.1	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C44	Other Skin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C45	Mesothelioma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.1
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tiss	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.7	0.0	0.0	0.0	0.1	0.1	0.2
C50	Breast	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.2	4.3	4.2	8.5	8.1	6.7	8.6	11.7	8.6	1.7	2.4	5.2
C51	Vulva	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0
C52	Vagina	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C53	Cervix Uteri	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.8	3.0	2.4	3.0	4.0	3.7	5.7	4.4	0.0	0.8	1.1	2.7
C54	Corpus Uteri	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.7	1.9	2.9	0.0	0.1	0.2	0.3
C55	Uterus Unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.0	0.0	1.4	0.0	0.1	0.1
C56	Ovary etc.	0.0	0.0	0.0	0.2	0.2	0.2	0.7	0.4	1.4	2.4	6.0	3.4	4.5	4.8	4.4	1.4	0.8	1.2	2.8
C57	Other Female Gent	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.0	0.7	0.0	1.5	1.4	0.1	0.1	0.3
C65	Renal Pelvis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	Bladder	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.5	1.4	0.0	0.1	0.1
C68	Uns. Urinary Org	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C70-72	Brain, Nervous Sys	0.3	0.1	0.3	0.2	0.6	0.0	0.7	0.8	0.5	0.7	0.0	0.7	0.7	0.0	0.0	0.0	0.4	0.4	0.6
C73	Thyroid	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.5	0.0	1.5	0.0	0.1	0.1	0.3
C74	Adrenal Gland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C77	Sec Lymph Nodes	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0
C78	Sec Resp & Digest	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.7	0.7	1.0	1.5	0.0	0.1	0.1	0.3
C79	Sec Other	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.0	0.5	0.0	0.0	1.0	1.5	0.0	0.1	0.1	0.2
C81	Hodgkins Disease	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.1	0.1	0.2
C82-85, C96	NHL	0.2	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.5	0.3	1.0	0.7	5.2	1.9	2.9	0.0	0.3	0.5	1.1
C90	Multiple Myeloma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	2.9	1.5	0.0	0.1	0.1	0.0
C91	Lymphoid Leuk.	0.3	0.1	0.1	0.3	0.2	0.0	0.4	0.2	0.0	0.7	0.5	0.7	1.5	0.0	0.0	2.9	0.3	0.3	0.5
C92-94	Myeloid Leuk.	0.2	0.0	0.0	0.2	0.2	0.3	0.7	1.0	0.8	1.0	1.0	2.0	1.5	0.0	1.5	1.4	0.5	0.5	1.2
C95	Leukaemia Uns	0.2	0.1	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.0	0.1	0.1	0.0
O&U	Other and Uns	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.3	2.0	4.7	1.5	1.9	2.9	0.0	0.4	0.6	1.5
	All Sites	1.3	0.4	0.9	1.6	2.1	1.9	5.4	7.1	17.6	19.4	36.9	35.6	42.0	45.8	60.1	35.7	8.4	11.9	24.5

TABLE 43

Age specific mortality rates per 100,000 persons for all cancer sites by sex, 2002 & 2003

Age Group	2002		2003	
	Male	Female	Male	Female
00-04	3.8	1.5	3.8	1.3
05-09	2.2	1.0	1.9	0.4
10-14	1.8	2.1	1.7	0.9
15-19	1.8	1.3	1.9	1.6
20-24	2.1	1.2	2.1	2.1
25-29	3.1	2.8	2.4	1.9
30-34	4.0	2.7	4.9	5.4
35-39	3.8	5.2	5.3	7.1
40-44	8.6	11.7	12.7	17.6
45-49	14.2	19.3	21.0	19.4
50-54	31.4	28.6	33.0	36.9
55-59	37.1	37.1	41.9	35.6
60-64	60.3	41.6	74.6	42.0
65-69	81.6	46.5	61.9	45.8
70-74	83.1	59.0	72.3	60.1
75+	72.2	43.6	88.6	35.7
All ages	8.9	7.7	9.8	8.4

TABLE 44

Leading Sites of Cancer by Crude Mortality Rates (CMR) per 100,000 persons for Males, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	CMR	ICD.10	Site	CMR	
1	C33-34	Lung	1.2	C33-34	Lung	1.6	
2	C82-85,C96	NHL	0.6	C82-85,C96	NHL	0.7	
3	C91	Lymphoid Leuk	0.6	C91	Lymphoid Leuk	0.6	
4	C92-94	Myeloid Leuk.	0.6	C92-94	Myeloid Leuk.	0.5	
5	C15	Oesophagus	0.5	C15	Oesophagus	0.5	
6	C23-24	Gall bladder etc	0.4	C01-02	Tongue	0.4	
7	C70-72	Brain NS	0.4	C32	Larynx	0.4	
8	C32	Larynx	0.3	C70-72	Brain NS	0.4	
9	C01-02	Tongue	0.3	C16	Stomach	0.3	
10	C16	Stomach	0.3	C22	Liver	0.3	
All sites (C00-C96)			8.9	All sites (C00-C96)			9.8

TABLE 45

Leading Sites of Cancer by Crude Mortality Rates (CMR) per 100,000 persons for Females, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	CMR	ICD.10	Site	CMR	
1	C50	Breast	1.2	C50	Breast	1.7	
2	C56	Ovary etc.	0.6	C53	Cervix Uteri	0.8	
3	C23-24	Gall Bladder	0.6	C56	Ovary etc.	0.8	
4	C53	Cervix Uteri	0.5	C23-24	Gall Bladder	0.6	
5	C82-85,C96	NHL	0.5	C92-94	Myeloid Leuk.	0.5	
6	C15	Oesophagus	0.4	C33-34	Lung etc	0.4	
7	C70-72	Brain, NS	0.4	C70-72	Brain, NS	0.4	
8	C33-34	Lung etc	0.3	C91	Lymphoid Leuk.	0.3	
9	C91	Lymphoid Leuk.	0.3	C22	Liver	0.2	
10	C92-94	Myeloid Leuk.	0.3	C15	Oesophagus	0.2	
All sites (C00-C96)			7.7	All sites (C00-C96)			8.4

TABLE 46

Leading Sites of Cancer by World Age adjusted Mortality Rates (AAMR) per 100,000 persons for Males, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	AAMR	ICD.10	Site	AAMR	
1	C33-34	Lung	2.2	C33-34	Lung	2.9	
2	C15	Oesophagus	0.9	C82-85,C96	NHL	1.1	
3	C82-85,C96	NHL	0.8	C15	Oesophagus	0.9	
4	C23-24	Gall Bladder	0.8	C01-02	Tongue	0.7	
5	C67	Bladder	0.7	C32	Larynx	0.7	
6	C61	Prostate	0.7	C91	Lymphoid Leuk.	0.6	
7	C92-94	Myeloid Leuk.	0.7	C92-94	Myeloid Leuk.	0.6	
8	C22	Liver	0.6	C22	Liver	0.5	
9	C91	Lymphoid Leuk.	0.6	C23-24	Gall Bladder	0.5	
10	C32	Larynx	0.5	C61	Prostate	0.5	
All sites (C00-C96)			14.3	All sites (C00-C96)			15.4

TABLE 47

Leading Sites of Cancer by World Age adjusted Mortality Rates (AAMR) per 100,000 persons for Females, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	AAMR	ICD.10	Site	AAMR	
1	C50	Breast	1.7	C50	Breast	2.4	
2	C56	Ovary etc.	0.9	C56	Ovary etc.	1.2	
3	C23-24	Gall Bladder	0.9	C53	Cervix Ute	1.1	
4	C53	Cervix Ute	0.7	C23-24	Gall Bladder	1.0	
5	C82-85,C96	NHL	0.6	C33-34	Lung etc	0.6	
6	C15	Oesophagus	0.6	C82-85,C96	NHL	0.5	
7	C33-34	Lung etc	0.5	C92-94	Myeloid Leuk.	0.5	
8	C70-72	Brain NS	0.5	C70-72	Brain NS	0.4	
9	C16	Stomach	0.3	C15	Oesophagus	0.3	
10	C22	Liver	0.3	C22	Liver	0.3	
All sites (C00-C96)			11.3	All sites (C00-C96)			11.9

TABLE 48

Leading Sites of Cancer by World Truncated Mortality Rates (TMR) per 100,000 persons for Males, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	TMR	ICD.10	Site	TMR	
1	C33-34	Lung	3.6	C33-34	Lung	6.2	
2	C15	Oesophagus	2.1	C15	Oesophagus	2.0	
3	C23-24	Gall Bladder	1.3	C82-85,C96	NHL	1.9	
4	C70-72	Brain, Nerv. Sys	1.2	C01-02	Tongue	1.6	
5	C16	Stomach	1.2	C32	Larynx	1.4	
6	C67	Bladder	0.8	C23-24	Gall Bladder	1.1	
7	C22	Liver	0.8	C16	Stomach	1.0	
8	C01-02	Tongue	0.7	C92-94	Myeloid Leuk.	1.0	
9	C18	Colon	0.7	C22	Liver	0.9	
10	C82-85,C96	NHL	0.7	C67	Bladder	0.8	
All sites (C00-C96)			22.8	All sites (C00-96)			27.9

TABLE 49

Leading Sites of Cancer by World Truncated Mortality Rates (TMR) per 100,000 persons for Females, 2002 & 2003

Rank	2002			2003			
	ICD.10	Site	TMR	ICD.10	Site	TMR	
1	C50	Breast	4.1	C50	Breast	5.2	
2	C23-24	Gall Bladder	2.2	C56	Ovary etc.	2.8	
3	C56	Ovary etc.	2.1	C53	Cervix Ute.	2.7	
4	C53	Cervix Ute.	1.6	C23-24	Gall Bladder	2.0	
5	C15	Oesophagus	1.4	C33-34	Lung etc	1.4	
6	C33-34	Lung etc	1.1	C92-94	Myeloid Leuk.	1.2	
7	C82-85,C96	NHL	0.8	C82-85,C96	NHL	1.1	
8	C70-72	Brain, NS	0.7	C18	Colon	0.8	
9	C22	Liver	0.6	C15	Oesophagus	0.7	
10	C19-20	Rectum	0.4	C70-72	Brain, NS	0.6	
All sites (C00-C96)			21.8	All sites (C00-96)			24.5

ONCOLOGY / HEMATOLOGY



Neupogen[®]
filgrastim G-CSF

ROFERON-A[®]
interferon alfa-2a

VESANOID[®]
tretinoin ATRA

NeoRecormon[®]
Epoetin Beta 30000 IU

 **Herceptin**[®]
trastuzumab

 **MABTHERA**[®]
RITUXIMAB

Xeloda[®]
capecitabine

 **AVASTIN**[™]
(bevacizumab)

Cymevene[®]
ganciclovir

® = Registered Trade Mark F. Hoffmann - La Roche Limited, Basel, Switzerland.

Imported & Distributed in India by :
 **Taksal Pharma Pvt. Ltd.**
First Floor, 16/1, Doctors Lane,
Gole Market, New Delhi - 110 001
Ph.: 011 - 2334 8879

 For scientific information write to :
Roche Scientific Company (India) Pvt. Ltd.
B/2, Amarchand Mansion, First Floor,
Madam Cama Road, Mumbai - 400 039.
Tel. : +91 - 22 - 22821942, +91 - 22 - 22880693
Fax : +91 - 22 - 22021204 • Email : roche@vsnl.com

For the use of a Registered Medical Practitioner or a Hospital or a Laboratory only.

(Onco/Hem) 08/05