

**OFFICE OF THE DIRECTOR
ALL INDIA INSTITUTE OF MEDICAL SCIENCES
ANSARI NAGAR: NEW DELHI: 110 029
(SCHEDULE-'A')**

S.NO. OF TENDER : _____

FILE NO. : **TC-390/GS/06-07/FSC**

Name of the party in whose : _____
Favor the Tender form has been issued _____

The Director,
All India Institute of Medical
Sciences, Ansari Nagar.N.Delhi-29

(SEAL OF THE OFFICER)

Dear Sir,

1. I/We hereby submit our tender for the _____
2. I/WE now enclosing herewith the Bank Guarantee/D.D. No..... dated..... for **Rs.25,000/- drawn in favour of the "DIRECTOR, AIIMS, NEW DELHI" towards EMD/Bid Security. (TENDERS NOT ACCOMPANIED WITH EMD/BID SECURITY ALONGWITH THE TECHNO-COMMERCIAL BID SHALL BE SUMMARILY REJECTED)**
3. I/We hereby agree to all the terms and conditions, stipulated by the AIIMS, from page No.1 to 6 (enclosed) in this connection including delivery, penalty etc. Quotations for each group are being submitted under separate covers and sheets and shall be considered on their face value.
4. I/We have noted that over written entries shall be deleted unless duly out & re-written and initialed. Tenders are duly signed (No thumb impression should be affixed).
5. I/We undertake to sign the contract/agreement if required within 10 (Ten days) from the issue of the letter of acceptance, failing which our/my security money deposited may be forfeited and our/my name may be removed from the list of suppliers at the AIIMS New Delhi-29.
6. I/We have gone through all terms and conditions of the tender documents before submitting the same.

NOTE: ALL TERMS & CONDITIONS SUCH AS RATES AND TAXES ETC, HAS BEEN INDICATED SEPARATLY IN THE QUOTATION. DURING THE RATE CONTRACT PERIOD BASIC PRICE EXCEPT GOVT. LEVIES OF THE ITEM WILL NOT BE CHANGED. OTHER TERMS AND CONDITIONS ARE ALSO AS PER YOUR REQUIREMENT.

Yours faithfully,

Signature of Tenderer with full Address.

WITNESS _____
WITNESS _____
WITNESS _____
WITNESS _____

ALL INDIA INSTITUTE OF MEDICAL SCIENCES

Terms & conditions
(SCHEDULE-'B')

Tender Ref. No. : TC-390/GS/06-07/FSC
Subject. : Purchase of General Stores Items (Non Consumables)
Date of Submission : 18.12.2006 (upto 4.00 P.M.)
Date of Opening : 19.12.2006 at 02.30 P.M.

1. Tender should be addressed to the Director, All India Institute of Medical Sciences, Ansari Nagar, New Delhi-29 and submitted to the Office of the Stores Officer, (Main) under sealed cover failing which the tender shall be rejected. Terms and conditions for supply should invariably be indicated otherwise would be taken on its face value. The rates may be quoted on separate sheets failing which the tender(s) will be rejected.
2. Mixed quotations will not be considered for acceptance.
3. TENDER SHOULD INVARIABLY BE SUBMITTED IN TWO BID SYSTEM CONTAINING TWO PARTS AS DETAILED BELOW:

PART-I: - TECHNO-COMMERCIAL BID IN ONE SEALED COVER.

PART-II: - PRICE BID/FINANCIAL BID IN ONE SEALED COVER.

BOTH THE SEALED ENVELOPES SHOULD THEN BE PUT IN OUTERCOVER INDICATING THEREON:

- i) Reference No. Of the Tender: _____
- ii) Tender regarding: _____
- iii) Due date for submission of the tender: _____
- iv) Due date for opening of the tender: _____
- v) Name of the firm: _____

PLEASE NOTE THAT PRICES SHOULD NOT BE INDICATED IN THE TECHNO- COMMERCIAL BID. THE PRE-QUALIFICATION DOCUMENTS INCLUDING E.M.D./BID SECURITY AS REQUIRED IN THE TENDER DOCUMENT SHOULD INVARIABLE BE ACCOMPANIED WITH THE TECHNO-COMMERCIAL BID.

NOTE: - TENDERS SUBMITTED WITHOUT FOLLOWING TWO-BID SYSTEM PROCEDURE AS MENTIONED ABOVE WOULD BE SUMMARILY REJECTED.

4. The tenderers should give rates, showing taxes, if any, and levies, packing forwarding and insurance charges separately giving full breakup details. THE INSTITUTE IS NOT AUTHORIZED TO ISSUE 'C/D FORMS'.
5. **THE TENDER DOCUMENT / SUBSEQUENT RATE CONTRACT WITH THE APPROVED VENDOR IS NON-TRANSFERABLE.**
6. The tenderers should take care that the rates and amounts are written in such a way that interpolation is not possible, no blanks should be left which would otherwise, make the tender rejected.
7. The tendered rates should be kept opened for a period of two years from the date as the tenders are opened.
8. The tenderers shall clarify/state whether he/they are manufacturer, accredited agent or sole representative indicating principals and agent quoting on behalf of their manufacturers/principals must attach authority letter in their favor provided the manufacturer accepts responsibility for any lapses of the distributors/supplier in case they are authorized agent.
9. Handwritten quotation shall be summarily rejected.

10. Delivery prospects with definite date of delivery at destination taking into cognizance transit facilities must be indicated.
11. EACH TENDER SHOULD BE ACCOMPANIED WITH AN EMD/BID SECURITY AMOUNTING TO **Rs.25,000/-** BY WAY OF DEMAND DRAFT/ BANK GUARANTEE DRAWN IN FAVOUR OF "DIRECTOR, AIIMS, NEW DELHI", (PREFERABLY BANK GUARANTEE) FAILING WHICH THE TENDER SHALL NOT BE CONSIDERED FOR ACCEPTANCE AND WILL BE OUTRIGHTLY REJECTED. IN CASE OF BANK GUARANTEE, IT SHALL BE VALID FOR ONE YEAR FROM THE DATE OF OPENING AND THE SAME SHOULD BE FROM ANY SCHEDULED BANK (AS PER THE LIST ENCLOSED). CASH/CHEQUE/FDR IS NOT ACCEPTABLE AT ALL. THE EMD/BID SECURITY DEPOSITED AGAINST OTHER TENDERS CANNOT BE ADJUSTED OR CONSIDERED FOR THIS TENDER. NO INTEREST IS PAYABLE ON EMD/BID SECURITY. THE EMD / BID SECURITY OF THE APPROVED VENDOR WILL BE RETAINED UPTO RATE CONTRACT PERIOD (UPTO ONE YEAR) AND WILL BE REFUNDED ONLY AFTER SUCCESSFUL COMPLETION OF THE RATE CONTRACT.
12. If the delivery is not effected on due date, the Director, AIIMS, New Delhi will have the right to impose penalty as under:
 First extension for month or part thereof _____ @2%.
 Second extension for an additional month _____ @ 3%
 of part thereof.
 In case of non-supply _____ @ 7.5%
 Or
 D) In case of default institute will have the right to procure the ordered item from open market /another party at their own risk and expenses under risk purchase clause.
13. In case of non supply of material within the due date i.e. with in the date of delivery, the Director, AIIMS, New Delhi will have the right to impose penalty as deemed fit and resort to risk purchase in full or part thereof at his/her discretion, his/her decision shall be final and binding.
14. Excise Duty & other such levy imposed by the Govt. of India from time to time will be authorized extra on demand with adequate proof thereof.
15. The Director, AIIMS New Delhi shall be the final authority to reject full or any part of the supply which is not confirming to the specification and other terms and conditions.
16. No payment shall be made for rejected material. The tenderers would remove rejected items within two weeks of the date of rejection at their own cost and replace immediately. In case these are not removed, these will be disposed off in a manner as deemed fit by the authorities at the risk and responsibility of the suppliers without any further notice.
17. Tenderers submitting tenders would be considered to have considered and accepted all the terms and conditions. No inquiries verbal or written shall be entertained in respect of acceptance or rejection of the tender.
18. TENDER SHALL BE REJECTED IF THE COPY OF SALES TAX REGISTRATION CERTIFICATE (NOW CALLED AS VAT) IS NOT FURNISHED. FIRM IS ALSO ADVISED TO SUBMIT A CERTIFICATE ON THEIR LETTER HEAD STATING THAT UPTO DATE RETURN HAVE BEEN FILED AND THERE ARE NO DUES WITH THE CONCERNED DEPARTMENT. FIRM WILL ALSO SUBMIT THE COPIES OF SUCH RETURN (LATEST) SUBMITTED TO THE DEPARTMENT OF TRADE & TAXES. Sales tax and other statutory levies should be shown separately and should not be included in the basic price. Otherwise it will not be considered.
19. The quantity shown in the schedules can be increased or decreased to any extent depending upon the actual requirement.
20. Any action on the part of the tender to influence anybody in the said Institute will be taken as an offence and the tender submitted by the firm will subsequently be rejected.

21. The price charged for the Stores/Equipment's, under the reference, by the supplier shall in no even exceed the lowest price at which the supplier the Stores/Equipment's of same identical description to any other person / organization / Institution during the currency of the contract as per fall clause adhered by D.G.S.& D. If at any time, during the said period the supplier reduced the said prices of such/Stores/Equipment or sales such stores to any other person/organization/ Govt. Institution/ Co. Operative Stores at price lower than the quoted price, he shall forthwith notify such reduction or sale to the Director, All India Institute of Medical Sciences and the price payable for the Items supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced for AIIMS and should attach an undertaking on non-judicial stamp paper of Rs 10/- duly attested to this effect otherwise quotation shall be summarily rejected
22. The supplier shall furnish the following certificate to the Accounts Officer (Stores Accounts) along with each bill for payment for supplies made against in Rate Contract Tender.

“I/We certify that the Stores of description identical to the Stores supplied to the government under the contract against Tender herein have not been offered/sold by me/us to any other person/organization/Institution up to date of bill/the date of completion of suppliers against all supply orders placed during the currency of the tender/rate contract at the price lower than the institute under contract /against tender”.

23. If at any time, any question, dispute or difference whatever shall arise between the two parties (AIIMS on the one hand and vendor on the other hand) in relation to the purchase either of the parties may give to the other notice in writing the existence of such a question, dispute or difference and the same shall be referred to two arbitrators, one to be nominated by the firm. Either party shall serve such a notice of the existence of any question, dispute or difference in connection with this purchase within 30 days of the beginning of such dispute failing which all right or claims shall be deemed to have been forfeited and absolutely barred.

Before proceeding with the reference the arbitrators shall appoint/nominate an umpire. In the event of the arbitrators not agreeing in their award the umpire appointed by them shall enter upon the reference and his award shall be binding on the parties. The venue of the arbitrator shall be at AIIMS.

The provision of the Indian Arbitration and Reconciliation Act 1996 and of rules framed if under and any statutory modifications thereof shall be deemed to apply and be incorporated for the supply, installation, installation and commissioning etc.

Upon every or any such reference the cost of any incidents to the reference and awards respectively shall be at the discretion of the arbitrators on in the event of their not agreeing of the Umpire appointed by them who may determine the amount thereof or direct the same to be fixed as between solicitors and client or as between parties and shall direct by whom and in what manners the same shall be borne and paid.

24. The courts at Delhi will have the jurisdiction to try any matter, dispute or reference between the parties arising out of the contract. It is specifically agreed that no court outside and other than Delhi court shall have jurisdiction in the matter.
25. Any failing of omission to carry out the provision of the contract by the supplier shall not give rise to any claim by any party, one against the either, if such failure of omission or arises from an act of God, which shall include all acts of natural calamities such as fire, flood, earthquake hurricane or any pestilence or from civil strikes, compliance with any stature and/or regulation of the Government, lookouts and strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state or insurrection, provided that notice or the occurrence of any event by either party to the other shall be given within two weeks from the date of occurrence of such an event which could be attributed to force major conditions.
26. The tenderer shall furnish a non-blacklisting certificate that the firm has not been blacklisted in the past by any government/ Private institution. The tenderer/Supplier has to give an affidavit on non-judicial stamp paper of Rs.10/- that there is no vigilance/CBI case pending against the firm/supplier and the firm has not been blacklisted in the past by any Govt. or Private Organization.
27. The tenderer shall furnish following certificates invariably along with technical bid, as applicable, otherwise quotation shall be summarily rejected: -
28. A declaration by the proprietor of the firm, in case, the firm is proprietorship firms on non- judicial stamp paper of worth Rs. 100/- duly attested.
An attested copy of partnership deed duly registered by the Registrar of Firms, in case, of partnership firm.

An attested copy of article of memorandum with constitution of firm and guidelines, in case, of private limited firm with name, photo& signatures of all Directors.

29. A proof of ownership/partnership shall be submitted along with verification of address, telephone number and Fax number. A surprise visit to the premises by the representatives of the Institute shall be made to assess the firm's capacity and standing.
30. **SELECTION WILL BE MADE PURELY ON ESSENTIAL PRE-QUALIFICATION DOCUMENTS & SAMPLES BASIS.**
31. The Technical Selection Committee will verify the Technical Bids of the firms and shortlist on the basis of technical parameters i.e. essential pre-qualification certificates. Short listed vendors (based on pre-qualification documents) will be asked to submit samples of items for technical evaluation as per tender requirement / specifications within 10 days after issue of the letter. The Technical Selection Committee will evaluate the only sample of the firms, who produce their samples at the time of inspection. The price bids of only vendors short-listed from the Technical Bids (essential pre-qualification certificates & Samples) will be opened in the presence of their representatives on a specified date and time to be intimated to the respective vendors. **Those vendors failed to produce essential pre-qualification documents & samples as per tender requirement, as detailed above, will be summarily rejected and no correspondence will be entertained in this regard.**
32. The tenderers are required to quote their rates on Schedule - C provided with the tender.
33. The percentage of Sales Tax to be charged clearly mentioned in Schedule –C along with rates.
34. Tender by Tele-fax/telegram/fax/e-mail will not be accepted.
35. The tenderer should submit statement of financial standing from their bankers/chartered accountants. The name of the bank/firm along with full address to be furnished on their firm's letterhead.
36. The tenderer should have been in this business for a period of atleast last two years in the country in relation to the type of stores for which the quotation/tender are being submitted. A declaration to this effect should be given by the tender on a non-judicial paper worth Rs. 10/- duly attested by Notary public.
37. The tenderer is also required to submit performance report from other similar organizations where the firm is registered for supply of General Items etc. The firm should also submit list of organizations where the material has been supplied in the last two years along with complete details of items supplied.
38. **SELECTION WILL BE MADE PURELY ON SAMPLE AND QUALITY BASIS. SAMPLES WILL BE GIVEN IN ORIGINAL PACK ONLY.**
39. Rates should be quoted strictly as per the tender specifications and should be valid for a period of minimum two-years or till finalization of next tender and any deviation from specification shall not be considered at all.
40. If the tenderer gives a false statement on any of the above information, the firm/supplier will not be considered and their quotation/tender shall be deemed to be rejected and the security deposited will stand forfeited.
41. It will be the prerogative of the Institute to place the supply order for the whole lot/item or in piecemeal basis depending upon the requirement of the Institute.
42. **Only one best quality item (according to our specification) should be quoted against each item. On no account should different qualities e.g. A, B, & C of items be quoted. These items that have been quoted as per different qualities (In contravention to the specifications) will not be considered at all.**
43. Tenderer are advised to mention MRP Rates also for each item quoted (if applicable) in the column provided in Schedule-C (Attached) invariably in addition to their quoted rates. No tenderer can charge/quote rates more than MRP, in case any tenderer if charged/quote higher rates for any item more than MRP, the action like forfeiture of security money/performance back guarantee and removal of name

from the list of supplier shall be taken against the firm.

44. THE FORWARDING LETTER/ UNDERTAKING (SCHEDULE-A) DULY SIGNED SHOULD INVARIABLY BE RETURNED ALONG WITH QUOTATIONS FURNISHED FAILING WHICH THE TENDER SHALL BE REJECTED.

45. IN CASE OF THE TENDER DOCUMENTS DOWNLOADED FROM THE WEBSITE: -

THE BIDDERS MAY DOWNLOAD THE TENDER DOCUMENTS DIRECTLY FROM THE WEBSITE AVAILABLE AT www.aiims.ac.in, www.aiims.edu, www.tender.gov.in. IN SUCH CASE, THE BIDDER ARE REQUIRED TO SUBMIT THE TENDER COST FEE OF Rs.500/- (Non-Refundable) BY WAY OF SEPARATE DEMAND DRAFT DRAWN IN FAVOUR OF DIRECTOR, AIIMS, AND THE SAME SHOULD ESSENTIALLY BE ENCLOSED ALONGWITH THE TECHNO COMMERCIAL BID. THE BIDDERS SHOULD SPECIFICALLY SUPERSCRIBE,"DOWNLOADED FROM THE WEBSITE" ON THE TOP LEFT CORNER OF THE OUTER ENVELOPE CONTAINING TECHNO-COMMERSICIAL BID & PRICE BID SEPARATELY. IN NO CASE, THE TENDER COST FEE SHOULD BE MIXED WITH EMD AMOUNT. THE TENDERS NOT FOLLOWING THE ABOVE PROCEDURE WILL BE SUMMARILLY REJECTED.

TENDERS SHOULD BE SUBMITTED IN TWO PARTS PART-I CONTAINING TECHNO- COMMERCIAL BID IN ONE SEALED COVER AND PART-II CONTAINING PRICE BID/FINANCIAL BID IN OTHER SEALED COVER. ALL THE PRE-QUALIFICATION DOCUMENTS INCLUDING EMD AS REQUIRED IN THE TENDER DOCUMENT SHOULD INVARIABLY BE ACCOMPANIED WITH THE TECHNO-COMMERCIAL BID. TENDERS SUBMITTED WITHOUT FOLLOWING AS PRESCRIBED ABOVE WILL BE SUMMARILY REJECTED.

Note:-

- a) If the above-mentioned certificates/documents are not submitted along with the tender, such offers will not be considered and will be out rightly rejected.
- b) Any tenderer/supplier giving false information shall be disqualified and removed from the rate contract. No business, henceforth, will be done with the firm/supplier.

**All India Institute of Medical Sciences
Ansari Nagar, New Delhi-29**

SCHEDULE - C

TC-390/GS/06-07/FSC – Specification for General Stores Items (Non consumables)

S. No.	Item Description	Rate per unit in Rs.	Excise Duty (if any)	%age of S.T.	Net Price (Rs)	M.R.P. Rates
1.	Kettle of good quality ; Capacity – 1 and 2 litres					
2.	<p><u>FOWLER BED</u></p> <ul style="list-style-type: none"> • Good quality and heavy gauge (16 gauge) M.S. tubular & sheet. • Mattress platform in four sections with fowler position obtainable at the foot end by means of effortless crank mechanical system with double bearing to give a smooth maneuverability. • Bed platform to be provided with perforation and four locations each for I.V. stand and mosquito net, besides provision for inserting collapsible side railings. • Removable head and foot panels made of M.S. tubular steel and the entire bed to be epoxy powder coated for lasting finish. • Buffers to be provided on four corners. • Bed provided with four swinging castors, two with brakes of good quality. • Overall size:- 83”x36”x24”. 					
3.	Bed Cradle (baby cradle) : iron dome shaped ; cover made up of iron strips; 20 gauge; 2 feet diameter and 18” height					
4.	<p><u>BED SIDE LOCKER</u></p> <ul style="list-style-type: none"> • Measurement: Height-40” Length-18” Breadth – 16” • Including 8” x 4” legs. • SS-Top 18” x 16” with three sides of 18 gauge. • 9mm M.S. chrome plated rod. The edges of the railings should be round and fitted with support at all four corners. • Drawer: At 6” below the top, three should be a drawer of 16” x 14”, 5” height with the provision of handle. • The movement of drawer should be very smooth & effortless. • Storage space: at 6” below the drawer there should be storage space of 18” x 16” x 6”. It should be three sides closed and front open. • Almirah: 16” x 18” x 20” height. • The door should be 20” x 16” with provision of lock & handle. • Legs: Lockers should be based on 4 legs of 8” 					

	<p>each of angle iron 6mm thick with rubber Gutka or Nylons.</p> <ul style="list-style-type: none"> Materials: The MS sheet of the locker should be not less than 20 gauge with SS top 18 gauge. Locker should be epoxy powder coated. 					
5.	<p><u>Bed side stool (wooden)</u> Length : 18" Height : 18" Width : 18" Sun Mica Top</p>					
6.	Bed Pan (Plastic)-Adult for male & female					
7.	Bed Pan (Plastic)-Pediatric					
	<p>Bio-Medical Waste Bins- (Black, blue, yellow) (all sizes) Plastic Drum 100 ltr capacity; with lid, removable cover and side handle (good quality) Blue and Yellow bins with Bio-hazard sign printed over them.</p>					
	Wall Clock of reputed make (with minimum 7 inches diameter.)					
	<p><u>Cupboard with 12 lockers</u> Steel Locker (Industrial locker), size : 78" x 36" x 19" with 12 steel locker (Industrial Locker) of 18" x 12" x 17" (standard size) (L x B X D) fitted with handle and ticket holder</p>					
	<p><u>DIRTY LINEN TROLLEY</u> Plastic container fitted on iron trolley frame on wheel.</p> <p>Specification :</p> <p>Plastic container</p> <ol style="list-style-type: none"> Capacity : Litres overall dimension (mm) 400-500 910-950(L) 770-790(B) 770-780 (H) Raw material base : The plastic container should be made of a good quality plastic which should be resistant to acids, alkalies and chemicals. Plastic should be able to withstand the laundry (incl. wet laundry items) weight when fully loaded. Container should have uniform wall thickness and consistent quality with Bio Medical Waste symbol painted on sides & covers. The container should not have any seam, joint or welding and it should have 100% stress free construction to give excellent durability Long Life : The container should have long life even under rigorous industrial working condition. <p>Iron body frame of the trolley:</p> <p>It should have MS iron frame i.e. angle iron of 25mm by 25mm, and of 3mm in thickness.</p> <p>Wheels : It should be rubber bonded wheel i.e. rubber bonded to cast iron, long life, high load carrying capacity, very good road grip, dia. 6" with sealed ball &</p>					

	bearing.					
	<p><u>Dressing trolley/Instrument Trolley / Medicine Trolley</u> Minimum overall size length 40.4” / 1010mm Width – 20.4” / 510mm Height – 36” / 900mm Shelves size : 750mm L x 500mmW. Argon welded tubular construction of stainless steel tube in knocked down design. Two stainless steel shelves should be made from stainless steel sheet cut to size notched at corner and press bent. These shelves should be provided with protective side railing of stainless steel on three sides on top shelf and four sides on the bottom shelf. The other provision should be given to receive bowl & bucket on one side and towel hanger on the other side. Bucket cavity should be made from one piece sheet embossed and hooks receivers should be also made from one piece and embossed to give better strength. Dressing trolley should be mounted on minimum 200mm diameter swiveling castor wheels. All stainless steel parts should be lightly polished in dull buff finish. All stainless steel used should of 304 grade quality.</p>					
	<u>Enema Can of good quality plastic</u>					
	<u>Funnel of good quality plastic</u>					
	<p>Foot stool Size : 18” X 10” X 6”</p>					
	<p>Hot Plate 1200/1500 W with temperature control regulator, ISI mark with minimum 2 metres 3 wire cord with with 3 pin plug & cord connector of good quality bakelite.</p>					
	<p>IV STAND</p> <ul style="list-style-type: none"> • Vertical Tube: 30mm dia x 1.6mm S.S. • Vertical Road: 6mm dia solid as adjustable height from 1200 mm to 2400 mm. • Base heavy duty cast iron with four legs <p><u>Castors: 50mm dia, ball type revolving.</u></p>					
	<p>LOADING TROLLEY</p> <ul style="list-style-type: none"> • Dimensions: lenth 54” x width 36” x height 30” • Frame: Vertical and Horizontal beams 50mm angle, 2mm thick CRCA, M.S. security joints. • Intervening Plates: Verticals and Horizontal to make mesh 50mm X 1.6 thick CRCA, M.S. minimum. • 6 vertical Horizontal plates. • Extra heavy duty forged steel castors 8”x2” with double ball bearing of good quality • Revolving type wheel (2 nos.) in front; fixed (2 nos.) rear • Rubber banded wheels having sealed ball bearings on both side further protected with terron packing to prevent any seepage of water. • Suitable lubrication ports (Nipples) to be provided • Base: 3.0 mm CRCA, M.S. sheet with holes. • Total trolley to be painted with good quality enamel paint. 					
	Mini fridge (Cap. 80-100 lt) of reputed brands					
	Refrigerator (Cap.280 - 320 Lt.) of reputed brands					
	Office chair (including for Nurses’ and Doctors’ Duty room)					
	Plastic/Wooden visitor chairs with or without arm					
	Oxygen cylinder stand (movable with castors)					
	Oxygen Cylinder keys (Metallic) of good quality to open oxygen cylinder					
	Patient trolley as per standard specifications.					

	Pills container (30, 50, 100 ml capacity)					
	<u>Pint measure, S.S.</u> Capacity: ½ lit., 1lit., 1.5lit. and 2 liters					
	<u>Puncture proof container Plastic (Transparent) with Screw type cover</u> Capacity: ½ lit., 1lit., 2 liters and 1 ½ Liters					
	Screen folding with stand and cover(3 or 4 folds) (Three side folding screen of good quality with cloth and movable wheels)					
	Shaving set of 3 pieces, of good quality					
	<u>SS Tray with lid, ISI mark</u> Sizes: 8"x6"x2"; 10"x12"x2"; 15"x12"x 2 ½ " ; 18"x12"x2 ½"					
	Steel Cupboards size 18" x 36" x 19" with four shelves making five compartment (20/22 gauge)					
	Steel Cupboards with 1 safe					
	Sun flow / Heat convector (ISI mark) of reputed make with 3 heating positions capacity with thermostat.					
	Torch (Plastic) 2 & 3 Cells , type (050), heavy-duty, good quality make.					
	Sponge Stand for OT (Abdominal, with tray at bottom, capacity 60-80)					
	Urinal Pot (male & female) of good quality Moulded Plastic with cover; smooth surface					
	Weighing scale for patient, analogue type; ISI marked; maximum weight – 130 kg; permissible error limit 10 gms; zero error adjustment screw					
	Wheel chair with cushion seat and back (spl. Size) non folding / folding.					
	Wooden Foot blocks (Assorted)					
	S.S. Basin (big) (20" dia), ISI Mark					
	S.S. Basin (small) (12" dia), ISI Mark					
	S.S. Bowl (big) (6" dia), ISI Mark					
	S.S. Bowl (small 3" dia), ISI Mark					
	S.S. Kidney Tray (big) (8" long), ISI Mark					
	S.S. Kidney Tray (small) (5" long), ISI Mark					
	Dirty Linen Hamper					
	M.S. Rack with 4 or 5 shelves (3 sided covered)					
	Metal table S.S. with drawer (4' x 2' x 2.5')					
	Metal Table S.S. (4' x 2' x 2.5') without drawer					
	Revolving Stool with S.S. top with four legs base fixed with ring of standard height.					
	S.S. Jar with lid (1 ltr.)					
	S.S. Jar with lid (2 ltr.)					
	Single basin stand with castors					
	Double basin stand with castors					
	Linen Trolley with cover for clean linen					
	Garbage Trolley					
	S.S. Almira					

Note : Approximate Quantity : As and when required basis
