



Name : Dr Renu Bhatia Qualifications : MBBS MD, AIIMS, New Delhi India

Désignation : Professor

Incharge : Pain Research and TMS Facility, Department of Physiology, AIIMS ,New Delhi

ORCID iD : <https://orcid.org/0000-0002-3022-5281>

email : renuaiims28@gmail.com / renubhatia28@aiims.edu

### **Research Area (click)**

#### **Pain research and TMS facility**

Pain research and TMS facility has been in the forefront since 2012 to alleviate the pain of the patients suffering from various pain syndromes especially those which are chronic in nature. Since the time of its inception we have tried to decode the intricacies of the pain matrix and the neural areas involved in its perception , modulation , assessment and relief in human subjects Transcranial magnetic stimulation (TMS) is a focal non-invasive form of brain stimulation technique based on the principles of electromagnetic induction (Barker et al., 1985). Application of short magnetic pulses over the scalp of subject induces electrical current in the neurons of the cortex. Initially approved for treatment of depression by FDA the technique has now emerged as a non-invasive method of stimulating brain areas and revolutionized our understanding of neurophysiology. TMS has now found place in management of chronic pain and disability. Research over the years highlight the endeavours of the lab in pain assessment and management. In order to understand the mechanism of action of pain relieving modalities it is pertinent to first understand the pathophysiology and methods of assessment of pain in humans. The patients are routinely referred from Neurology ,Physical medicine and rehabilitation , Trauma centre, Cancer clinics and Rheumatology clinics. The methods to subjectively and objectively assess pain have been introduced in patients of chronic pain patients such as tension type headache, migraine , fibromyalgia ,low back pain and cancer pain

#### **Subjective assessment of pain:**

A battery of standard questionnaires and scores are utilized to study various aspects of chronic pain and associated symptoms i.e. McGill Pain Questionnaire (MGQ), Hamilton Depression Rating Scale (HAM-D), Hamilton Anxiety Rating Scale (HAM-A), Pain coping strategy questionnaire (CSQ), Pain belief questionnaire (PBQ), WHO Quality of Life-BREF Questionnaire (WHOQOL-BREF) and Visual analogue scale. These questionnaires are converted in Hindi language for Indian patients.

#### **Objective assessment of pain:**

#### **Quantitative sensory testing**

Quantitative sensory testing (QST) is a non-invasive test to assess somatosensory perception

of individuals by application of various stimuli at controlled intensities. QST can serve as a valuable tool not only in assessment of the individual's sensory profile but understanding underlying mechanisms of pain. QST can be used to detect somatosensory aberrations that may contribute to the individual's experience of pain and disability. The battery of tests involved are used for evaluation of function of large (A beta) and small (A-delta and C) nerve fibers also, ascending pathways of sensory perception. There are two forms of QST tests: Static and dynamic quantitative sensory testing. Static QST helps in assessment of sensory perception; whether the subject is able to detect a particular stimulus (detection threshold), at what intensity of stimulus he/she reports first pain (pain threshold) and till what limit the subject can tolerate the stimulus (pain tolerance threshold). Static QST consists of estimation of thresholds for various modalities like mechanical, thermal, pressure, vibration, chemical, electrical etc. Thresholds for particular stimuli can help assess both inadequate function (hypoalgesia-decreased sensitivity to painful stimuli) as well as gain of function (hyperalgesia- increased sensitivity to feeling pain and an extreme response to pain). Peripheral sensitization is an increase in the excitability of nociceptors which leads to neuroinflammation .

Dynamic QST helps in assessment of central pain modulatory pathways primarily ascending facilitation of pain. Dynamic QST is one such test, that can probe both ascending facilitation and descending modulation of incoming nociceptive signals via Temporal summation (TS) and Conditioned Pain Modulation (CPM) respectively. The impact of dysfunctional pain modulatory processes can be investigated and help in addressing whether medications that improve CLBP outcomes exert effects on endogenous pain modulation or not. The quantitative sensory outcomes can significantly influence management strategies for various pain syndromes. (Walk et al, 2009).The current research thus aimed to assess peripheral and central sensitization in Fibromyalgia, chronic low back pain, rheumatoid arthritis, cancer pain patients using static and dynamic quantitative sensory testing.

### **Electrophysiological studies:**

#### **Nociceptive Flexion Reflex (RIII Reflex)**

NFR was first standardized in human subjects and then in patients of fibromyalgia (AD), the pain was objectively evaluated by nociceptive flexion reflex (RIII) and confirmed by visual analogue scale (VAS). It was found all fibromyalgia patients showed attenuation of response. The NFR recording technique has proven to be quick, simple, reliable and reproducible in patients of chronic pain NFR used as a tool to study pain modulation:

#### **Pain inhibitory pathways: Diffuse noxious inhibitory controls (DNIC)**

In our laboratory, endogenous pain modulation systems/DNIC is studied by exploring the effect of noxious cold stimulus, mental task, deep pressure pain (pressure at tendon Achilles), on the characteristics of R-III reflex. Such studies were conducted in tension type headache fibromyalgia patients and the results were compared with healthy control subjects. It was observed that there is involvement of central pain modulating mechanisms in chronic pain states

#### **Pain facilitatory Pathways : Temporal summation**

Thermal testing quantitatively measures thresholds for warmth, cold, heat-induced pain and cold induced pain and then compares them to age-matched normal population values. A

deviation from the normal range is observed in chronic pain patients indicating aberrations in pain facilitatory pathways. This was used to record pain ratings, thermal sensation, thermal pain and summation of pain in various chronic pain syndromes.

### **Electromyography (EMG) of muscles**

Electromyography of pericranial and cervical muscles was also done to assess role of muscle spasm in chronic tension type headache and we reported overactivity of temporalis, frontalis and trapezius muscles in headache patients which was relieved by yoga therapy and the results were comparable to non steroidal anti inflammatory drugs . Botulinum toxin was also injected in pericranial muscles to relieve pain although the muscles became flaccid when their EMG was analyzed but the subjective experience of pain was unaffected.

### **Transcranial magnetic stimulation (TMS) as an interventions for Chronic Pain**

In line with our ultimate goal of alleviating patient's pain, restore and enhance their quality of life, we explored Transcranial magnetic stimulation (TMS) as a possible therapeutic and exploratory tool. Since 2008, after its approval by FDA, we started using TMS as an intervention for various kinds of pain disorders such as Fibromyalgia, chronic tension-type headache, migraine, patients with spinal cord injury and other pain disorders.

### **TMS as an intervention for Fibromyalgia**

In our laboratory, a study was conducted to study the effect of chronic exposure to magnetic field on pain status of fibromyalgia patients. We used a figure-of-8/ butterfly stimulating or sham coil to target the desired brain area. The patients were divided into two groups: real rTMS and Sham rTMS. In these patients, rTMS were given for one month, 5days per week; 0.5 Hz frequency at the DLPFC. Patients were followed up to six months. It was found that for chronic pain assessment, both Sham and TMS groups have higher VAS score of pain than controls as well as greater score for anxiety, depression and worse quality of life than the control groups. rTMS caused significant improvement in pain and pain related emotions (depression, anxiety) and quality of life. Similarly, for acute pain assessment, RIII reflex data showed that the pain threshold was significantly lower in Sham and rTMS groups in comparisons to controls which was increased after rTMS therapy

### **Transcranial Magnetic Stimulation for other chronic pain conditions**

Non-invasive brain stimulation , TMS is being used to treat the cases of fibromyalgia, Low backache , Chronic headaches, Rheumatoid arthritis. For this, we have divided the patients in to two groups: real rTMS and sham group in our projects. These patients received TMS

therapy for one month for 5 days per week with each session lasting about 35-40 mins. Till now, the real rTMS patient groups have shown promising improvements in pain rating and other related symptoms after treatment.

### **Augmenting rTMS with Neuronavigation (NeNa)**

Transcranial Magnetic Stimulation (TMS) delivers short magnetic pulses that penetrate the skull unattenuated, disrupting neural processing in a noninvasive, reversible way. To disrupt specific neural processes, coil placement over the proper site is critical. Therefore, a neural navigator (NeNa) is being used to target specific brain areas for rTMS. NeNa is a frameless stereotactic device using structural and functional magnetic resonance imaging (fMRI) data to guide TMS coil placement. In human subjects, consistent efforts are put forward towards understanding the etiology of pain syndromes such as orthodontic Pain, fibromyalgia, chronic low back pain, chronic tension type headache. We have standardized the use of rTMS for eliciting motor evoked potentials (MEP) and record sensory changes in masticatory muscles using heat evoked potentials. This technique is a potential therapeutic intervention for the treatment of psychiatric and neurological disorders which possibly can be a novel paradigm to unravel the various neuroadaptive mechanisms of the brain in pain.

### **Clinical Services**

Based on the outcomes of research on pain assessment and effect of rTMS in chronic pain and disability patients, the department has started **Clinical services to chronic pain patients**. The Pain research and TMS facility provides both diagnostic and therapeutic interventions. Transcranial magnetic stimulation is administered for fibromyalgia, rheumatoid arthritis, cancer pain , pancreatitis, headaches and low back pain in this clinical facility. The duration of therapy varies from 5 days to 1 month. Follow up and referral of the patients is also done depending on the disease condition. Quantitative sensory testing is done to diagnose and assess sensory profile in various neurological pathologies such as fibromyalgia, pancreatitis, dental pain , trigeminal neuralgia, postmastectomy pain syndrome and other trauma cases.

### **Projects (Click here)**

#### **Intramural research grant**

1. Effect of transcranial magnetic stimulation on pain status of chronic tension type headache patients
2. A study of Psychoneuroimmunological correlates of Fibromyalgia: Effect of transcranial magnetic stimulation
3. Effect of Transcranial Magnetic Stimulation on pain modulation in trigeminal neuralgia patients

4. Effect of repetitive transcranial magnetic stimulation on pain status and corticomotor excitability in chronic low back pain patients
5. Efficacy of repeated transcranial magnetic stimulation on pain scores and cognition in patients with breast cancer, A Randomized Controlled Trial

### **Extramural research grant**

1. Effect of yoga on pain status and corticomotor excitability in chronic low back pain patients DST SATYAM
2. Effect of yogic intervention on pain status in Fibromyalgia patients. DST SATYAM
3. Effect of Functional Resonance Imaging Neurofeedback-guided Motor imagery training on Corticomotor excitability and Pain status in Rheumatoid Arthritis. ICMR

### **Departmental projects**

1. Effect of rTMS on central and peripheral pain modulation in Chronic tension type headache.
2. Effect of rTMS on pain status of Chronic tension type headache (CTTH) patients.
3. Role of Neuro-Navigation based Repetitive Transcranial Magnetic Stimulation in Chronic Migraine.
4. Effect of neuronavigation based rTMS therapy on corticomotor excitability and cognitive functions in fibromyalgia patients.
5. Effect of prolonged theta burst stimulation protocols on CME and pain perception in healthy individuals.
6. Association between Val158 Met polymorphism in COMT gene and pain perception Rheumatoid Arthritis.
7. Effect of Biofeedback techniques in somatoform pain disorders
8. A study of Thermal Sensitivity and Motor Activity of Masseter muscle in patients undergoing Fixed Orthodontic therapy.
9. Effect of rTMS Therapy on pain status, thermal sensitivity and motor activity in Myofacial Pain Dysfunction Syndrome.
10. A study of conditioned pain modulation in trigeminal neuralgia patients.
11. A study of offset analgesia in trigeminal neuralgia.
12. Effect of motor imagery on corticomotor excitability and pain status in Rheumatoid arthritis patients.
13. Effect of repetitive transcranial magnetic stimulation on Pain and quality of life in post mastectomy pain syndrome.
14. A study of pain inhibitory neurotransmitters in CSF and Blood of women undergoing caesarean section.
15. Effect of low frequency repetitive transcranial magnetic stimulation on pain status, joint mobility and cortical excitability in Rheumatoid arthritis.
16. Effect of Functional Magnetic Resonance Imaging Neurofeedback-guided Motor Imagery Training on corticomotor excitability and pain status in Rheumatoid Arthritis Patients.
17. Effect of yogic intervention on pain status and cortical excitability in fibromyalgia patients.
18. Effect of yogic intervention on pain status and cortical excitability in fibromyalgia.
19. Effect of transcranial magnetic stimulation on pain modulation status in fibromyalgia patients.
20. A study of pain status and corticomotor excitability in chronic low backpain patients Effect of transcranial magnetic stimulation.
21. Effect of yoga on pain and corticomotor excitability in chronic low back pain.
22. To study the effect of iTBS in chronic migraine patients

### **PUBLICATIONS (Click here)**

1. Tiwari VK, Kumar A, Nanda S, Chaudhary S, Sharma R, Kumar U, Kumaran SS, Bhatia R. Effect of Neuro-navigated repetitive Transcranial Magnetic Stimulation on pain,

- cognition and cortical excitability in fibromyalgia syndrome. *Neurol Sci.* 2024 Jul;45(7):3421-3433. doi: 10.1007/s10072-024-07317-x. Epub 2024 Jan 25. PMID: 38270728.
2. Kataria M, Gupta N, Kumar A, Bhorawal S, Singh A, Shekhar V, Bhatia R. Assessing the effectiveness of high frequency repetitive transcranial magnetic stimulation for post-mastectomy pain in breast cancer patients: A randomized controlled trial. *Breast Cancer.* 2024 Sep;31(5):841-850. doi: 10.1007/s12282-024-01598-y. Epub 2024 May 26. PMID: 38796817.
  3. Kumar, A., Mattoo, B., Bhatia, R., Kumaran, S & Bhatia, R. et al. Neuronavigation based 10 sessions of repetitive transcranial magnetic stimulation therapy in chronic migraine: an exploratory study. *NeurolSci* (2020). <https://doi.org/10.1007/s10072-020-04505-3>.
  4. Mattoo B, Tanwar S, Bhatia R, Tripathi M, Bhatia R. Repetitive Transcranial magnetic stimulation in chronic tension type headache: A pilot study. *Indian J Med Res* 2019;150:73-80.
  5. Tiwari VK, Nanda S, Arya S, Kumar U, Bhatia R. (2020). Effect of repetitive transcranial magnetic stimulation in male patients of fibromyalgia syndrome. *Indian Journal of Rheumatology* ; 15(2) 135-40
  6. Rajain M, Bhatia R, Tripathi M, Kumar N, Mathur R. Low-Frequency Repetitive Transcranial Magnetic Stimulation for Chronic Tension-Type Headache: A Randomized Controlled Study. *Cureus.* 2023 Feb 13;15(2):e34922. doi: 10.7759/cureus.34922. PMID: 36938162; PMCID: PMC10015757.
  7. Vats D, Bhatia R, Fatima S, Yadav R, Sagar S, Mir N, Khan MA, Singh A. Repetitive Transcranial Magnetic Stimulation of the Dorsolateral Prefrontal Cortex for Phantom Limb Pain. *Pain Physician.* 2024 Jul;27(5):E589-E595. PMID: 39087968.
  8. Arya S, Yadav RK, Venkataraman S, Deepak KK and Bhatia R (2022) Objective evidence for chronic back pain relief by Medical Yoga therapy. *Front. Pain Res.* 3:1060685. doi: 10.3389/fpain.2022.1060685.
  9. Tanwar, S., Mattoo, B., Kumar, U. Bhatia R et al. Repetitive transcranial magnetic stimulation of the prefrontal cortex for fibromyalgia syndrome: a randomised controlled trial with 6-months follow up. *Adv Rheumatol* 60, 34 (2020).
  10. Tiwari, V.K., Nanda, S., Arya, S. Bhatia R et al. Correlating cognition and cortical excitability with pain in fibromyalgia: a case control study. *Adv Rheumatol* 61, 10 (2021).
  11. Kumar A, Kumar U, Bhatia R. Advancement in non pharmacological treatment strategies for the management of fibromyalgia syndrome. *Int J of Sci Res.* 2023 June; 12(6) : 5-8.
  12. Arya A, Sinha A, Yadav R, Bhatia R et al. (2023) Effect of Motor Imagery on Corticomotor Excitability and Pain Status in Rheumatoid Arthritis Patients. *Cureus* 15(7): e42101. doi:10.7759/cureus.42101 (July 2023).
  13. Gupta J, Gulati S, Singh UP, Kumar A, Jauhari P, Chakrabarty B, Pandey RM, Bhatia R, Jain S, Srivastava A. Brain Stimulation and Constraint Induced Movement Therapy in Children With Unilateral Cerebral Palsy: A Randomized Controlled Trial. *Neurorehabil Neural Repair.* 2023 May;37(5):266-276. PMID: 37170480.
  14. Kumar A, Yadav R, Venkataraman S, Kumar U, Singh A, Deepak KK, Bhatia R. Exploring pain status and flexibility in fibromyalgia: Effect of 20 sessions of yoga therapy. *Indian J. Physiol. Pharm.* Volume 67, Issue 3. September 2023

15. Vats D, Bhatia R, Fatima S, Yadav R, Sagar S, Mir N, Khan MA, Singh A. Repetitive Transcranial Magnetic Stimulation of the Dorsolateral Prefrontal Cortex for Phantom Limb Pain. *Pain Physician*. 2024 Jul;27(5):E589-E595. PMID: 39087968.
16. Bhadrans, Seetha Lekshmi1; Reghu, Anandapadmanabhan1; Gupta, Rajiv1,5; Radhakrishnan, Divya M.1; Vishnoi, Aayushi1; Gupta, Anu1; Vishnu, Venugopalan Y.1; Upadhyay, Ashish1; Kumaran, Senthil4; Kumar, Nand2; Bhatia, Renu3; Bhatia, Rohit1; Singh, Mamta Bhushan1; Srivastava, Achal K.1; Srivastava, Padma1; Rajan, Roopa1. Inferior parietal lobule stimulation in task-specific focal hand dystonia: A randomized, crossover clinical trial. *Annals of Movement Disorders* 7(2):p 94-101, May-August 2024. | DOI: 10.4103/aomd.aomd\_18\_24
17. Mir N<sup>1</sup>, Kumar A<sup>2</sup>, Mir AH<sup>3</sup>, Mishra P<sup>4</sup>, Alam J<sup>5</sup>, Bhatia R<sup>6</sup>, Selvi A<sup>7</sup>, Sagar R<sup>8</sup> and Sagar S<sup>9</sup> <sup>1</sup>An Open Label Feasibility Study on Impact of rTMS Versus Drug Therapy on Phantom Limb Pain in Lower Limb Amputation Patients: A Randomized Controlled Trial .Open access journal of Behavioural sciences and Psychology. Volume 8 (1) May, 2025
18. Kumar A, Kumar U, Singh A, Yadav R, Bhatia R. Effect of supervised yogic intervention on pain status, flexibility, and corticomotor excitability in fibromyalgia patients: unique case report. *International Journal of Yoga*. 2024 May–Aug. 17(2):p 146-152. doi:10.4103/ijoy.ijoy\_64\_24
19. Tanwar S, Mattoo B, Kumar U, Bhatia R. Can aberrant spinal nociception be a marker of chronicity of pain in fibromyalgia syndrome? *Journal of Clinical Neuroscience*. 2019 Jul 1;65:17-22.
20. Sinha A, Bhatia R . Physiological Basis and Mechanism of Headache: Mini Review; *Journal of Medical Science and clinical research*, 2019; 7 (3) : 408-413.
21. Arya S, Nanda S, Duggal R, Bhatia R, Orthodontic pain induced sensitization of trigeminonociceptive system, 2019, *Bioscience Biotechnology Research Communications*. 2019;12(4) : 992-998.
22. Mattoo, B., Tanwar, S., Bhatia, R., Tripathi, M., & Bhatia, R. Chronic tension-type headache: muscle overactivity versus deficient pain controls. *Asian Journal of Pharmaceutical and Clinical Research*, 2018; 11(8):143-146.
23. Tanwar S, Mattoo B, Kumar U, Gupta N, Bhatia R. Is Fibromyalgia A Syndrome of Hormonal Imbalance ? *Asian Journal of Pharmaceutical and Clinical Research* 2018; 11(7): 416-420.
24. Tanwar S, Mattoo B, Jain S, Kumar U, Gupta N, Dada R, Bhatia R. Role of Hypothalamic-Pituitary-Gonadal Axis Hormones in Patients with Fibromyalgia Syndrome. *Advances in Bioresearch*. 2017 Nov 1;8(6).
25. Tanwar S, Jain S, Kumar U, Dada R, Bhatia R. Reproductive Hormones in Pathophysiology of Fibromyalgia Syndrome. *Indian Obstetrics and Gynaecology*, 2016, 6: 35-42.
26. Kumari R, Mendiratta SL, Kumari P, and Bhatia R .Comparison of efficacy and safety of I/M PGF2 $\alpha$  versus methylergometrine in the active management of third stage of labour. *Indian J obstetrics and gynaecology*.2015;5(1):19-22.
27. Joshi, I., Mattoo, B., Mohan, V. K., & Bhatia, R. (2020). Aberrant pain modulation in trigeminal neuralgia patients, *Journal of Basic and Clinical Physiology and Pharmacology* (published online ahead of print), 20190274. doi: <https://doi.org/10.1515/jbcpp-2019-0274>.
28. Nanda S , Arya S, Bhatia R. Do threshold for nociceptive flexion reflex and subjective pain coincide? *Neurol India* 2021;69:1853-4<https://www.neurologyindia.com/text.asp?2021/69/6/1853/333483>

29. Akhtar N, Kumar A, Mattoo B, Deepak KK, Bhatia R. Introducing virtual classrooms for undergraduate physiology teaching during the COVID-19 pandemic: acceptance by students and subjective impact on learning. *Adv Physiol Educ.* 2023 Sep 1;47(3):376-382. doi: 10.1152/advan.00252.2022. Epub 2023 May 18. PMID: 37199736; PMCID: PMC10281776.
30. Kumar, Aasheesh Kumar, Uma Bhatia, Renu. Advancement in non -pharmacological treatment strategies for the management of fibromyalgia syndrome vol: 12 International Journal of Scientific research
31. Bhatia, R., Fatima, S., Yadav, R. K., Kumar, U., Kumaran, S., & Ahmad Khan, M. (2023). Pain, quality of life and functional ability in rheumatoid arthritis: A concept analysis. *International Journal of Medical Studies*  
<https://ijmsonline.in/index.php/ijms/article/view/244> 28.02.2023
32. Arya A, Sinha A, Yadav R, et al. (July 18, 2023) Effect of Motor Imagery on Corticomotor Excitability and Pain Status in Rheumatoid Arthritis Patients. *Cureus* 15(7): e42101. doi:10.7759/cureus.42101 (July 2023)
33. Gupta J, Gulati S, Singh UP, Kumar A, Jauhari P, Chakrabarty B, Pandey RM, Bhatia R, Jain S, Srivastava A. Brain Stimulation and Constraint Induced Movement Therapy in Children With Unilateral Cerebral Palsy: A Randomized Controlled Trial. *Neurorehabil Neural Repair.* 2023 May;37(5):266-276. doi: 10.1177/15459683231174222. Epub 2023 May 11. PMID: 37170480
34. Standard operating procedure(s) for undergraduate Physiology laboratories with COVID-19 preventive measures in resource constrained low- and middle-income countries (DOI: 10.1177/23821205231196715/ ID: MDE-23-0078.R1) in *Journal of Medical Education and Curricular Development*
35. Tiwari, V.K., Nanda, S., Arya, S. *et al.* Correlating cognition and cortical excitability with pain in fibromyalgia: a case control study. *Adv Rheumatol* 61, 10 (2021).  
<https://doi.org/10.1186/s42358-021-00163-x>
36. Rana R, Agarwal S, Qamar S, Gopi S, Bhatia R, Madhusudhan KS, Gunjan D, Saraya A. Adjunctive Incremental Pregabalin Therapy Leads to Better Pain Relief in Patients With Chronic Pancreatitis: A Double-blind Randomized Controlled Trial. *J Clin Gastroenterol.* 2025 Jul 17. doi: 10.1097/MCG.0000000000002173. Epub ahead of print. PMID: 40689827.
37. Sharma, Garima<sup>1</sup>; Singh, Akanksha<sup>1</sup>; Yadav, Raj Kumar<sup>1</sup>; Kumar, Uma<sup>2</sup>; Bhatia, Renu<sup>1</sup>. Offset analgesia a unique paradigm to study pain modulation following 6 weeks of yogic intervention in fibromyalgia patients: A randomized controlled trial. *Yoga Mimamsa* 57(1):p 23-33, Jan–Jun 2025. | DOI: 10.4103/ym.ym\_4\_25
38. Kurup MT, Sarkar S, Verma R, Bhatia R, Khanna P, Maitra S, Anand R, Ray BR, Singh AK, Deepak KK. Comparative evaluation of intraoperative dexmedetomidine versus lidocaine for reducing postoperative cognitive decline in the elderly: a prospective randomized controlled trial. *Anaesthesiol Intensive Ther.* 2023;55(5):349-357. doi: 10.5114/ait.2023.134251. PMID: 38282502; PMCID: PMC10801457.
39. Paul SM, Bhatia R, Yadav RK, Dada R, Kumar U. Correlation of Pain and Disability with Disease Activity in Rheumatoid Arthritis Patients with the Catechol-O-Methyltransferase Val158Met Single Nucleotide Polymorphism. *Indian Journal of Rheumatology.* 2025;0(0). doi:[10.1177/09733698251369572](https://doi.org/10.1177/09733698251369572)

