All India Institute of Medical Sciences Ansari Nagar, New Delhi 110029

F.No. 33/BMW/2022-Estt. (H)

Dated: - 05/01/22

To

Dr. Sunny Swarnkar Deputy Assistant Director General Directorate General of Health Services Ministry of Health & Family Welfare Environment & Climate Change Cell Government of India, Nirman Bhawan, New Delhi-110001

Sub:- Submission of monthly report for Bio Medical Waste Management.

Dear Sir/ Madam,

This is in reference to your letter no. P- 18012/12/2016 Environment dated 11th April, 2017 regarding above mentioned subject.

Please find enclosed the report of Biomedical Waste Management for the month of December, 2021 duly signed by the Medical Superintendent on behalf of the Director, AIIMS, New Delhi.

Kind regards

Nodal Officer

Biomedical Waste Management

AIIMS, New Delhi

	BI	OMEDIO	CAL WA	STE RE	PORT	DEC, 20	21	
Date:	Yellov	w Bags	Red	d Bags	s Blue Bags		White Containers	
01.12.21 to 31.12.21	No of Bags	Weight (Kg)	No of Bags	Welght (Kg)	No of Bags	Weight (Kg)	No of Box	Weight (Kg)
Main Buidling	4923	19978	4836	20783	1089	13766	118	139.9
CN Centre	2308	7976	2431	8647	811	8973	69	86.2
IRCH	1198	2698	1142	2641	324	2641	64	84.3
RP Centre	193	634	397	768	78	574	17	20.7
PC Teaching	288	601	371	634	9	72	4	3.9
RAK/OPD	1642	1899	1583	2323	74	603	34	38.3
CDER	137	246	169	345	18	103	6	4.8
Animal, House	591	2469	51	79	0	0	0	0
Convergenc e Block	0	0	0	0	0	0	0	0
JPNA Trauma	1669	6947	1527	6019	566	4395	84	109.64
Total	12949	43448	12507	42239	2969	31127	396	487.74
	No of bags containers	weight (Kg)						
Total for the month	28821	117301.74						

TOTAL DATA FOR THE MONTH OF NOV,2021 COVID WASTE WITH DOUBLE PACKING								
Date:	Yellow Bags		Red Bags		Blue Bags		White Containers	
TO	-2-50 F - 2 C - 2	ASSESSED AND SOME ARTS	THE STREET STREET	Weight (Kg)	THE REPORT OF THE PARTY OF		Mary Control of the C	Weight (Kg)
AIIMS+JPNA	1084	3152	584	1702	30	143	0	0
Total Waste	14033	46600	13091	43941	2999	31270	396	488

Biotic Waste Solutions

Sanitation Officer(H)

1.	Particulars of the Occupier (i) Name of the authorized person (occupier or operator of facility)	:	Discordant AllMC
1	(i) Name of the authorized person	:	Discrete AUMC
			Director AIIMS
			Prof. Randeep Guleria
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences (AIIMS)
1	(iii) Address for Correspondence	:	AIIMS, Ansari Nagar, New Delhi-110029
	(iv) Address of Facility		Same as above
	(v) Tel. No. Fax. No.		26594800
	(vi) (V) E-mail ID	·	Director.aiims@gmail.com
	(vii) URL of Website	· ·	Aiims.edu
	(viii) GPS coordinates of HCF of CBMWTF	•	7.111110.000
	(ix) Ownership of HCF of CBMWTF		Autonomous Organization
3	(x) Status of Authorization under the		Authorization No. DPCC/BMW/AUTH/NEW
ulije _A	Bio-Medical Waste (Management and Handing) Rules.	•	NO/2017/03334
	(xi) Status of Consents under Water	:	Certificate No. 0-029036
	Act and Air Act. Valid up to:		Valid up to 09/03/2022
2.	Type of Health Care Facility	:	
	(i) Bedded Hośpital	:	No. of Beds: 2412
	(ii) Non-Bedded Hospital	:	N.A.
	(Clinic or Blood Bank or Clinical		
	Laboratory or Research Institute or	_	3a ¹ 1
	Veterinary Hospital or any other)		
	(iii) License number and its date of expiry.	:	N.A.
3.	Details if CBMWTF		N.A.
3,	(i) Number healthcare facilities covered by CBMWTF	:	N.A.
	(ii) No. of beds covered by CBMWTF	•	N.A.
	(iii) Installed treatment and disposal capacity of CBMWTF	:	N.A.
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	N.A.
4.	Quantity of waste generated or		Yellow Category: 46600 kg/month
	disposed in Kg per annum (on		Red Category: 43941 kg/month
	monthly average basis)		White: 488 kg/month
	No. of Control of Cont		Blue Category: 31270kg/month
			General Solid waste: 2,10,000 kg/month
5.	Details of the Storage , treatment, tra	ansportation	on, processing and Disposal Facility: Handled by
	(i) Details of the on-site storage facility	;	Size : (99X6.5X9)X2
			Capacity: 250 kg Provision of on-site storage: (cold storage or
		-	any other provision)
	(ii) Disposal Facilities	100	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed

		L. Karner Appum
(iii) Quantity of recyclable wastes sold to authorized recyclers after		NIL In Kg per Annum Incinerators Plasma Paralysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer Sharps encapsulation or concrete pit Deep Burial pits: Chemical disinfection: Any other treatment equipment: Red Category (like plastic, glass etc.) Handled by CBMWTF operator
treatment in kg per annum.		3 Vehicles
(iv) No of vehicles used for collection and transportation of biomedical waste.		Quantity Generated Where disposal
(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Incineration NIL NIL Ash ETP Sludge (STP) 3650 kg/ p.a. used for complex
(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which		One, Biotic Waste Solutions Private limited
wastes are disposed of (vii) List of member HCF not handed over bio-medical waste.	:	NIL
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.		Yes
7. Detail trainings conducted on BMVV		126
(i) Number of training conducted on BMW Management.		9141
(ii) Number of personnel trained		2100
(iii) Number of personnel trained at the time of induction		
(iv) Number of personnel not undergone any training so far.		1859
(v) Whether standard manual for training is available?		Utilizing through posters, videos & power point presentation.
(vi) Any other information)		NIL

	Details of the accident occurred	NIL	
	during the year (i) Number of Accidents occurred	NIL	
	(ii) Number of the persons affected	NIL	
	(iii) Remedial Action taken (Please	NA	
	attach details if any) (iv) Any Fatality occurred, details.	NO	
),	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met	N.A.	
	the standards? Details of Continuous online emission monitoring systems installed	N.A.	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a	STP	
11.	year. It the disinfection method or sterilization meeting the log 4 standards? How many times you have	Ν,Λ,	
12.	not met the standards in a year? Any other relevant information	(Air Pollution Control Device attached with the incinerator.)	е

Certified that the above report is for the period from 01/12/20211to 31/12/2021

Name and Signature of the Vicad of the Institution

Date:

Place: New Delhi