ALL INDIA INSTITUTE OF MEDICAL SCIENCES Ansari Nagar, New Delhi 110029

F. No. 33/BMW/2019-Estt.(H)

Dated: 08/08/2019

To

Dr. Chhavi Pant Joshi Deputy Assistant Director General Directorate General of Health Services Ministry of Health & Family Welfare (Environment & Climate Change Cell) Government of India

Sub:- Submission of monthly report for Bio Medical Waste Management.

Dear Sir/ Madam,

This is in reference to your letter no. P-18012/12/2016 Environment dated 11th April, 2017 regarding above mentioned subject.

Please find enclosed the report of Biomedical Waste Management for the month of July, 2019 duly signed by the Medical Superintendent on behalf of the Director, AIIMS, New Delhi.

Kind regards

Biomedical Waste Management

AIIMS, New Delhi

विनांवां / DATED ...

No. P-18012/12/2016-Environment Government of India Ministry of Health & Family Welfare Directorate General of Health Services (Environment & Climate Change Cell)

> Nirman Bhawan, New Delhi · Dated Il April, 2017

(As per list attached)

Subject:-Submission of Monthly Report of Bio-Medical Waste Management (BMW)-reg.

Sir,


I am directed to refer to this Dte's letter of even number dated 31 May, 2016 on the above subject wherein you have been requested to furnish the monthly report on bio-medical waste management. The Bio-medical Waste Management Rules 2016 have been notified on 28.03.2016 by Ministry of Environment, Forest & Climate Change.

You are, therefore, requested to furnish monthly report on bio-medical waste management in prescribed Proforma (enclosed) by first week of every month regularly.

Yours faithfully,

Encl. As above.

(Dr. Chhavi Pant Joshi) Deputy Assistant Director General



From –IV (See rule 13) Monthly Report

S.No	- Littoulais				
1.	Particulars of the Occupier				
	(v) Name of the authorized person	:			
11	(Occupier or operator of facility)	1	Director AIIMS		
	(ii) Name of HCF or CBMWTF		Prof. Randeep Guleria		
	(iii) Address for Correspondence	1:12:8	All India Institute of Medical Sciences (AUMO)		
	(IV)Address of Facility	:	AIIMS, Ansari Nagar, New Delhi-110029		
	(v)Tel. No. Fax. No.		Same as above		
	(VI) E-mail ID		26594800		
	(VII) IDI of M. I. II		director.aiims@gmail.com		
	(VII)URL of Website	1	aiims.edu		
	(VIII)GPS coordinates of HCF of CBMWTF		amino.edu		
	(IX)Ownership of HCF of CBMWTF				
	(A) Status of Authorization under the Die		Autonomous Organization		
	Wicalcal Waste (Management and		Authorization No DPCC/BMW/AUTH/NEV		
	Handing) Rules		NO/2017/03334		
	(XI)Status of Consents under Water Act				
	and Air Act. Valid up to:	•	Certificate No. 0-029036		
2.	Type of Health Core 5		Valid up to 09/03/2022		
On the last	Type of Health Care Facility		15 10 0010012022		
	(xl) Bedded Hospital		No. of Beds: 2412		
	(xli) Non-Bedded Hospital				
	(Clinic or Blood Bank or Clinical		N.A.		
	Laboratory of Research Institute				
	Veterinal v mospital or any other)				
	(xlii) License number and its date of				
	EXDIIV.		N.A.		
3.	Details if CBMWTF				
	(xcii)Number healthcare facilities covered				
	by CBMWTF		N.A.		
			N.A.		
	The state of the s		N.A.		
	capacity of CBMWTF		N.A.		
			N.A.		
1.	liedled or disposal by CDMMATE		N.A.		
	additity of waste denerated or diameter		Yellow category: 38,448,kg/month		
	in Kg per annum (on monthly average basis)				
	× .		Red Category:43,102kg/month		
			White: 627kg/month		
			Blue Category 20 7201		
			Blue Category:36,782kg/month		
	Details of the Storage , treatment trans	enorteti	General Solid waste 2,10,000 kg/month		
	CBMWTF CBMWTF and Disposal Facility: Handled by				
	(xiv) Details of the on-site storage facility :				
	. Storage facility		Size : (99X6.5X9)X2		
			Canacity: 250 KO		
			Capacity: 250 KG		
			Provision of on-site storage : (cold storage or any other provision)		
	(ii) Disposal Facilities				
	:		Type of treatment No Capacity Quantity		
			Equipment of Kalday treated or Units		
			disposed of Kg/day treated or Units		
			NIL In Kg per Annum		
			THE THE PER ANNUAL PROPERTY OF THE PER ANNUAL PR		

	Incinerators Plasma Paralysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps Incinerators Plasma Paralysis Autoclaves Hydroclave Hydroclave Shredder CBMWTF Operator
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	riced Category (like plastic, glassic)
	Handled by CBMWTF operator
(iv) No of vehicles used for collection and transportation of biomedical waste.	
waste.	3 Vehicles
(xcvi) Details of incineration ash and ETP	
sludge generated and disposal	
during the treatment disposal	Quantity Generated Where diag
Kg per annum) of wastes in	Incineration of the disposal
	Ash NIL
	ETP Sludge
(xcvii) Namo	1 (SID) 2000 .
(xcvii) Name of the Common Bio-	
Medical Waste Treatment Facility Operator through which wastes are disposed of	One, Biotic Waste Solutions Private limited
(xcviii)List of member HCF not handed :	
over bio-medical waste.	
DO VOLL house	Nil
management bio-medical waste	1VIII
minutes of the meetings held during the	Yes
reporting period.	
Detail trainings conducted on BMW	
(IAAIX) Number of trail	
BMW Management.	,
, rulliber of personnel to	126
(MAXI) Number of paragram	
time of induction	9141
(IXXXII)Number of	2100
linderge personnel not	
(Ixxxiii) Whether standard manual for training is available 2	1859
training is available ?	
(Ixyxiv) A	ounting through posters, videos
(Ixxxiv) Any other information)	Utilizing through posters, videos & power point presentation.
Details of the accident	
the year the accident occurred during	Nil
/ / iii)	
(liii) Number of Accid	
Number of Accidents occurred	Nil
(liii) Number of Accidents occurred	Nil

	(liv) Number of the persons affected	Nil
	(Iv) Remedial Action taken (Please attach details if any)	NA
	(Ivi) Any Fatality occurred, details.	NO
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	N.A.
	Details of Continuous online emission monitoring systems installed	N.A.
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	STP
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	N.A.
12.	Any other relevant information	(Air Pollution Control Device attached with the incinerator.) N.A.

Certified that the above report is for the period from

01/07/2019 to 31/07/2019

Date: 10|8|19

Place: New Delhi

Name and Signature of the Head of the Institution