## All India Institute of Medical Sciences Ansari Nagar, New Delhi 110029

F.No.33/BMW/2019-Estt. (H)

Dated:- 08/01/20

To

Dr. Chhavi Pant Joshi
Deputy Assistant Director General
Directorate General of Health Services
Ministry of Health & Family Welfare
Environment & Climate Change Cell
Government of India

Sub:- Submission of monthly report for Bio Medical Waste Management.

Dear Sir/ Madam,

This is in reference to your letter no. P- 18012/12/2016 Environment dated 11th April, 2017 regarding above mentioned subject.

Please find enclosed the report of Biomedical Waste Management for the month of December, 2019 duly signed by the Medical Superintendent of behalf of the Director, AIIMS, New Delhi.

Kind regards

Nodal Officer

Biomedical Waste Management AIIMS, New Delhi

GENERAL SEC :: 8. origina Ti JE-OFFICE NO PARTED 19.14

No. P-18012/12/2016-Environment Government of India Ministry of Health & Family Welfare Directorate General of Health Services (Environment & Climate Change Cell)

Nirman Bhawan, New Delhi Dated IMApril, 2017



(As per list attached)

Subject:-Submission of Monthly Report of Bio-Medical. Waste Management (BMW)-reg.

I am directed to refer to this Dte's letter of even number dated 31 May, 2016 on the above subject wherein you have been requested to furnish the monthly report on bio-medical waste management. The Bio-medical Waste Management Rules 2016 have been notified on 28.03.2016 by Ministry of Environment, Forest & Climate Change.

You are, therefore, requested to furnish monthly report on bio-medical waste management in prescribed Proforma. (enclosed) by first week of every month regularly.

Encl. As abo

Yours faithfully;

(Dr. Chhavi Pant Joshi) Deputy Assistant Director General

## From-IV (See rule 13) Monthly Report

	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person	:	Director AIIMS
	(occupier or operator of facility)		Prof. Randeep Guleria
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences (AIIMS)
	(iii) Address for Correspondence	:	AIIMS, Ansari Nagar, New Delhi-110029
	(iv) Address of Facility		Same as above
	(v) Tel. No. Fax. No.	•	26594800
	(vi) (V) E-mail ID	:	Director.aiims@gmail.com
	(vii) URL of Website		Aims.edu
	(viii) GPS coordinates of HCF of CBMWTF		
	(ix) Ownership of HCF of CBMWTF		Autonomous Organization
	(x) Status of Authorization under the Bio-Medical Waste (Management		Authorization No. DPCC/BMW/AUTH/NEW NO/2017/03334
	and Handing) Rules.		Certificate No. 0-029036
	(xi) Status of Consents under Water		Valid up to 09/03/2022
	Act and Air Act. Valid up to:		Valid up to corcor2022
2.	Type of Health Care Facility		No. of Beds: 2412
	(i) Bedded Hospital		N.A.
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or		
	Veterinary Hospital or any other)  (iii) License number and its date of	:	N.A.
	expiry.	:	N.A.
3.	Details if CBMWTF  (i) Number healthcare facilities		N.A.
	covered by CBMWTF		N.A.
	(ii) No. of beds covered by CBMWTF	:	N.A.
	(iii) Installed treatment and disposal capacity of CBMWTF		One is program that there is not been a
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	N.A.
4.	Quantity of waste generated or	:	Yellow category: 44139 kg/month
٦.	disposed in Kg per annum (on		Red Categorý: 58026 kg/month
	monthly average basis)		White: 560.4 kg/month
	monthly divorage as-		
	#r		Blue Category: 34600 kg/month
			General Solid waste: 2,10,000 kg/month
5.	Details of the Storage , treatment, tra	ansportati	on, processing and Disposal Facility: Handled b
	(i) Details of the on-site storage facility		Size : (99X6.5X9)X2
		শ্ব	
			Capacity: 250 kg
			Provision of on-site storage : (cold storage of
			Provision of on-site storage . (cold storage
			any other provision)

1			
	(ii) Disposal Facilities		Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed NIL In Kg per Annum Incinerators Plasma Paralysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer Sharps encapsulation or concrete pit Deep Burial pits: Chemical disinfection: Any other treatment equipment:
	www.c		Red Category (like plastic, glass etc.)
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		Handled by CBMWTF operator
	(iv) No of vehicles used for collection	:	3 Vehicles
	and transportation of biomedical waste.		1 National Linear Microsoft
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Where disposal Incineration NIL NIL Ash ETP Sludge (STP) 3650 kg/ p.a. used for complex horticulture
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which	:	One, Biotic Waste Solutions Private limited
	wastes are disposed of (vii) List of member HCF not handed	:	· NIL
	over bio-medical waste.		Yes
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.		
7.	Detail trainings conducted on BMW	,	
	(i) Number of training conducted on BMW Management.		126
	(ii) Number of personnel trained		9141
ALC: U	(")	fer fer	2100
	(iii) Number of personnel trained at		
	(iii) Number of personnel trained at the time of induction  (iv) Number of personnel not undergone any training so far.		1859  Utilizing through posters, videos & power point

	training is available?	presentation.
		NIL
		NIL
3.	Details of the accident occurred	
	during the year	NIL
	(i) Number of Accidents occurred	NIII
	(ii) Number of the persons affected	NIL
		NA
	(iii) Remedial Action taken (Please	
	attach details if any)	NO
	(iv) Any Fatality occurred, details.	N.A.
9.	Are you meeting the standards of air	IN.A.
J.	Pollution from the incinerator?. How	
	many times in last year could not met	
	the standards?	N.A.
	Details of Continuous online emission	
	monitoring systems installed	STP
10.	Liquid waste generated and treatment	
	methods in place. How many times	
	you have not met the standards in a	
	year.  It the disinfection method or	N.A.
11.	It the disinfection method of sterilization meeting the log 4	
	standards? How many times you have	
	not met the standards in a year?	the shoot with the
12.	Any other relevant information	(Air Pollution Control Device attached with the
		incinerator.)

Certified that the above report is for the period from 01/12/2019 to 31/12/2019

Name and Signature of the Head of the Institution

Date: 08/01/2020 Place: New Delhi