

COMPREHENSIVE RURAL HEALTH SERVICES PROJECT,
CENTRE FOR COMMUNITY MEDICINE,
A.I.I.M.S., NEW DELHI-110029



No F. CRHSP-AIIMS Blb/2270

Dated 19/08/2025

Subject: Invite for tender for condemnation of non-consumable items at CRHSP Ballabgarh.

This is to invite for tender for condemnation of non-consumable items at CRHSP Ballabgarh under the Centre for Community Medicine, AIIMS New Delhi.


The list of items includes is attached. The total evaluated price for the listed items is ₹6,65,732/- (Rupees Six Lakh Sixty-Five Thousand Seven Hundred Thirty-Two only), excluding the vehicles (one bus and two cars) which are to be condemned separately through a government-authorized vehicle scrapping facility. The condemnation and disposal process shall be carried out in accordance with the government guidelines and terms and conditions (attached). We will accept the tenders till 15 days from the date of uploading this letter.

Thanks, and Regards


Dr. Mohan Lal Bairwa
Associate Professor
CRHSP Ballabgarh
सह-आचार्य/Associate Professor
व्यापक ग्रामीण स्वास्थ्य योजना, बल्लभगढ़
C.R.H.S. Project, Ballabgarh
सामुदायिक चिकित्सा विज्ञान केन्द्र
Centre for Community Medicine
अ.भा.आ.सं./A.I.I.M.S.
नई दिल्ली/New Delhi-110029

Attachment

- Terms and Conditions
- List of items


Dr. Puneet Misra
Professor In-Charge
CRHSP Ballabgarh
डॉ. पुनीत मिश्रा
Dr. Puneet Misra
आचार्य-प्रभारी/Professor-in-Charge
व्या.ग्रा.स्वा.से.परि.-एम्स, बल्लभगढ़
CRHSP-AIIMS, Ballabgarh
अ.भा.आ.सं., नई दिल्ली/AIIMS, New Delhi

**COMPREHENSIVE RURAL HEALTH SERVICES PROJECT,
CENTRE FOR COMMUNITY MEDICINE,
A.I.I.M.S., NEW DELHI-110029**

Terms and Conditions:-

1. The tenderer must thoroughly read the terms and conditions of the list.
2. On confirmation of the sale to the highest bidder/tenderer, the payment of the amount is to be made within 5 days of receipt of the Sale Order (Confirmation of Sale).
3. Within 5 days of receipt of the Sale Order/Confirmation of Sale, the amount shall be deposited in the bank either in cash or through a Demand Draft/Pay Order in favor of the Director AIIMS.
4. The removal of the materials to be done by Crossed Account Payee Demand Draft only. Their removal shall be made on the delivery advice in favor of the Director AIIMS. Delivery order shall be issued to the tenderer/bidder only after payment of full amount including all applicable taxes.

5. From CRHSP Ballabgarh:-

- No item/change in loading/delivery of the condemned items will be permitted in the course of lifting of materials. The charges to load, pack, lift and transport the materials will be borne by the vendor. In case, the successful bidder placed fails to lift the auctioned materials within the time stipulated in the schedule time, this office shall not take responsibility for any deterioration of the articles.
6. No damage shall be caused to the existing property of this office or any other offices in the compound while removing the auctioned articles. Any loss/damage to the property of this office or any other neighboring offices, caused during lifting by the successful bidder or his authorized representative shall be made good by the successful bidder and he will be indemnified.
 7. If the buyer is not personally taking the delivery of the material, then through a Representative, he must authorize the latter clearly by him, through a paper of authority, with duly attested signature and photo identity proof. The CRHSP

Ballabgarh shall not entertain any responsibility as to the identity of the Representative at the time of taking delivery.

8. Company to decide the material to be lifted is at the discretion of the authorized representative.
9. Materials shall be removed under the supervision of designated officers of the office. Materials shall be removed within the time stipulated in acceptance time. No extension of time will be permitted under normal circumstances. However, extension of time may be granted by this office under satisfactory reasons for such delay if given in writing by the successful tenderer. Delay, beyond the stipulated time, may entail cancellation of the order.
10. Successful tenderers shall have to lift their approved lots within two (2) working days from the issue of the gate pass by Stores Section of CRHSP Ballabgarh. Lifting of the goods shall be done during working hours, between 10:00 AM to 04:00 PM (Monday to Friday) and up to 12:00 PM on Saturdays. Lifting of the goods by tenderer(s) will not be permitted on Sunday and Govt. holidays.
11. In the breach of any of these terms & conditions, the same shall be determined. Blacklisted for future years from CRHSP Ballabgarh and other legal action may also be initiated.
12. CRHSP Ballabgarh will not be in any way responsible for failure to deliver the materials within the specified period due to reasons such as strikes, cessation of labour, shortened hours of labor, fire, act of God or any cause or contingency whatsoever. The buyer shall not be entitled to make any claim for loss or damage.
13. Compliance with Law:

All the bidders shall ensure compliance with the provisions contained under e-waste management and handling rules, 2017, Batteries (Management and Handling) Rules and other guideline issued by Government for its disposal/recycling in an environment-friendly manner.

**COMPREHENSIVE RURAL HEALTH SERVICES PROJECT,
CENTRE FOR COMMUNITY MEDICINE,
A.I.I.M.S., NEW DELHI-110029**

File no : F.No. CRHSP-AIIMS BLB/2270

Name of the party in whose : _____
favor the tender form _____
has been issued _____

The
Professor In-Charge,
CRHSP, Ballabgarh,
AIIMS, New Delhi,
Haryana-121004.

(SEAL OF THE OFFICER)

Dear Sir,

1. I/We hereby submits our tender for the disposal of **Condemned of Non-Consumable items at CRHSP, Ballabgarh(AIIMS) Store.**
2. I/WE now enclosing herewith the FDR/Bank Guarantee/D.D. No..... dated... for Rs. 15,000/- drawn in favor of the "DIRECTOR, AIIMS, NEW DELHI" towards EMD/Bid Security. **Tenders not accompanied with EMD/Bid Security shall be summarily rejected.**
3. I/We hereby agree to all the terms and conditions, stipulated by the AIIMS, (enclosed) in this connection including delivery, penalty etc.
4. I/We have noted that over written entries shall be deleted unless duly out & re-written and initialed. Tenders are duly signed (No thumb impression should be affixed).
5. I/We undertake to sign the contract/agreement if required within 10 (Ten days) from the issue of the letter of acceptance, failing which our/my security money deposited may be forfeited and our/my name may be removed from the list of suppliers at the AIIMS New Delhi-29.
6. I/We have gone through all terms and conditions of the tender documents before submitted the same.

NOTE: ALL TERMS & CONDITIONS SUCH AS RATES AND TAXES ETC HAS BEEN INDICATED SEPARATLY IN THE QUOTATION.

Yours faithfully,
Signature of Tenderer with full Address.

Annexure-1

Sr. No.	Description of Items	Year of Purchase/ Installation	Total Qty.	Original Unit Cost each item in Rupees	Total Cost	Sr. No and Page No. of Stock Register details/Date of Receiving	Reasons of condemnation/whether Unserviceable/Obsolete /Surplus/Scrap/Beyond Economic Repair/ Condemnation Certificates issued by CTO(CWS)/C.F. in case of computer related items must be enclosed	Details of head under which the item was purchased & Funds were booked. (Whether M &E or (M &S)	Unit Reserve Price	Total Price	Reserve Price (Approx. Value in Rupees	Remarks, if any
1	2	3	4	5	6	7	8	9	10	11	12	
1	Office Almira	07.09.2007	1	3970	3970	P-002/2	Not repairable & not usable	M&E	397	397	397	Ward
2	Office Almira	03.03.2011	1	6131	6131	P-002/2	Not repairable & not usable	M&E	613	613	613	Ward
3	Office Almira	08.12.2012	4	6131	24524	P-002/2	Not repairable & not usable	M&E	613	2452	2452	Ward
4	Office Almira	23.01.2013	3	6131	18393	P-002/2	Not repairable & not usable	M&E	613	1839	1839	Ward
5	BP Apparatus Digital	20.09.2013										
6	BP Apparatus Digital	17.11.2015	17	2170	36890	P-011/2	Not repairable & not usable	M&E	100	1700	1700	Ward
7	BP Apparatus Digital	31.03.2016										
8	BP Apparatus Digital	09.01.2017										
9	BP Apparatus Aneroid	23.12.2012	5	1800	9000	P-012/2	Not repairable & not usable	M&E	100	500	500	Ward
10	BP Apparatus Aneroid	13.02.2019										
11	Bio Waste Trolley	06.04.2015	2	10900	21800	P-017/2	Not repairable & not usable	M&E	545	1090	1090	Ward
12	Chair Revolving	20.07.2018	7	4240	29680	P-024/2	Not repairable & not usable	M&E	210	1470	1470	Ward
13	Crash Cart	07.04.2014	1	19000	19000	P-029/2	Not repairable & not usable	M&E	1900	1900	1900	Ward
14	Office Table	06.04.2015	2	5750	11500	P-087/2	Not repairable & not usable	M&E	350	700	700	Ward
15	Electrical Insect Killer	05.10.2015	2	1500	3000	P-043/2	Not repairable & not usable	M&E	100	200	200	Ward
16	Fetal Doppler	31.03.2015	3	7200	21600	P-048/2	Not repairable & not usable	M&E	720	2160	2160	Ward
17	Hemocue Machine	06.05.2015	3	22000	66000	P-054/2	Not repairable & not usable	M&E	2200	6600	6600	Ward
18	Hemocue Machine	27.05.2016	3	22000	66000	P-054/2	Not repairable & not usable	M&E	2200	6600	6600	Ward
19	Instrument Trolley	06.04.2015										
20	Instrument Trolley	18.03.2017	3	5100	15300	P-056/2	Not repairable & not usable	M&E	500	1500	1500	Ward

ANS

Subham

Mehar

15/5/20

21	SS Kidney Tray	04.01.2018	5	400	2000	P-065/2	Not repairable & not usable	M&E	40	200	200	Ward
22	Lock	03.05.2018	10	50	500	P-066/2	Not repairable & not usable	M&E	5	50	50	Ward
23	LED TV	13.12.2017	2	39500	79000	P-069/2	Not repairable & not usable	M&E	400	800	800	Ward
24	Nebulizer Machine	15.07.2016	3	16000	48000	P-076/2	Not repairable & not usable	M&E	1600	4800	4800	Ward
25	Oxygen Cylinder (D Type)	30.03.2008	3	10425	31275	P-078/2	Not repairable & not usable	M&E	1000	3000	3000	Ward
26	Oxygen regulator with flow meter	21.12.2018	20	545	10900	P-082/2	Not repairable & not usable	M&E	27	540	540	Ward
27	Oxygen regulator with flow meter	06.08.2021										
28	Pulse Oximeter	17.09.2014	4	799	3196	P-089/2	Not repairable & not usable	M&E	50	200	200	Ward
29	Plastic Chair Cushion	08.12.2017	1	300	300	P-090/2	Not repairable & not usable	M&E	15	15	15	Ward
30	Patient Plastic Chair	03.10.2019	60	300	18000	P-093/2	Not repairable & not usable	M&E	15	900	900	Ward
31	Radiant Warmer	21.01.2014	1	95000	95000	P-098/2	Not repairable & not usable	M&E	950	950	950	Ward
32	Revolving Stool	21.12.2018	3	2500	7500	P-099/2	Not repairable & not usable	M&E	125	375	375	Ward
33	SS Drum	06.08.2018	4	1200	4800	P-105/2	Not repairable & not usable	M&E	60	240	240	Ward
34	Needle Destroyer	16.08.2017	3	760	2280	P-108/2	Not repairable & not usable	M&E	38	114	114	Ward
35	SS Tray(Assorted)	06.08.2018	2	800	1600	P-110/2	Not repairable & not usable	M&E	40	80	80	Ward
36	Steel Bench	23.01.2013	3	12000	36000	P-111/2	Not repairable & not usable	M&E	600	1800	1800	Ward
37	Stabilizer	31.03.2016	5	10644	53220	P-115/2	Not repairable & not usable	M&E	1064	5320	5320	Ward
38	Infrared Thermometer	06.07.2020	4	8900	35600	P-131/2	Not repairable & not usable	M&E	100	400	400	Ward
39	Infrared Thermometer	17.09.2020										
40	Single Surface Phototherapy Machine	22.08.2015	2	196875	393750	P-182/1	Not repairable & not usable	M&E	1968	3936	3936	Ward
41	Artery Forceps	31.05.2019	77	1050	80850	P-001/2	Not repairable & not usable	M&E	10	770	770	Ward
42	Artery Forceps	06.07.2020										
43	Epistiotomy Scissor	19.01.2017	30	550	16500	P-042/2	Not repairable & not usable	M&E	10	300	300	Ward
44	Epistiotomy Scissor	31.05.2019										
45	Kocher Forceps	29.05.2019	32	825	26400	P-064/2	Not repairable & not usable	M&E	10	320	320	Ward
46	Kocher Forceps	06.07.2020										
47	Sponge Holding Forceps	13.04.2021	35	500	17500	P-101/2	Not repairable & not usable	M&E	10	350	350	Ward












48	Scissor Straight	06.07.2020	22	800	17600	P-102/2	Not repairable & not usable	M&E	10	220	220	Ward
49	Tooth Forceps	29.05.2019	15	350	5250	P-36/2	Not repairable & not usable	M&E	5	75	75	Ward
50	Sanitizer Dispenser	17.09.2020	1	7070	7070	132/2	Not repairable & not usable	M&E	300	300	300	Ward
51	Fumigation Machine	28.12.2018	1	17200	17200	P-96	Not repairable & not usable	M&E	860	860	860	Ward
52	Fumigation Machine	23.11.2020	1	17200	17200	P-96	Not repairable & not usable	M&E	860	860	860	Ward
53	Photocopier	30.11.2018	1	399880	399880	P-96/2	Not repairable & not usable	M&E	3998	3998	3998	Ward
54	Suction Machine	05.08.2016	1	11500	11500	P-001/2	Not repairable & not usable	M&E	575	575	575	Ward
55	ECG Machine	01.07.2016	1	39500	39500	P-71/5	Not repairable & not usable	M&E	1600	1600	1600	Ward
56	CPU Acer-with Monitor	09.12.2015	2	38266	76532	P-033/1	Not repairable & not usable	M&E	1000	2000	2000	Ward
57	CPU Acer-with Monitor	09.12.2015	1	37475	37475	P-033/1	Not repairable & not usable	M&E	1000	1000	1000	Ward
58	CPU Acer-with Monitor (HP)	09.12.2015	1	38266	38266	P-033/1	Not repairable & not usable	M&E	1000	1000	1000	Ward
59	Printer (Samsung-ML-2161)	27.05.2016	1	4783	4783	P-094/1	Not repairable & not usable	M&E	100	100	100	Ward
60	Printer (Samsung-ML-2161)	23.01.2013	1	4050	4050	P-094/1	Not repairable & not usable	M&E	100	100	100	Ward
61	Printer (Samsung-ML-2161)	16.10.2017	1	4752	4752	P-094/1	Not repairable & not usable	M&E	100	100	100	Ward
62	UPS	30.11.2018	2	4223	8446	P-119/1	Not repairable & not usable	M&E	200	400	400	Ward
63	UPS	09.12.2015	1	4223	4223	P-119/1	Not repairable & not usable	M&E	200	200	200	Ward
64	UPS	06.04.2015	1	4223	4223	P-119/1	Not repairable & not usable	M&E	200	200	200	Ward
65	Almirah Godrej	25.05.2015	11	6740	74140	P-1	Not repairable & not usable	M&E	674	7414	7414	Casualty
66	Almirah Godrej	03.01.2019					Not repairable & not usable					
67	Audit Ambu Bag	01.04.2014	1	1600	1600	P-2	Not repairable & not usable	M&E	20	20	20	Casualty
68	Peads Ambu Bag	01.04.2014	1	1200	1200	P-3	Not repairable & not usable	M&E	20	20	20	Casualty
69	B. P. Apparatus	16.03.2021	8	1789.94	14319.52	P-11	Not repairable & not usable	M&E	100	800	800	Casualty
70	B. P. Apparatus	15.05.2019	5	977.68	4888.4	P-11	Not repairable & not usable	M&E	100	500	500	Casualty
71	B. P. Apparatus	26.07.2019	5	977.68	4888.4	P-11	Not repairable & not usable	M&E	100	500	500	Casualty
72	B. P. Apparatus	01.12.2020	3	977.68	2933.0	P-11	Not repairable & not usable	M&E	100	300	300	Casualty

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

73	B. P. Apparatus	08.02.2021	2	1789.94	3579.8	P-11	Not repairable & not usable	M&E	120	240	240	Casualty
74	B. P. Apparatus	17.12.2021	15	1800	27000	P-11	Not repairable & not usable	M&E	100	1500	1500	Casualty
75	Revolving Chair	16.03.2017	8	4240	33920	P-20	Not repairable & not usable	M&E	212	1696	1696	Casualty
76	Revolving Chair	04.09.2018	3	5990	17970	P-20	Not repairable & not usable	M&E	212	636	636	Casualty
77	UPS KVA	26.07.2019	2	4242	8484	P-27	Not repairable & not usable	M&E	200	400	400	Casualty
78	Office Table	04.09.2018	1	5750	5750	P-29	Not repairable & not usable	M&E	287	287	287	Casualty
79	Office Table	03.01.2019	2	7240	14480	P-29	Not repairable & not usable	M&E	362	724	724	Casualty
80	Examination Table	30.09.2019	3	13500	40500	P-35	Not repairable & not usable	M&E	650	1950	1950	Casualty
81	Nebulizer Machine	21.03.2020	1	27500	27500	P-43	Not repairable & not usable	M&E	1375	1375	1375	Casualty
82	Bio Waste Trolley	25.05.2015	1	10900	10900	P-45	Not repairable & not usable	M&E	545	545	545	Casualty
83	Oil Heater	18.02.2018	2	8145	16290	P-49	Not repairable & not usable	M&E	500	1000	1000	Casualty
84	Plastic Chair	08.01.2020	10	672	6720	P-50	Not repairable & not usable	M&E	34	340	340	Casualty
85	Plastic Chair	26.06.2021	5	672	3360	P-50	Not repairable & not usable	M&E	34	340	340	Casualty
86	Lock	17.06.2019	10	54	540	P-59	Not repairable & not usable	M&E	5	50	50	Casualty
87	Suction Machine	15.10.2015	1	19000	19000	P-66	Not repairable & not usable	M&E	800	800	800	Casualty
88	SS Drum	26.07.2019	1	1420	1420	P-68	Not repairable & not usable	M&E	70	70	70	Casualty
89	Needle Destroyer	09.04.2018	1	760	760	P-69	Not repairable & not usable	M&E	40	40	40	Casualty
90	Needle Destroyer	04.09.2018	1	760	760	P-69	Not repairable & not usable	M&E	40	40	40	Casualty
91	Patient Trolley	16.11.2019	5	14500	72500	P-70	Not repairable & not usable	M&E	725	3625	3625	Casualty
92	SS Scissors	12.01.2020	5	800	4000	P-71	Not repairable & not usable	M&E	20	100	100	Casualty
93	O2 Regulator with Flow Meter	31.08.2017	12	545	6540	P-80	Not repairable & not usable	M&E	50	600	600	Casualty
94	O2 Regulator with Flow Meter	03.01.2019										
95	O2 Regulator with Flow Meter	08.02.2021										
96	O2 Regulator with Flow Meter	26.06.2021										

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

121	Infantometer	23.03.2022	1	5428	5428	P-68	Not repairable & not usable	M&E	270	270	270	CWC
122	Pulse Oximeter Finger	01.06.2021	1	1656	1656	P-1	Not repairable & not usable	M&E	10	10	10	CWC
123	Plastic Chair	10.04.2010	2	438	876	P-13	Not repairable & not usable	M&E	15	30	30	CWC
124	Chair Executive Revolving	18.08.2017	4	4290	17160	P-14	Not repairable & not usable	M&E	150	600	600	CWC
125	Chair Executive Revolving	09.05.2019	3	5990	17970	P-14	Not repairable & not usable	M&E	150	450	450	CWC
126	Printer Samsung (Pro) (M3820ND)	14.11.2018	1	14264	14264	P-22	Not repairable & not usable	M&E	500	500	500	CWC
127	Printer Samsung (Pro) (M3820ND)	18.02.2019	2	14264	28528	P-74	Not repairable & not usable	M&E	500	1000	1000	CWC
128	Toshiba Printer	20.12.2018	1	338028	338028	P-74	Not repairable & not usable	M&E	5000	5000	5000	CWC
129	CPU (Acer) & Monitor	09.07.2013	1	38266	38266	P-21	Not repairable & not usable	M&E	1000	1000	1000	CWC
130	CPU (Acer) & Monitor	12.08.2015	1	38266	38266	P-21	Not repairable & not usable	M&E	1000	1000	1000	CWC
131	CPU (Acer) & Monitor	04.12.2015	1	38266	38266	P-21	Not repairable & not usable	M&E	1000	1000	1000	CWC
132	UPS	14.11.2018	1	4223	4223	P-60	Not repairable & not usable	M&E	200	200	200	CWC
133	UPS	20.08.2019	4	4223	16892	P-60	Not repairable & not usable	M&E	200	800	800	CWC
134	LED Panasonic	30.01.2017	1	39500	39500	P-25	Not repairable & not usable	M&E	1000	1000	1000	CWC
135	Fowler Bed	20.01.2005	1	7470	7470	P-6	Not repairable & not usable	M&E	400	400	400	USG (Radiology)
136	Visiting Chair	20.11.2015	1	1900	1900	P-24	Not repairable & not usable	M&E	70	70	70	USG (Radiology)
137	Revolving Chair	02.01.2015	1	5990	5990	P-7	Not repairable & not usable	M&E	150	150	150	USG (Radiology)
138	Office Table	10.05.1995	1	350	350	P-9	Not repairable & not usable	M&E	35	35	35	X-Ray (Radiology)
139	Locks	27.02.2017	3	50	150	P-44	Not repairable & not usable	M&E	5	15	15	X-Ray (Radiology)
140	Samsung Printer	14.05.2016	1	4750	4750	P-45	Not repairable & not usable	M&E	500	500	500	X-Ray (Radiology)

141	X-Ray Cassette with Screen (10"x12")	28.03.2003	2	2383	4766	P-10	Not repairable & not usable	M&E	125	250	250	X-Ray (Radiology)
142	Examination Revolving Stool (with DR System)	19.05.2014	1	4590	4590	P-27	Not repairable & not usable	M&E	150	150	150	X-Ray (Radiology)
143	Godrej Revolving Chair (with DR System)	19.05.2014	2	4290	8580	P-32	Not repairable & not usable	M&E	150	300	300	X-Ray (Radiology)
144	UPS Offline BP-1010	20.11.2015	1	3990	3990	P-43	Not repairable & not usable	M&E	200	200	200	X-Ray (Radiology)
145	UPS Offline BP-1010	18.02.2016	1	3990	3990	P-43	Not repairable & not usable	M&E	200	200	200	X-Ray (Radiology)
146	UPS Offline BP-1010	09.02.2018	1	3990	3990	P-43	Not repairable & not usable	M&E	200	200	200	X-Ray (Radiology)
147	UPS 2 KVA (with DR System)	31.01.2014	2	18729	37458	P-56	Not repairable & not usable	M&E	2000	4000	4000	X-Ray (Radiology)
148	Modular Compactor (one Set)	25.11.2014	1	106700	106700	P-129	Not repairable & not usable	M&E	10000	10000	10000	X-Ray (Radiology)
149	Steel Benches	31.08.2018	8	7100	56800	P-93	Not repairable & not usable	M&E	700	5600	5600	OPD
150	Examination Table	28.08.2012	4	3940	15760	P-33	Not repairable & not usable	M&E	1000	4000	4000	OPD
151	Wheel Chair	03.02.2018	1	4990	4990	P-107	Not repairable & not usable	M&E	400	400	400	OPD
152	Revolving Stool	08.04.2015	8	2366	18928	P-80	Not repairable & not usable	M&E	150	1200	1200	OPD
153	Revolving Stool	01.09.2017	5	2366	11830	P-80	Not repairable & not usable	M&E	150	750	750	OPD
154	Folding Screen	17.01.2012	2	2170	4340	P-83	Not repairable & not usable	M&E	200	400	400	OPD
155	Revolving Stool	01.09.2017	2	4590	9180	P-75	Not repairable & not usable	M&E	150	300	300	OPD
156	Stretcher	03.02.2018	1	7800	7800	P-91	Not repairable & not usable	M&E	725	725	725	OPD
157	Gynae Examination Table	09.04.2012	1	3940	3940	P-46	Not repairable & not usable	M&E	400	400	400	OPD
158	Instrument Trolley	08.04.2015	1	5100	5100	P-51	Not repairable & not usable	M&E	510	510	510	OPD
159	Sterilizing Steel Drum (Big)	12.04.2021	6	3200	19200	P-83	Not repairable & not usable	M&E	320	1920	1920	OPD
160	Sterilizing Steel Drum (Medium)	31.10.2018	4	965	3860	P-83	Not repairable & not usable	M&E	90	360	360	OPD

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

161	Sterilizing Steel Drum (Small)	12.04.2021	2	772	1544	P-93	Not repairable & not usable	M&E	70	140	140	OPD
162	X-Ray View Box	08.04.2015	4	11151	44604	P-109	Not repairable & not usable	M&E	222	888	888	OPD
163	Cuscos Vaginal Speculum	07.05.2015	2	800	1600	P-27	Not repairable & not usable	M&E	20	40	40	OPD
164	Foot Step	16.05.2007	2	927	1854	P-45	Not repairable & not usable	M&E	92	184	184	OPD
165	Heamoue Machine 201	31.08.2016	1	22000	22000	P-49	Not repairable & not usable	M&E	400	400	400	OPD
166	B. P. Apparatus	27.03.2017	1	915	915	P-9	Not repairable & not usable	M&E	100	100	100	OPD
167	B. P. Apparatus	13.01.2018	1	915	915	P-9	Not repairable & not usable	M&E	100	45	45	OPD
168	B. P. Apparatus (with stand Bio plus)	10.06.2019	4	3111	12444	P-9	Not repairable & not usable	M&E	150	600	600	OPD
169	B. P. Apparatus	16.08.2019	2	977	1954	P-9	Not repairable & not usable	M&E	100	200	200	OPD
170	B. P. Apparatus	13.03.2020	10	977	9770	P-9	Not repairable & not usable	M&E	100	1000	1000	OPD
171	B. P. Apparatus	29.06.2020	5	977	4885	P-9	Not repairable & not usable	M&E	100	500	500	OPD
172	B. P. Apparatus	16.03.2021	2	1769	3538	P-9	Not repairable & not usable	M&E	100	200	200	OPD
173	BMI Machine	16.03.2015	1	95000	95000	P-15	Not repairable & not usable	M&E	5000	5000	5000	OPD
174	Extraction Forceps Upper and Lower	15.06.2007	10	650	6500	P-32	Not repairable & not usable	M&E	32	320	320	OPD
175	Slit Lamp Machine	19.07.2014	1	601776	601776	P-87	Not repairable & not usable	M&E	3000	3000	3000	OPD
176	NCT Machine	03.05.2017	1	376740	376740	P-114	Not repairable & not usable	M&E	2000	2000	2000	OPD
177	Vision Box	31.03.2014	1	3450	3450	P-13	Not repairable & not usable	M&E	150	150	150	OPD
178	Revolving Chair	03.02.2018	5	4200	21000	P-75	Not repairable & not usable	M&E	150	750	750	OPD
179	ECG Machine	31.08.2016	1	39500	39500	P-37	Not repairable & not usable	M&E	800	800	800	OPD
180	Coscos Vaginal Speculum	07.05.2015	11	700	7700	P-78	Not repairable & not usable	M&E	20	220	220	OPD
181	Revolving Chair	06.02.2019	8	4590	36720	P-75	Not repairable & not usable	M&E	150	1200	1200	OPD
182	Iron Almirah	06.02.2019	1	7100	7100	P-90	Not repairable & not usable	M&E	600	600	600	OPD
183	Steel Benches	17.10.2019	11	26970	296670	P-93	Not repairable & not usable	M&E	1000	11000	11000	OPD
184	Instrument Trolley	04.02.2019	3	14970	44910	P-51	Not repairable & not usable	M&E	510	1530	1530	OPD

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

185	Examination Table	17.10.2019	10	13500	135000	P-33	Not repairable & not usable	M&E	1000	10000	10000	OPD
186	Iron Stool	02.01.2019	5	2740	13700	P-80	Not repairable & not usable	M&E	150	750	750	OPD
187	Stretcher	03.02.2018	1	14000	14000	P-91	Not repairable & not usable	M&E	400	400	400	OPD
188	Foot Step	06.02.2020	8	3940	31520	P-45	Not repairable & not usable	M&E	100	800	800	OPD
189	Wheel Chair	03.02.2018	2	22400	44800	P-107	Not repairable & not usable	M&E	400	800	800	OPD
190	Hemocue Machine 201	16.08.2019	3	24720	74160	P-49	Not repairable & not usable	M&E	400	1200	1200	OPD
191	Spirolab Machine	30.10.2017	1	124900	124900	P-97	Not repairable & not usable	M&E	2500	2500	2500	OPD
192	Foetal Droptler	27.01.2023	3	6980	20940	P-44	Not repairable & not usable	M&E	350	1050	1050	OPD
193	Plaster Cutter Machine	01.01.2016	1	4300	4300	P-73	Not repairable & not usable	M&E	430	430	430	OPD
194	Endomotor	20.09.2022	2	7950	15900	P-137	Not repairable & not usable	M&E	100	200	200	OPD
195	Lown Mover Machine	2014	3	34099	102297	P-22	Not repairable & not usable	M&E	2500	7500	7500	ESD
196	Revolving Chair	2015	5	4590	22950	P-14	Not repairable & not usable	M&E	150	750	750	ESD
197	Eight Locker	2010	1	7170	7170	P-51	Not repairable & not usable	M&E	600	600	600	ESD
198	Motorcycle	2009	1	42560	42560	P-94	Not repairable & not usable	M&E	4000	4000	4000	ESD
199	CPU (HP)	15.05.2014	1	48000	48000	P-96	Not repairable & not usable	M&E	1000	1000	1000	Store
200	CPU & Monitor(Acer)	02.05.2009	1	24000	24000	P-50	Not repairable & not usable	M&E	1000	1000	1000	Store
201	Printer	21.11.2014	1	8540	8540	P-105	Not repairable & not usable	M&E	220	220	220	Store
202	UPS	17.03.2012	1	1990	1990	P-98	Not repairable & not usable	M&E	200	200	200	Store
203	UPS	16.12.2014	1	1990	1990	P-73	Not repairable & not usable	M&E	200	200	200	Store
204	UPS	03.11.2016	1	3990	3990	P-45	Not repairable & not usable	M&E	200	200	200	Store
205	Samsung Tablet	09.04.2021	3	11119	33357	P-132	Not repairable & not usable	M&E	100	100	100	Store (PHC Dayalpur)
206	Office Almira	02.03.2015	2	6740	13480	P-22	Not repairable & not usable	M&E	600	1200	1200	Store
207	Revolving Chair	22.11.2019	2	5990	11980	P-19	Not repairable & not usable	M&E	200	200	200	Store
208	Visitor Chair	05.02.2019	5	4990	24950	P-26	Not repairable & not usable	M&E	100	500	500	Store
209	Office Table	13.06.2015	2	5750	11500	P-27	Not repairable & not usable	M&E	150	300	300	Store

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

210	Body Composition Analyzer	31.10.2013	1	25000	25000	P-152	Not repairable & not usable	M&E	300	300	300	Store
211	Open Rack Iron	20.02.2020	6	11790	70740	P-108	Not repairable & not usable	M&E	600	3600	3600	Store
212	Printer-3320	26.04.2018	10	14264	142640	P-118	Not repairable & not usable	M&E	200	1200	1200	Store
213	Oxygen, Nitrus Oxide Vacuum Pipeline System	26.12.2006	1	Haryana Govt.	HR	P-172	Not repairable & not usable	M&E	5000	5000	5000	Store
214	Oxygen Cylinder Mo2-990380	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
215	Oxygen Cylinder Co2-79013	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
216	Oxygen Cylinder O2-905735	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
217	Oxygen Cylinder O2-410666	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
218	Oxygen Cylinder O2-52289	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
219	Oxygen Cylinder O2-11714	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
220	Oxygen Cylinder O2-38909	09.08.2007	1	10425	10425	P-193	Not repairable & not usable	M&E	1000	1000	1000	Store
221	TATA Bus HR38P6569	26.05.2009	1	779593	779593	P-89	As per Govt. policy	M&E	90000	90000	90000	Store
222	Inova DL10CG1171	26.05.2014	1	AIIMS	AIIMS	P-13	As per Govt. policy	M&E	70000	70000	70000	Store
223	Inova DL10CG1172	26.05.2014	1	AIIMS	AIIMS	P-13	As per Govt. policy	M&E	70000	70000	70000	Store
224	Suction Machine	16.7.2014	4	19000	76000	P-154	Not repairable & not usable	M&E	2000	200	2000	Store
225	LED-LG	02.09.2014	1	57096	57096	P-25	Not repairable & not usable	M&E	1000	1000	1000	Store
226	Oil Heater	12.11.2014	10	8145	81450	P-34	Not repairable & not usable	M&E	300	3000	3000	Store
227	Oil Heater	20.12.2018	2	8145	16290	P-103	Not repairable & not usable	M&E	300	600	600	Store

Dr. N. N. Singh

Dr. N. N. Singh

Dr. N. N. Singh

Dr. N. N. Singh

Dr. N. N. Singh

Dr. N. N. Singh

Dr. N. N. Singh

228	Office Almira	31.10.2014	1	19400	19400	P-10	Not repairable & not usable	M&E	600	600	600	Store
229	Computer Set (HP)	19.3.2014	12	48000	576000	P-96	Not repairable & not usable	M&E	1000	12000	12000	Store
230	Computer Set (Accer)	30.04.2009	4	37475	149900	P-90	Not repairable & not usable	M&E	1000	4000	4000	Store
231	Computer Set (Accer)	28.02.2011	4	37475	149900	P-94	Not repairable & not usable	M&E	1000	4000	4000	Store
232	Computer Set (Accer)	13.08.2012	4	37475	149900	P-94	Not repairable & not usable	M&E	1000	4000	4000	Store
233	Computer Set (Dell)	11.09.2015	5	51401	257005	P-110	Not repairable & not usable	M&E	1000	5000	5000	Store
234	Computer Set (HCL)	23.06.2008	7	40417	282919	P-71	Not repairable & not usable	M&E	1000	7000	7000	Store
235	Printer (Samsung-2161)	16.08.2016	8	4752	38016	P-115	Not repairable & not usable	M&E	200	1600	1600	Store
236	Printer (Samsung)	12.12.2017	7	14264	99848	P-118	Not repairable & not usable	M&E	200	1400	1400	Store
237	Printer (Samsung-3820)	14.03.2019	6	39950	239700	P-125	Not repairable & not usable	M&E	200	1200	1200	Store
238	Printer (Samsung-3820 ND)	17.08.2022	2	33779	67558	P-129	Not repairable & not usable	M&E	200	400	400	Store
239	Insect Killer	30.11.2006	3	1440	4320	P-166	Not repairable & not usable	M&E	60	180	180	Store
240	X-Ray View Box	27.11.2007	3	3500	10500	P-65	Not repairable & not usable	M&E	50	150	150	Store
241	Office Almira	17.12.2012 & 27.4.2016	10	19400	194000	P-10	Not repairable & not usable	M&E	600	6000	6000	Store/Office Ballabgarh
242	Lock	26.09.2019	20	50	1000	P-125	Not repairable & not usable	M&E	5	100	100	Store/Office Ballabgarh
243	UPS	28.07.2014	11	4424	48664	P-122	Not repairable & not usable	M&E	200	2200	2200	Store/Office Ballabgarh
244	UPS	02.11.2018	14	4223	59122	P-127	Not repairable & not usable	M&E	200	2800	2800	Store/Office Ballabgarh
245	UPS	14.03.2019	3	4223	12669	P-127	Not repairable & not usable	M&E	200	600	600	Store/Office Ballabgarh
246	UPS	08.09.2021	3	5496	16488	P-74	Not repairable & not usable	M&E	200	600	600	Store/Office Ballabgarh
247	UPS	17.08.2022	4	5496	21984	P-130	Not repairable & not usable	M&E	200	800	800	Store/Office Ballabgarh
248	Executive Chair	28.03.2013	14	4600	64400	P-85	Not repairable & not usable	M&E	150	2100	2100	Office Ballabgarh

249	Refrigerator -185 Ltrs.	17.08.2010	1	9500	9500	P-165	Not repairable & not usable	M&E	1000	1000	1000	Office
250	Photocopier Machine	3.12.2018	1	399880	399880	P-104	Not repairable & not usable	M&E	5000	5000	5000	Office
251	LED L.G.	02.09.2014	1	57096	57096	P-25	Not repairable & not usable	M&E	300	300	300	Office
252	Sanitizer Dispenser	21.08.2020	1	8970	8970	P-122	Not repairable & not usable	M&E	150	150	150	Office
253	Printer-2161	16.10.2017	5	4752	23760	P-115	Not repairable & not usable	M&E	100	500	500	Office
254	Printer-2161	09.02.2018	4	4752	19008	P-115	Not repairable & not usable	M&E	100	500	500	Office
255	Plastic Chair	04.09.2020	4	657	2628	P-29	Not repairable & not usable	M&E	15	60	60	Office
256	Revolving Chair	19.02.2020	4	14990	59960	P-20	Not repairable & not usable	M&E	150	600	600	Office
257	UPS	02.11.2018	1	4223	4223	P-122	Not repairable & not usable	M&E	200	200	200	Office
258	CPU & Monitor(Acer)	03.03.2018	1	38266	38266	P-111	Not repairable & not usable	M&E	1000	1000	1000	Office
259	CPU & Monitor(Acer)	28.08.2015	3	38266	114798	P-111	Not repairable & not usable	M&E	1000	3000	3000	Office
260	Printer	28.08.2015	1	4783	4783	P-111	Not repairable & not usable	M&E	100	100	100	Office
261	UPS	28.08.2015	1	4223	4223	P-111	Not repairable & not usable	M&E	200	200	200	Office
262	UPS	02.08.2018	6	4223	25338	P-111	Not repairable & not usable	M&E	200	1200	1200	Office
263	Printer	02.08.2018	1	4783	4783	P-111	Not repairable & not usable	M&E	100	100	100	Office
264	Office Table	13.01.2016	1	5750	5750	P-84	Not repairable & not usable	M&E	150	150	150	Office
265	Office Table	24.01.2018	3	5750	17250	P-84	Not repairable & not usable	M&E	150	150	150	Office

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

266	Chair	31.03.2016	16	14990	239840	P-85	Not repairable & not usable	M&E	150	2400	2400	Seminar Room
267	Screen, Projector and Computer	01.03.2016	1	162310	162310	P-116	Not repairable & not usable	M&E	2500	2500	2500	Seminar Room
268	Almirah (Steel)	29.01.2011	4	5790	23160	NCR(Hostel)-1	Not repairable & not usable	M&E	600	2400	2400	Hostel/Mess
269	Bed-Steel (Single)	12.10.1994	16	6001	96016	NCR(Hostel)-2	Not repairable & not usable	M&E	600	9600	9600	Hostel/Mess
270	Chair- Plastic	16.04.2010 & 18.02.2013	16	438	7008	NCR(Hostel)-7	Not repairable & not usable	M&E	15	240	240	Hostel/Mess
271	Table	13.07.2009	9	2559	23031	NCR(Hostel)-17	Not repairable & not usable	M&E	100	900	900	Hostel/Mess
272	Computer Table	16.04.2010 & 06.12.2012	5	3740	18700	NCR(Hostel)-30	Not repairable & not usable	M&E	100	500	500	Hostel/Mess
273	Television (Beltek)	01.04.2011	1	6000	6000	NCR(Hostel)-18	Not repairable & not usable	M&E	200	200	200	Hostel/Mess
274	Towel Stand (Iron)	13.07.2009, 07.10.2009, 16.04.2010 & 24.08.2012	36	994	35784	NCR(Hostel)-19	Not repairable & not usable	M&E	30	1080	1080	Hostel/Mess
275	Wooden Side Table	16.04.2010 & 24.08.2012	5	1160	5800	NCR(Hostel)-28	Not repairable & not usable	M&E	25	125	125	Hostel/Mess
276	Microwave Oven	22.11.2014	1	19356	19356	NCR(Hostel)-36	Not repairable & not usable	M&E	500	500	500	Hostel/Mess
277	Hot Plate	01.04.2011	1	690	690	NCR(Hostel)-44	Not repairable & not usable	M&E	30	30	30	Hostel/Mess
278	LED Television 32 inch	10.04.2015	2	23500	47000	NCR(Hostel)-62	Not repairable & not usable	M&E	500	1000	1000	Hostel/Mess
279	Chair Iron Visitor (Black Cushion)	22.11.2014	38	2910	110580	NCR(Hostel)-70	Not repairable & not usable	M&E	60	2280	2280	Hostel/Mess

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
[Handwritten signature]
[Handwritten signature]

[Handwritten signature]

280	Refrigerator LG 310 Ltr	22.11.2014	1	39050	39050	NCR(Hostel)-74	Not repairable & not usable	M&E	1000	1000	1000	Hostel/Mess
281	Lock	24.08.2012, 20.11.2013 & 22.02.2017	46	50	2300	NCR(Hostel)-10 & NCR(Hostel)-96	Not repairable & not usable	M&E	5	230	230	Hostel/Mess
282	Desktop Computer with Accessories (Acer)	02.12.2015	1	38266	38266	NCR(Hostel)-90 & NCR(Hostel)-91	Not repairable & not usable	M&E	1000	1000	1000	Hostel/Mess
283	UPS	02.12.2015	1	4345	4345	NCR(Hostel)-91	Not repairable & not usable	M&E	200	200	200	Hostel/Mess
284	Oil Heater	04.03.2016	1	7000	7000	NCR(Hostel)-104	Not repairable & not usable	M&E	300	300	300	Hostel/Mess
285	Washing Machine (Whirlpool-7kg.)	19.10.2020	1	34293	34293	NCR(Hostel)-114	Not repairable & not usable	M&E	1000	1000	1000	Hostel/Mess
286	Tawa (Non-Stick)	12.06.2014	1	210	210	NCR(Mess)-01	Not repairable & not usable	M&E	20	20	20	Hostel/Mess
287	Pressure cooker 3.5 Ltr.	01.04.2011	1	740	740	NCR(Mess)-07	Not repairable & not usable	M&E	70	70	70	Hostel/Mess
288	Jug Steel	12.06.2014	1	350	350	NCR(Mess)-07	Not repairable & not usable	M&E	10	10	10	Hostel/Mess
289	Glass Steel	09.12.2022	40	72	2880	NCR(Mess)-38	Not repairable & not usable	M&E	2	80	80	Hostel/Mess
290	Fry Pan	02.12.2013 & 16.02.2015	2	200	400	NCR(Mess)-70	Not repairable & not usable	M&E	10	20	20	Hostel/Mess
291	Donga with Lid (Steel)	12.06.2014	5	350	1750	NCR(Mess)-79	Not repairable & not usable	M&E	30	150	150	Hostel/Mess
292	Kadai (Brass)	12.06.2013	1	1600	1600	NCR(Mess)-82	Not repairable & not usable	M&E	75	75	75	Hostel/Mess
293	Kadai Iron (Big Size)	16.02.2015	1	1368	1368	NCR(Mess)-89	Not repairable & not usable	M&E	100	100	100	Hostel/Mess

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

294	Parat Aluminium (Big)	16.02.2015	1	750	750	NGR(Mess)-91	Not repairable & not usable	M&E	50	50	50	Hostel/Mess
295	Tyres Toyota Innova (DL-10CT-8453)	06.04.2018	4	3800	15200	P-22	Not repairable & not usable	M&E	50	200	200	Transport
296	Tyres Toyota Innova (DL-10CG-1171)	31.03.2019	4	3800	15200	P-24	Not repairable & not usable	M&E	50	200	200	Transport
297	Tyres Toyota Innova (DL-10CG-1172)	06.08.2018	4	3800	15200	P-22	Not repairable & not usable	M&E	50	200	200	Transport
298	Tyres Toyota Innova (HR-38D-6338)	02.12.2018	4	3800	15200	P-22	Not repairable & not usable	M&E	50	200	200	Transport
299	Tyres Maruti Ciaz(DL-10CG-9285)	05.06.2018	4	3200	12800	P-22	Not repairable & not usable	M&E	50	200	200	Transport
300	Tyres Tata Bus HR3823661	05.04.2019	6	3400	20400	P-24	Not repairable & not usable	M&E	50	300	300	Transport
301	Refrigerator	14.08.2012	1	18160	18160	P-35(R-4)	Not repairable & not usable	M&E	1000	1000	1000	OT
302	Fumigation Machine	02.09.2013	1	43900	43900	P-40(R-4)	Not repairable & not usable	M&E	1100	1100	1100	OT
303	Fumigation Machine	12.03.2018	1	43900	43900	P-40(R-4)	Not repairable & not usable	M&E	1100	1100	1100	OT
304	Fumigation Machine	10.12.2020	1	39864	39864	P-40(R-4)	Not repairable & not usable	M&E	1100	1100	1100	OT
305	IV Stand	01.07.2016	1	1290	1290	P-60(R-4)	Not repairable & not usable	M&E	200	200	200	OT
306	Ceiling Air Filter	17.09.2008	1	326655	326655	P-3(R-4)	Not repairable & not usable	M&E	5000	5000	5000	OT
307	Stool	22.02.2018	1	2740	2740	P-63(R-4)	Not repairable & not usable	M&E	150	150	150	OT
308	Drill Hand Piece	07.08.2021	2	4000	8000	P-79(R-4)	Not repairable & not usable	M&E	100	200	200	OT
309	Baby Weight Machine	24.11.2016	1	4900	4900	P-31(R-4)	Not repairable & not usable	M&E	100	100	100	OT
310	Book Rack (Iron)	18.12.2015	1	4800	4800	P-9(R-4)	Not repairable & not usable	M&E	500	500	500	OT
311	Laprocator with Accessories	21.08.2013	1	199125	199125	P-65(R-4)	Not repairable & not usable	M&E	3000	3000	3000	OT
312	S.S. Kidney Tray	05.12.2013	4	750	3000	P-13(R-3)	Not repairable & not usable	M&E	30	120	120	OT
313	S.S. Tray	23.04.2015	5	900	4500	P-15(R-3)	Not repairable & not usable	M&E	30	150	150	OT
314	Plain Forceps	20.01.2014	20	650	13000	P-35(R-3)	Not repairable & not usable	M&E	10	200	200	OT
315	Backward Forward Elevator	11.09.2013	1	900	900	P-86(R-3)	Not repairable & not usable	M&E	20	20	20	OT

316	Aluminium Anodized Tray	11.09.2013	1	950	950	P-88(R-3)	Not repairable & not usable	M&E	50	50	50	OT
317	Liga Applicator (310)	21.01.2015	2	10500	21000	P-91(R-3)	Not repairable & not usable	M&E	100	200	200	OT
318	Liga Applicator (410)	21.01.2015	2	10500	21000	P-92(R-3)	Not repairable & not usable	M&E	100	200	200	OT
319	IRIS Scissor	07.01.2017	2	550	1100	P-97(R-3)	Not repairable & not usable	M&E	5	10	10	OT
320	Allis Forceps	06.01.2017	10	300	3000	P-20(R-3)	Not repairable & not usable	M&E	5	50	50	OT
321	Kelley's Forceps	23.04.2015	4	350	1400	P-48(R-3)	Not repairable & not usable	M&E	5	20	20	OT
322	Sponge Holder	07.01.2017	10	600	6000	P-67(R-3)	Not repairable & not usable	M&E	10	100	100	OT
323	S.S. Bowl	07.01.2017	10	450	4500	P-40(R-3)	Not repairable & not usable	M&E	5	50	50	OT
324	Metz Scissors	06.08.2014	10	772	7720	P-64(R-3)	Not repairable & not usable	M&E	5	50	50	OT
325	Towel Clips	07.01.2017	2	75	150	P-70(R-3)	Not repairable & not usable	M&E	2	4	4	OT
326	Artery Forceps	20.01.2016	10	200	2000	P-17(R-3)	Not repairable & not usable	M&E	5	50	50	OT
327	Sharp Blunt Elevator	17.01.2017	1	850	850	P-83(R-3)	Not repairable & not usable	M&E	20	20	20	OT
328	Plaster Sickle Knife	07.01.2017	1	150	150	P-83(R-3)	Not repairable & not usable	M&E	5	5	5	OT
329	Hartmans Ear Polyp Forceps	07.01.2017	1	150	150	P-83(R-3)	Not repairable & not usable	M&E	5	5	5	OT
330	Pedicle Clamps	06.08.2002	5	125	625	P-60(R-3)	Not repairable & not usable	M&E	2	10	10	OT
331	Sinus Forceps	19.09.2012	2	550	1100	P-68(R-3)	Not repairable & not usable	M&E	5	10	10	OT
332	Lock	13.12.2021	2	50	100	P-92(R-4)	Not repairable & not usable	M&E	5	10	10	OT
333	Stool Revolving	22.12.2018	2	2740	5480	P-63(R-4)	Not repairable & not usable	M&E	150	300	300	OT
334	Patient Trolley	14.09.2010	3	6170	18510	P-81(R-4)	Not repairable & not usable	M&E	400	1200	1200	OT
335	Computer Table	18.12.2015	1	4000	4000	P-12(R-4)	Not repairable & not usable	M&E	100	100	100	OT
336	Anesthesia Machine	27.09.2010	1	1202533	1202533	R-4	Not repairable & not usable	M&E	60000	60000	60000	OT
337	O2 Cylinder Trolley	02.04.2019	1	8700	8700	R-4	Not repairable & not usable	M&E	150	150	150	OT
338	Monitor Phillips	09.04.2010	1	1155000	1155000	R-4	Not repairable & not usable	M&E	57750	57750	57750	OT
339	Monitor Bene view	30.07.2010	1	350000	350000	R-4	Not repairable & not usable	M&E	17500	17500	17500	OT
340	Monitor S.S. Med.	09.04.2012	1	250000	250000	R-4	Not repairable & not usable	M&E	32500	32500	32500	OT
341	Computer with Accessory	30.11.2015	1	38266	38266	P-19(R-4)	Not repairable & not usable	M&E	1000	1000	1000	OT

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

342	UPS 2 KVA	27.08.2014	2	12729	25458	P-58(R-4)	Not repairable & not usable	M&E	800	1600	1600	OT
343	Printer (2161)	07.06.2016	1	4752	4752	P-19(R-4)	Not repairable & not usable	M&E	100	100	100	OT
344	Gallbladder extractor	20.01.2017	1	27510	27510	P-94(R-5)	Not repairable & not usable	M&E	100	100	100	OT
345	Laposcopic hook	18.12.2015	1	3550	3550	P-07(R-5)	Not repairable & not usable	M&E	50	50	50	OT
346	Sanitizer Dispenser	18.08.2020	1	7500	7500	P-80(R-4)	Not repairable & not usable	M&E	150	150	150	OT
347	Almirah (Godrej)	11.06.2002	1	3970	3970	R-4	Not repairable & not usable	M&E	600	600	600	OT
348	Almirah (Godrej)	17.02.2006	1	3970	3970	R-4	Not repairable & not usable	M&E	600	600	600	OT
349	Book Rack (Iron)	18.12.2015	1	4800	4800	R-4	Not repairable & not usable	M&E	600	600	600	OT
350	Shoe Dispenser	14.03.2016	1	75000	75000	R-4	Not repairable & not usable	M&E	1000	1000	1000	OT
351	Surgical Trolley	10.11.2005	3	4410	13230	R-4	Not repairable & not usable	M&E	300	900	900	OT
352	Bedside Locker	15.07.2022	1	2840	2840	R-4	Not repairable & not usable	M&E	300	300	300	OT
353	Foot Step	18.12.2015	1	742	742	R-4	Not repairable & not usable	M&E	50	50	50	OT
354	Open push Cart Trolley	16.01.2012	2	3000	6000	P-11	Not repairable & not usable	M&E	200	400	400	OT
355	Fogging Machine	12.11.2014	1	14200	14200	P-13	Not repairable & not usable	M&E	1000	1000	1000	Sanitation
356	Spray Pump 16 ltr.	08.10.2013	1	2200	2200	P-37	Not repairable & not usable	M&E	50	50	50	Sanitation
357	Linen Trolley (Multipurpose Trolley)	02.11.2015	1	34200	34200	P-27	Not repairable & not usable	M&E	500	500	500	Sanitation
358	Almirah Steel	13.03.2015	1	7056	7056	P-2	Not repairable & not usable	M&E	600	600	600	Sanitation
359	Weight Machine	08.10.2013	1	7375	7375	P-73	Not repairable & not usable	M&E	150	150	150	Sanitation
360	UPS 1 KVA	26.07.2019	4	4223	16892	P-21	Not repairable & not usable	M&E	200	800	800	Laboratory
361	UPS 2 KVA	13.12.2019	2	76000	152000	P-21	Not repairable & not usable	M&E	400	800	800	Laboratory
362	Blood Mobile Portal Refrigerator	10.08.2016	1	168000	168000	P-2	Not repairable & not usable	M&E	5000	5000	5000	Laboratory
363	Blood Mobile Portal Refrigerator	10.08.2016	2	192280	384560	P-2	Not repairable & not usable	M&E	5000	10000	10000	Laboratory
364	Almirah Steel	01.04.2016	2	6140	12280	P-14	Not repairable & not usable	M&E	600	1200	1200	Laboratory
365	Syringe Cutter	13.12.2019	2	850	1700	P-15	Not repairable & not usable	M&E	50	100	100	Laboratory
366	Centrifuge Machine	01.04.2016	1	138900	138900	P-3	Not repairable & not usable	M&E	3000	3000	3000	Laboratory
367	BC 1800 Hematology Machine	21.03.2018	1	210000	210000	P-8	Not repairable & not usable	M&E	10000	10000	10000	Laboratory

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

368	Sysmex 1000 I Hematology Machine	21.11.2016	1	849750	849750	P-8	Not repairable & not usable	M&E	40000	40000	40000	Laboratory
369	Electrolyte Five part	26.07.2019	1	99900	99900	P-11	Not repairable & not usable	M&E	3000	3000	3000	Laboratory
370	Toshiba Printer	29.11.2018	1	319990	319990	P-125	Not repairable & not usable	M&E	8000	8000	8000	Registration
371	Bizhub C-2261 Printer	13.03.2020	1	4752	4752	P-125	Not repairable & not usable	M&E	500	500	500	Registration
372	Samsung Printer	06.11.2020	1	39950	39950	P-125	Not repairable & not usable	M&E	500	500	500	Registration
373	Samsung Printer	25.11.2020	1	28720	28720	P-125	Not repairable & not usable	M&E	500	500	500	Registration
374	Samsung Printer	25.01.2021	1	28720	28720	P-125	Not repairable & not usable	M&E	500	500	500	Registration
375	Samsung Printer (2031)	28.01.2021	1	28720	28720	P-125	Not repairable & not usable	M&E	500	500	500	Registration
376	Samsung Printer Ward(2051)	07.04.2021	1	28720	28720	P-125	Not repairable & not usable	M&E	500	500	500	Registration
377	Samsung Printer (2031)	04.08.2021	1	33779	33779	P-125	Not repairable & not usable	M&E	500	500	500	Registration
378	Samsung Printer (2031)	21.12.2021	1	28720	28720	P-125	Not repairable & not usable	M&E	500	500	500	Registration
379	Samsung Printer (3320 ND)	22.10.2018	2	14264	28528	P-118	Not repairable & not usable	M&E	1000	1000	1000	Registration
380	Samsung Printer (3820 ND)	27.02.2020	1	39950	39950	P-125	Not repairable & not usable	M&E	1000	1000	1000	Registration
381	UPS	06.04.2018	2	3990	7980	P-125	Not repairable & not usable	M&E	200	200	200	Registration
382	Computer & Monitor (Accer)	26.08.2016	2	38266	76532	P-111	Not repairable & not usable	M&E	1000	1000	1000	Registration
383	Office Almirah	30.09.2011	2	6131	12262	P10	Not repairable & not usable	M&E	600	1200	1200	Registration
384	Almirah (Steel)	30.12.2005	1	3970	3970	P-2	Not repairable & not usable	M&E	600	600	600	Pharmacy
385	Almirah (Steel)	27.10.2008	1	4000	4000	P-212	Not repairable & not usable	M&E	600	600	600	Pharmacy
386	Wooden Chairs	01.12.2011	2	2200	4400	P-2	Not repairable & not usable	M&E	50	100	100	Pharmacy
387	Steel Trunk	Record not Found (Haryana Govt.)	2	300	600	P-2	Not repairable & not usable	M&E	30	60	60	Pharmacy
388	Plastic Chair	04.09.2020	2	657	1314	P-29	Not repairable & not usable	M&E	15	30	30	Security Office
389	Revolving Chair	3.06.2021	2	14990	29980	P-20	Not repairable & not usable	M&E	150	300	300	Security Office

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

390	Eight Locker	15.01.2020	8	18990	151920	P-99	Not repairable & not usable	M&E	600	4800	4800	Security Office
391	Plastic Chair	23.07.2020	2	672	1344	P-29	Not repairable & not usable	M&E	15	30	30	DTS Office
392	Office Almirah	12.03.2018	2	6730	13460	P-22	Not repairable & not usable	M&E	600	1800	1800	Statistical
393	Printer Samsung Model 331X	12.03.2018	2	8540	17080	P-105	Not repairable & not usable	M&E	200	400	400	Unit
394	UPS	12.03.2018	3	4223	12669	P-127	Not repairable & not usable	M&E	200	600	600	Statistical Unit
395	UPS	06.01.2020	8	4223	33784	P-127	Not repairable & not usable	M&E	200	1600	1600	Statistical Unit
396	Printer Samsung 2161	02.09.2016	1	4752	4752	P-115	Not repairable & not usable	M&E	100	100	100	Statistical Unit
397	Stabilizer 2KV	28.11.2016	1	10644	10644	P-60	Not repairable & not usable	M&E	400	400	400	Statistical Unit
398	HP Scanner-7500	08.07.2019	1	188400	188400	P-126	Not repairable & not usable	M&E	1000	1000	1000	Statistical Unit
399	Canon Flatbedded Scanner	10.03.2016	1	142429	142429	P-57	Not repairable & not usable	M&E	1000	1000	1000	Statistical Unit
400	Computer Set Dell	30.12.2015	1	51401	51401	P-110	Not repairable & not usable	M&E	1000	1000	1000	Statistical Unit
401	Acer Desktop (Old Computer)	11.09.2018	1	38266	38266	P-111	Not repairable & not usable	M&E	1000	1000	1000	Statistical Unit
402	UPS	09.09.2021	5	5496	27480	P-130	Not repairable & not usable	M&E	200	1000	1000	Statistical Unit
403	UPS	20.12.2021	2	5496	10992	P-130	Not repairable & not usable	M&E	200	400	400	Statistical Unit
404	UPS	12.02.2021	1	4223	4223	P-130	Not repairable & not usable	M&E	200	200	200	Medical Social Welfare Unit
405	Laser ML 2161 Printer	03.09.2014	1	4783	4783	P-115	Not repairable & not usable	M&E	200	200	200	Medical Social Welfare Unit

406	SLM3820ND Printer	06.11.2020	1	39950	39950	P-125	Not repairable & not usable	M&E	200	200	200	Medical Social Welfare Unit
407	Computer Set (HP)	26.08.2014	2	48000	96000	P-96	Not repairable & not usable	M&E	1000	1000	1000	Medical Social Welfare Unit
408	Oil Heater	19.01.2019	1	7250	7250	P-103	Not repairable & not usable	M&E	300	300	300	Medical Social Welfare Unit
409	SLM3820ND Printer	24.10.2018	1	14264	14264	P-118	Not repairable & not usable	M&E	200	200	200	Medical Social Welfare Unit
410	Heater (Hot Plate)	28.03.2016	1	500	500	P-12	Not repairable & not usable	M&E	50	50	50	Medical Social Welfare Unit
411	UPS	03.09.2014	1	4424.76	4424.76	P-73	Not repairable & not usable	M&E	200	200	200	Medical Social Welfare Unit
412	Needle Destroyer	May-19	2	760	1520	P-19	Not repairable & not usable	M&E	50	100	100	Immunization Room
413	Steel Bench	May-19	1	13900	13900	P-23	Not repairable & not usable	M&E	600	600	600	Immunization Room
414	Office Almirah	20.01.2019	1	19900	19900	P-94	Not repairable & not usable	M&E	600	600	600	Immunization Room
415	Needle Cutter	23.06.2019	20	760	15200	P-113	Not repairable & not usable	M&E	50	1000	1000	Immunization Room
416	Wooden Chair	31.03.2014	1	600	600	P-112	Not repairable & not usable	M&E	50	50	50	Immunization Room
417	Computer Set - Dell	14.03.2018	1	51401	51401	P-110	Not repairable & not usable	M&E	1000	1000	1000	Birth & Death Registration Room

418	Samsung Printer -2161	14.03.2018	1	4752	4752	P-115	Not repairable & not usable	M&E	100	100	100	Birth & Death Registration Room
419	Visitor Chair	22.04.2019	2	4990	9980	P-26	Not repairable & not usable	M&E	50	100	100	Birth & Death Registration Room
420	Steel Bench	14.03.2020	3	13900	41700	P-78	Not repairable & not usable	M&E	600	1800	1800	Birth & Death Registration Room
421	locker Almirah	05.12.2019	1	22350	22350	P-15	Not repairable & not usable	M&E	600	600	600	Birth & Death Registration Room
Total Amount										895732		

The Condemnation Committee Condemned the above mentioned the items listed from Sr.No. 01 to 421 on dated 25.07.2025.

Suresh Kumar
Member

G.V. Vishnu Kumar
Member

Rupesh Kumar
Member

Shadab Ali
Member

Rama Devi
Member

Dr. Subham
Member

Ravinder Kumar
Member

Dr Manya Prasad
Member

Dr Mohan Lal Baitwa
Member

Dr Rakesh Kumar
Member

Dr Harshal Ramesh Salve
Member

Dr Puneet Misra
Member

Harpak Singh
Member-Secretary

Prof. Kuran Goswami
Chairman
