



Comprehensive Rural Health Services Project, Ballabgarh
Centre for Community Medicine
All India Institute of Medical Sciences
Faridabad (HR)- 121004
Telephone: 0129-2241362
Fax: 0129-2211227



No. F. CRHSP-AIIMS Blb/ _____



Date: 25/09/2026

Subject: Invite for tender for condemnation of non-consumable items at CRHSP Ballabgarh

This is to invite tender for condemnation of non-consumable items at CRHSP Ballabgarh under the Centre for Community Medicine, AIIMS New Delhi.

The list of items is attached herewith. The total evaluated price for the listed items is ₹6,31,531/- (Rupees Six Lakh Thirty-One Thousand Five Hundred Thirty-One only), excluding the two vehicles which are to be condemned separately through a government-authorized vehicle scrapping facility. The condemnation and disposal process shall be carried out in accordance with the government guidelines and the attached terms and conditions.

We will accept the tenders till 15 days from the date of uploading of this letter.

Thanks, and Regards

Dr. Mohan Lal Bairwa

Associate Professor

CRHSP Ballabgarh

डॉ. मोहन लाल बैरवा / Dr. Mohan Lal Bairwa
आचार्य-प्रभारी/Associate Professor
व्यापक ग्रामीण स्वास्थ्य योजना, बल्लभगढ़
C.R.H.S. Project, Ballabgarh
सामुदायिक चिकित्सा विज्ञान केंद्र
Centre for Community Medicine
अ.भा.आ.सं./A.I.I.M.S.
नई दिल्ली/New Delhi-110029

Attachments: नई दिल्ली/New Delhi-110029

1. Terms and Conditions
2. List of Items

Dr. Anand Krishnan

Professor In-charge

CRHSP Ballabgarh

डॉ. आनंद कृष्णन
आचार्य-प्रभारी/Professor-in-Charge
व्या.ग्रा.स्वा.से.परि.-एम्स, बल्लभगढ़
CRHSP-AIIMS, Ballabgarh
अ.भा.आ.सं., नई दिल्ली/AIIMS, New Delhi



Comprehensive Rural Health Services Project, Ballabgarh
Centre for Community Medicine
All India Institute of Medical Sciences
Faridabad (HR)- 121004
Telephone: 0129-2241362
Fax: 0129-2211227



TERMS AND CONDITIONS

1. The tenderer must thoroughly read the terms and conditions of the list.
2. On confirmation of the sale to the highest bidder/tenderer, the payment of the amount is to be made within 5 days of receipt of the Sale Order (Confirmation of Sale).
3. Within 5 days of receipt of the Sale Order/Confirmation of Sale, the amount shall be deposited in the bank either in cash or through a Demand Draft/Pay Order in favor of the Director AIIMS.
4. The removal of the materials is to be done on production of Crossed Account Payee Demand Draft only. Their removal shall be made on the delivery advice in favor of the Director AIIMS. Delivery order shall be issued to the tenderer/bidder only after payment of full amount including all applicable taxes.
5. From CRHSP Ballabgarh: No item/change in loading/delivery of the condemned items will be permitted in the course of lifting of materials. The charges to load, pack, lift and transport the materials will be borne by the vendor. In case, the successful bidder placed fails to lift the auctioned materials within the time stipulated in the schedule time, this office shall not take responsibility for any deterioration of the articles.
6. No damage shall be caused to the existing property of this office or any other offices in the compound while removing the auctioned articles. Any loss/damage to the property of this office or any other neighbouring offices, caused during lifting by the successful bidder or his authorized representative shall be made good by the successful bidder and he will be indemnified.
7. If the buyer is not personally taking the delivery of the material, then through a Representative, he must authorize the latter clearly by him, through a paper of authority, with duly attested signature and photo identity proof. The CRHSP Ballabgarh shall not entertain any responsibility as to the identity of the Representative at the time of taking delivery.
8. Company to decide the material to be lifted is at the discretion of the authorized representative.



Comprehensive Rural Health Services Project, Ballabgarh
Centre for Community Medicine
All India Institute of Medical Sciences
Faridabad (HR)- 121004
Telephone: 0129-2241362
Fax: 0129-2211227



9. Materials shall be removed under the supervision of designated officers of the office. Materials shall be removed within the time stipulated in acceptance time. No extension of time will be permitted under normal circumstances. However, extension of time may be granted by this office under satisfactory reasons for such delay if given in writing by the successful tenderer. Delay beyond the stipulated time may entail cancellation of the order.
10. Successful tenderers shall have to lift their approved lots within two (2) working days from the issue of the gate pass by Stores Section of CRHSP Ballabgarh. Lifting of the goods shall be done during working hours, between 10:00 AM to 04:00 PM (Monday to Friday) and up to 12:00 PM on Saturdays. Lifting of the goods by tenderer(s) will not be permitted on Sunday and Government holidays.
11. In the breach of any of these terms & conditions, the same shall be determined. Blacklisted for future years from CRHSP Ballabgarh and other legal action may also be initiated.
12. CRHSP Ballabgarh will not be in any way responsible for failure to deliver the materials within the specified period due to reasons such as strikes, cessation of labour, shortened hours of labor, fire, act of God or any cause or contingency whatsoever. The buyer shall not be entitled to make any claim for loss or damage.
13. Compliance with Law: All the bidders shall ensure compliance with the provisions contained under e-waste management and handling rules, 2017. Batteries (Management and Handling) Rules and other guideline issued by Government for its disposal/recycling in an environment-friendly manner.



Comprehensive Rural Health Services Project, Ballabgarh
Centre for Community Medicine
All India Institute of Medical Sciences
Faridabad (HR)- 121004
Telephone: 0129-2241362
Fax: 0129-2211227



File No.: F. No. CRHSP-AIIMS Blb/_____

Name of the party in whose favor the tender form has been issued:

To
The Professor In-Charge
CRHSP, Ballabgarh
AIIMS, New Delhi
Haryana - 121004.

(Seal of the OFFICER)

Dear Sir,

1. I/We hereby submit our tender for the disposal of Condemned Non-Consumable items at CRHSP, Ballabgarh (AIIMS) Store.
2. I/We now enclosing herewith the FDR/Bank Guarantee/D.D. No. _____ dated _____ for Rs. 15,000/- drawn in favor of the "DIRECTOR, AIIMS, NEW DELHI" towards EMD/Bid Security. Tenders not accompanied with EMD/Bid Security shall be summarily rejected.
3. I/We hereby agree to all the terms and conditions, stipulated by the AIIMS (enclosed) in this connection including delivery, penalty etc.
4. I/We have noted that over written entries shall be deleted unless duly cut out & re-written and initialed. Tenders are duly signed (No thumb impression should be affixed).
5. I/We undertake to sign the contract/agreement if required within 10 (Ten days) from the issue of the letter of acceptance, failing which our/my security money deposited may be forfeited and our/my name may be removed from the list of suppliers at the AIIMS New Delhi-29.
6. I/We have gone through all terms and conditions of the tender documents before submitted the same.

NOTE:

ALL TERMS & CONDITIONS SUCH AS RATES AND TAXES ETC. HAS BEEN INDICATED SEPARATELY IN THE QUOTATION.

Yours faithfully,
Signature of Tenderer with full Address



**COMPREHENSIVE RURAL HEALTH SERVICES PROJECT,
BALLABGARH CENTRE FOR COMMUNITY MEDICINE,
A.I.I.M.S., NEW DELHI-110029
BALLABGARH - 121004 (HR)**

Ph. 0129-2241362

No. F. CRHSP, Ballabgarh-AIIMS/01/2026-27

Dated 22/04/2026

ATTENDANCE SHEET

Sub: Meeting of the Condemnation Committee at CRHSP, Ballabgarh, AIIMS on 22.04.2026.

A meeting of Condemnation Committee for condemnation and disposal of Machinery and Equipment, Linen etc. condemned locally at CRHSP, Ballabgarh AIIMS to be held under the chairmanship of **Prof. Kiran Goswami, HoD, Centre for Community Medicine** with following members on 22/04/2026 at 12:00 Noon in New Seminar Room CRHSP, Ballabgarh :-


01	Prof. Kiran Goswami, HoD, Centre for Community Medicine, AIIMS, New Delhi	Chairperson	Signature
02	Dr. Anand Krishnan Professor In-charge, CRHSP Ballabgarh	Member	
03	Dr. Harshal Ramesh Salve Professor, CCM, AIIMS, New Delhi	Member	
04	Dr. Mohan Lal Bairwa Associate Professor, CRHSP Ballabgarh	Member-Secretary	
05	Dr. Manya Prasad Assistant Professor CRHSP Ballabgarh	Member	
06	Sh. Rajesh Baiswal. JAO(Store DO),AIIMS,New Delhi	Member	
07	Sh. Arvind Kumar AO(Finance Division),AIIMS, New Delhi	Member	
08	Dr. Subham Kansal Senior Resident, CCM	Member	
09	Mrs. Sunita Malik Asstt. Nursing Superintendent, CRHSP Ballabgarh	Member	
10	Sh. Shadab Ali Assistant Engineer, CRHSP Ballabgarh	Member	
11	Sh. Rupesh Kumar Sanitary Inspector, CRHSP Ballabgarh	Member	
12	Sh. G.V. Vishnu Kumar Statistician CRHSP Ballabgarh	Member	
13	Sh. Pardeep Kumar Store Keeper, CRHSP Ballabgarh	Member	
14	Sh. Harpal Singh Store In-charge, CRHSP Ballabgarh	Member	


The meeting ended with the thanks to chair.




Dr. Kiran Goswami
 Professor and Head
 Centre for Community Medicine,
 AIIMS New Delhi
 डॉ० किरण गोस्वामी
 Dr. Kiran Goswami
 आचार्य एवं अध्यक्ष/निदेशक
 सामुदायिक चिकित्सा विभाग
 अखिल भारतीय आयुर्विज्ञान संस्थान
 All India Institute of Medical Sciences
 नई दिल्ली/New Delhi-110029

Sr.No.	Description of items	Year of Purchase/Installation	Total Qty.	Original Unit cost each item	Total cost	Sr.No and Page No. of stock Register details	Reasons of Condemnation	Details of Funds were booked.(M&E)	Unit Reserve Price	Total Reserve price	Remarks, if any
1	Artery Forcep Straight	19/01/2017	20	333	6660	006/1	Note repair¬ usable	M&E	13.32	266	Ward
2	Chetal Forcep	6/5/2015	4	950	3800	021/1	Note repair¬ usable	M&E	28.5	114	Ward
3	Copper-T Removal Hook	6/5/2015	2	700	1400	032/1	Note repair¬ usable	M&E	21	42	Ward
4	Kochers	6/7/2020	15	875	13125	064/1	Note repair¬ usable	M&E	26.25	394	Ward
5	Vaccum Extractor	23/01/2013	1	190200	190200	122/1	Note repair¬ usable	M&E	5706	5706	Ward
6	Shoe Cover Dispenser	17/06/2021	2	75000	150000	114/1	Note repair¬ usable	M&E	2250	4500	Ward
7	Whell Chair	20/01/2021	1	25990	25990	127/1	Note repair¬ usable	M&E	779.7	780	Ward
8	Screen Folding	21/03/2013	6	2170	13020	107/1	Note repair¬ usable	M&E	65.1	391	Ward
9	Phototherapy Double Surface	17/09/2014	1	196875	196875	088/1	Note repair¬ usable	M&E	5906.25	5906	Ward
10	OT Led Light	4/7/2014	1	450000	450000	085/1	Note repair¬ usable	M&E	13500	13500	Ward
11	ABG Machine	31/03/2016	1	483000	483000	005/1	Note repair¬ usable	M&E	14490	14490	Ward
12	Ventilator	2/7/2015	1	1012646	1012646	123/1	Note repair¬ usable	M&E	30379.38	30379	Ward

27	Laryngoscope	9/1/2017	7	1100	7700	67/1	Note repair¬ usable	M&E	33	231	Ward
28	SS Drum	30/01/2020, 13/04/2021	6	772	4632	105/1	Note repair¬ usable	M&E	38.6	232	Ward
29	Sims Speculum	6/5/2015	10	750	7500	109/1	Note repair¬ usable	M&E	22.5	225	Ward
30	Pulse Oxymetre(NIBP)	17/09/2020	2	35600	71200	089/1	Note repair¬ usable	M&E	1780	3560	Ward
31	UPS	6/6/2022	1	6000	6000	119/1	Note repair¬ usable	M&E	300	300	Ward
32	Bed Side Locker	21/12/2018	10	4770	47700	18/1	Note repair¬ usable	M&E	238.5	2385	Ward
33	Instrument Trolley	18/03/2017	4	5100	20400	56/1	Note repair¬ usable	M&E	255	1020	Ward
34	Radiant Warmer	18/03/2017	1	45840	45840	98/1	Note repair¬ usable	M&E	2292	2292	Ward
35	Weight machine	14/12/2017	1	1750	1750	R/4/62	Note repair¬ usable	M&E	52.5	53	OT
36	Phaco machine	7/5/2014	1	1449000	1449000	R/4/05	Note repair¬ usable	M&E	72450	72450	OT
37	Needle destroyer	2/1/2015	4	800	3200	R/4/05	Note repair¬ usable	M&E	24	96	OT
38	Linen dustbin	16/04/2015	2	34200	68400	R/4/67	Note repair¬ usable	M&E	1026	2052	OT
39	PMR	12/6/2015	1	4500	4500	R/4/57	Note repair¬ usable	M&E	135	135	OT
40	Wheel chair	15/07/2015	1	4100	4100	R/4/56	Note repair¬ usable	M&E	205	205	OT






41	Oil heater	26/11/2014	1	7379	7379	R/4/37	Note repair¬ usable	M&E	368.95	369	OT
42	Oil heater	10/1/2018	1	8145	8145	R/4/37	Note repair¬ usable	M&E	407.25	407	OT
43	BABY Wt machine	24/11/2016	1	4900	4900	R/4/31	Note repair¬ usable	M&E	147	147	OT
44	DRUM big	22/07/2011	2	965	1930	R/5/11	Note repair¬ usable	M&E	28.95	58	OT
45	SS tray	3/1/2017	4	107	428	R/5/15	Note repair¬ usable	M&E	3.21	13	OT
46	SS bowl	3/1/2017	10	333	3330	R/5/40	Note repair¬ usable	M&E	9.99	100	OT
47	Office table	18/12/2015	1	5750	5750	R/4/12	Note repair¬ usable	M&E	172.5	173	OT
48	Anaesthesia machine	23/01/2014	1	2297700	2297700	R/4/1	Note repair¬ usable	M&E	114885	114885	OT
49	Computer	25/01/2018	1	38266	38266	R/4/19	Note repair¬ usable	M&E	1147.98	1148	OT
50	UPS	30/10/2014	2	3990	7980	R/4/58	Note repair¬ usable	M&E	199.5	399	OT
51	Chair	1/5/2011	3	4500	13500	R/4/15	Note repair¬ usable	M&E	225	675	OT
52	Needle Holder	23/04/2015	5	2300	11500	R/5/57	Note repair¬ usable	M&E	69	345	OT
53	SS tray	18/12/2015	3	400	1200	R/5/15	Note repair¬ usable	M&E	12	36	OT
54	Suction machine	29/07/2016	2	115000	230000	R/4/36	Note repair¬ usable	M&E	5750	11500	OT




















55	Coutery machine	9/4/2012	1	194250	194250	R/4/26	Note repair¬ usable	M&E	9712.5	9713	OT
56	Pulse Oxymeter	6/9/2015	1	115500	115500	R/4/26	Note repair¬ usable	M&E	5775	5775	OT
57	Photo copy machine	4/2/2019	1	394950	394950	P/23	Note repair¬ usable	M&E	11848.5	11849	USG
58	Computer	20/11/2015	1	53875	53875	P/10	Note repair¬ usable	M&E	1616.25	1616	USG
59	Xray view box	6/5/2018	1	11151	11151	P/27	Note repair¬ usable	M&E	334.53	335	USG
60	UPS 2kva	22/10/2014	1	12730	12730	P/12	Note repair¬ usable	M&E	636.5	637	USG
61	UPS 0.5KVA	17/01/2019	1	4223	4223	P/17	Note repair¬ usable	M&E	211.15	211	USG
62	Visit chair	20/11/2015	1	4240	4240	P/11	Note repair¬ usable	M&E	127.2	127	USG
63	Revolving Chair	4/2/2019	1	5990	5990	P/7	Note repair¬ usable	M&E	179.7	180	USG
64	Steel Almirah	5/12/2015	1	6740	6740	P/22	Note repair¬ usable	M&E	337	337	X-ray
65	Revolving Chair	11/2/2019	3	5990	17970	P/19	Note repair¬ usable	M&E	179.7	539	X-ray
66	Foot rest	19/05/2019	1	742	742	P/34	Note repair¬ usable	M&E	37.1	37	X-ray
67	View box	19/05/2019	1	11151	11151	P/28	Note repair¬ usable	M&E	334.53	335	X-ray
68	Kidney tray	11/5/2015	1	2250	2250	P/109	Note repair¬ usable	M&E	67.5	68	X-ray




83	PLASTICK CHAIR	10/6/2021	2	672	1344	P/29	Note repair¬ usable	M&E	13.44	27	SECURITY
84	Wooden table	5/5/2006	1	2420	2420	P/55	Note repair¬ usable	M&E	48.4	48	Sanitation
85	Wheel chair	8/1/2011	1	4935	4935	P/67	Note repair¬ usable	M&E	246.75	247	Sanitation
86	Chair revolving	12/11/2014	1	4590	4590	P/14	Note repair¬ usable	M&E	137.7	138	Sanitation
87	Trolley	2/11/2015	2	34200	68400	P/52	Note repair¬ usable	M&E	1710	3420	Sanitation
88	Chair plastic	16/01/2012	2	1260	2520	P/177	Note repair¬ usable	M&E	25.2	50	Sanitation
89	Revolving Chair	21/03/2017	4	4240	16960	P/5	Note repair¬ usable	M&E	127.2	509	LABORATORY
90	Centrifuge machine	1/4/2016	1	138900	138900	P/34	Note repair¬ usable	M&E	6945	6945	LABORATORY
91	UPS	28/11/2015	1	3990	3990	P/3	Note repair¬ usable	M&E	199.5	200	DISPEVNSARY
92	Refrigerator	22/11/2014	1	39050	39050	P/5	Note repair¬ usable	M&E	1171.5	1172	DISPEVNSARY
93	OXYGEN concentrator	26/08/2022	5	5900	29500	P/70	Note repair¬ usable	M&E	177	885	PHC CHHAINSA
94	Cabinet locker	12/5/2020	1	18990	18990	P/85	Note repair¬ usable	M&E	949.5	950	PHC CHHAINSA
95	Radinat warmer	14/10/2019	1	45840	45840	P/114	Note repair¬ usable	M&E	2292	2292	PHC CHHAINSA
96	PRINTER	8/1/2020	4	28720	114880	P/108	Note repair¬ usable	M&E	574.4	2298	PHC CHHAINSA

Sublime
 Sanites
 C.A. Virendra
 Sanites

97	Foetal doppler	15/05/2019	2	7200	14400	P/59	Note repair¬ usable	M&E	216	432	PHC CHHAINSA
98	Washing machine	17/10/2020	2	34293	68586	P/92	Note repair¬ usable	M&E	1028.79	2058	PHC CHHAINSA
99	Refrigerator	30/01/2019	1	36700	36700	P/27	Note repair¬ usable	M&E	1101	1101	PHC CHHAINSA
100	TABLE	22/06/2023	4	5750	23000	P/27	Note repair¬ usable	M&E	287.5	1150	PHC CHHAINSA
101	STEEL BANCH	15/03/2019	6	14500	87000	P/5	Note repair¬ usable	M&E	725	4350	PHC CHHAINSA
102	UPS	21/05/2022	3	5496	16488	P/130	Note repair¬ usable	M&E	274.8	824	PHC CHHAINSA
103	Chair	27/08/2020	27	4990	134730	P/28	Note repair¬ usable	M&E	149.7	4042	PHC CHHAINSA
104	TOWEL STAND	27/02/2025	10	2400	24000	p/118	Note repair¬ usable	M&E	120	1200	PHC CHHAINSA
105	weighing machine	11/7/2020	16	1500	24000	P/103	Note repair¬ usable	M&E	75	1200	PHC CHHAINSA
106	Foot rest	1/10/2020	3	3990	11970	P/116	Note repair¬ usable	M&E	199.5	599	PHC CHHAINSA
107	STEEL STOOLS	31/08/2017	3	2366	7098	P/116	Note repair¬ usable	M&E	118.3	355	PHC CHHAINSA
108	Hub cutter	11/7/2020	2	800	1600	P/75	Note repair¬ usable	M&E	40	80	PHC CHHAINSA
109	BP Apparatus Digital	26/08/2022	1	1200	1200	P/119	Note repair¬ usable	M&E	36	36	PHC CHHAINSA
110	Electric needle	11/7/2020	6	800	4800	P/75	Note repair¬ usable	M&E	40	240	PHC CHHAINSA

[Signature]

[Signature]

[Signature]


[Signature]

[Signature]

[Signature]

111	Auto clave	1/2/2017	1	166000	166000	p/4	Note repair¬ usable	M&E	4980	4980	PHC CHHAINSA
112	Infant Weighing machine	21/12/2022	5	3500	17500	P/103	Note repair¬ usable	M&E	105	525	PHC CHHAINSA
113	Mike system	20/07/2014	1	15882	15882	p/46	Note repair¬ usable	M&E	476.46	476	PHC CHHAINSA
114	BP Apparatus Digital	11/7/2020	12	977	11724	P/13	Note repair¬ usable	M&E	29.31	352	PHC CHHAINSA
115	Trunk box	11/7/2020	1	500	500	P/106	Note repair¬ usable	M&E	15	15	PHC CHHAINSA
116	Ambu bag	2/6/2018	2	600	1200	P/35	Note repair¬ usable	M&E	18	36	PHC CHHAINSA
117	Drum	21/06/2018	3	2700	8100	P/9	Note repair¬ usable	M&E	81	243	PHC CHHAINSA
118	DELIVERY tray	6/7/2022	5	500	2500	P/142	Note repair¬ usable	M&E	15	75	PHC CHHAINSA
119	Cusco speculum	28/11/2022	3	700	2100	P/124	Note repair¬ usable	M&E	21	63	PHC CHHAINSA
120	COMPUTER	26/08/2015	1	38266	38266	P/111	Note repair¬ usable	M&E	1147.98	1148	Engineering
121	Photo copy machine	10/9/2022	1	398100	398100	P/117	Note repair¬ usable	M&E	11943	11943	Engineering
122	Almirah steel	29/01/2011	4	6740	26960	P/1	Note repair¬ usable	M&E	337	1348	Hostel/mess
123	LOCK	16/09/2020	10	54	540	P/96	Note repair¬ usable	M&E	1.62	16	Hostel/mess
124	LOCKER drawer	13/07/2019	1	7800	7800	P/11	Note repair¬ usable	M&E	390	390	Hostel/mess












Dr. V. V. V. V.
 Dr. V. V. V. V.
 Dr. V. V. V. V.
 Dr. V. V. V. V.
 Dr. V. V. V. V.
 Dr. V. V. V. V.

125	TOWEL STAND	8/9/2021	8	2470	19760	P/19	Note repair¬ usable	M&E	123.5	988	Hostel/mess
126	Wooden chair	29/01/2011	10	2910	29100	P/22	Note repair¬ usable	M&E	58.2	582	Hostel/mess
127	Blower	17/12/2020	4	6250	25000	P/38	Note repair¬ usable	M&E	312.5	1250	Hostel/mess
128	Washing machine	22/11/2014	1	4900	4900	P/59	Note repair¬ usable	M&E	245	245	Hostel/mess
129	Revolving Chair	4/3/2016	5	4240	21200	P/68	Note repair¬ usable	M&E	127.2	636	Hostel/mess
130	UPS	9/12/2020	1	4223	4223	p/92	Note repair¬ usable	M&E	211.15	211	Hostel/mess
131	Steel chair	19/10/2020	4	4199	16796	P/115	Note repair¬ usable	M&E	125.97	504	Hostel/mess
132	Micro wave	1/3/2019	1	14691	14691	P/101	Note repair¬ usable	M&E	440.73	441	Hostel/mess
133	Almirah steel	31/03/2015	2	6740	13480	P/1	Note repair¬ usable	M&E	337	674	CWC
134	BENCH	1/4/2012	4	3370	13480	P/9	Note repair¬ usable	M&E	168.5	674	CWC
135	Bench steel	21/03/2013	10	14112	141120	P/10	Note repair¬ usable	M&E	705.6	7056	CWC
136	Chair revolving	7/11/2015	7	14990	104930	P/14	Note repair¬ usable	M&E	449.7	3148	CWC
137	Stool	10/4/2010	6	520	3120	P/34	Note repair¬ usable	M&E	26	156	CWC
138	TABLE	31/03/2015	2	5750	11500	P/44	Note repair¬ usable	M&E	172.5	345	CWC






Q.A. Vardar
 Subhan
 4/11/20
 Subhan

139	weight machine	3/1/2017	1	1750	1750	P/54	Note repair¬ usable	M&E	52.5	53	CWC
140	UPS	20/8/2019	3	4223	12669	P/60	Note repair¬ usable	M&E	126.69	380	CWC
141	Stadiometer	17/03/2021	1	3000	3000	P/69	Note repair¬ usable	M&E	90	90	CWC
142	Pulse Oximeter	1/6/2021	1	35600	35600	p/90	Note repair¬ usable	M&E	1780	1780	CWC
143	TABLE	22/07/2015	4	5750	23000	P/42	Note repair¬ usable	M&E	172.5	690	DAYALPUR PHC
144	Suction machine	7/12/2012	2	19000	38000	P/2	Note repair¬ usable	M&E	950	1900	DAYALPUR PHC
145	SS BENCH	21/08/2014	5	14500	72500	P/47	Note repair¬ usable	M&E	725	3625	DAYALPUR PHC
146	Almirah steel	3/3/2015	9	6746	60714	P/24	Note repair¬ usable	M&E	337.3	3036	DAYALPUR PHC
147	Trolley	27/08/2020	5	19999	99995	p/141	Note repair¬ usable	M&E	999.95	5000	DAYALPUR PHC
148	Iron trolley	6/8/2022	5	600	3000	P/29	Note repair¬ usable	M&E	30	150	DAYALPUR PHC
149	Fridge	30/01/2019	1	13202	13202	P/83	Note repair¬ usable	M&E	660.1	660	DAYALPUR PHC
150	ICU BED	29/09/2015	5	139900	699500	P/45	Note repair¬ usable	M&E	6995	34975	DAYALPUR PHC
151	PRINTER	7/12/2012	2	5000	10000	P/4	Note repair¬ usable	M&E	150	300	DAYALPUR PHC
152	BED STAND	12/12/2016	9	2840	25560	P/131	Note repair¬ usable	M&E	142	1278	DAYALPUR PHC






153	NORMAL chair	13/03/2023	5	4191	20955	p/61	Note repair¬ usable	M&E	125.73	629	DAYALPUR PHC
154	Visit chair	10/3/2014	2	2470	4940	P/12	Note repair¬ usable	M&E	74.1	148	DAYALPUR PHC
155	Steel chair	22/07/2015	3	4244	12732	P/22	Note repair¬ usable	M&E	127.32	382	DAYALPUR PHC
156	weight machine	21/09/2019	7	1500	10500	p/95	Note repair¬ usable	M&E	45	315	DAYALPUR PHC
157	Infanto meter	3/3/2015	2	1350	2700	P/36	Note repair¬ usable	M&E	40.5	81	DAYALPUR PHC
158	BP machine	23/01/2016	10	915	9150	p/53	Note repair¬ usable	M&E	27.45	275	DAYALPUR PHC
159	LED TV	21/12/2018	1	57096	57096	P/82	Note repair¬ usable	M&E	2854.8	2855	DAYALPUR PHC
160	GRASS machine	16/06/2020	2	35000	70000	p/119	Note repair¬ usable	M&E	1750	3500	DAYALPUR PHC
161	IV stand	18/04/2022	1	3490	3490	p/18	Note repair¬ usable	M&E	174.5	175	DAYALPUR PHC
162	SS tray	18/06/2020	1	2498	2498	P/109	Note repair¬ usable	M&E	124.9	125	DAYALPUR PHC
163	Wheel chair	7/12/2012	1	4100	4100	P/5	Note repair¬ usable	M&E	205	205	DAYALPUR PHC
164	Foot STEP	10/1/2020	1	3990	3990	P/135	Note repair¬ usable	M&E	119.7	120	DAYALPUR PHC
165	laptop	5/11/2020	2	81563	163126	P/102	Note repair¬ usable	M&E	2446.89	4894	STORE
166	COMPUTER	10/9/2022	2	81115	162230	P/135	Note repair¬ usable	M&E	2433.45	4867	STORE












167	LODING TROLLEY	3/5/2018	1	18100	18100	P/83	Note repair¬ usable	M&E	905	905	STORE
168	CIAZ CAR	11/3/2016	2	765843	1531286	P/72	Note repair¬ usable	M&E	91877.16	183754	STORE
169	Oil Heater	4/1/2018	1	8145	8145	p/34	Note repair¬ usable	M&E	407.25	407	STORE
170	B.P Apparatus	16/03/2021	23	894	20562	p/11	Note repair¬ usable	M&E	26.82	617	Emergency
171	Oil heater	8/2/2021	6	8145	48870	p/49	Note repair¬ usable	M&E	407.25	2444	Emergency
172	Examination Table (couch)	11/7/2022	2	3400	6800	p/60	Note repair¬ usable	M&E	170	340	Emergency
173	S.S Tray	16/04/2021	8	2250	18000	p/67	Note repair¬ usable	M&E	112.5	900	Emergency
174	Needle destroyer	16/03/2021	2	760	1520	p/69	Note repair¬ usable	M&E	38	76	Emergency
175	Sponge Holder	16/04/2021	10	499	4990	p/72	Note repair¬ usable	M&E	24.95	250	Emergency
176	Crash Cart	16/11/2019	2	34900	69800	p/74	Note repair¬ usable	M&E	1745	3490	Emergency
177	O2 Regulator&Flow meter	8/8/2021	8	4995	39960	p/80	Note repair¬ usable	M&E	249.75	1998	Emergency
178	PLUS OXIMETER	26/06/2021	5	35600	178000	p/84	Note repair¬ usable	M&E	1068	5340	Emergency
179	Trolley	10/9/2018	2	2290	4580	p/86	Note repair¬ usable	M&E	114.5	229	Emergency
180	Pad Lock	15/05/2019	7	252	1764	p/87	Note repair¬ usable	M&E	12.6	88	Emergency




181	Wheel chair	26/6/2021	4	9980	39920	p/90	Note repair¬ usable	M&E	499	1996	Emergency
182	Bowl	16/4/2021	15	333	4995	p/111	Note repair¬ usable	M&E	9.99	150	Emergency
183	S.S 3 Seater	15/5/2019	10	14500	145000	p/117	Note repair¬ usable	M&E	725	7250	Emergency
184	O2 Cylinder Stand	26/7/2019	5	8790	43950	p/119	Note repair¬ usable	M&E	439.5	2198	Emergency
185	Mini Auto clave	17/11/2021	1	89000	89000	p/122	Note repair¬ usable	M&E	4450	4450	Emergency
186	Almirah	3/1/2019	10	17347	173470	p/1	Note repair¬ usable	M&E	867.35	8674	Emergency
187	Laryngoscope	5/3/2018	4	1100	4400	p/5	Note repair¬ usable	M&E	33	132	Emergency
188	Cheatle Forceps	16/5/2021	2	402	804	p/19	Note repair¬ usable	M&E	12.06	24	Emergency
189	Revolving Chair	8/2/2021	20	4240	84800	p/20	Note repair¬ usable	M&E	127.2	2544	Emergency
190	Office table	15/3/2019	7	5750	40250	p/29	Note repair¬ usable	M&E	172.5	1208	Emergency
191	Ecg Machine	10/4/2021	1	39500	39500	p/109	Note repair¬ usable	M&E	1975	1975	Emergency
192	Nebulizer	20/3/2022	3	16000	48000	p/43	Note repair¬ usable	M&E	800	2400	Emergency
193	PLASTICK CHAIR	26/6/2021	5	672	3360	p/50	Note repair¬ usable	M&E	13.44	67	Emergency
194	Foot Step	8/1/2020	3	3990	11970	p/50	Note repair¬ usable	M&E	199.5	599	Emergency








195	Visit chair	13/5/2020	5	4240	21200	p/54	Note repair¬ usable	M&E	127.2	636	Emergency
196	Instrument Trolley	6/2/2019	2	14970	29940	p/61	Note repair¬ usable	M&E	748.5	1497	Emergency
196A	Suction machine	26/02/2022	1	9000	9000	p/66	Note repair¬ usable	M&E	450	450	Emergency
197	Suction machine	15/5/2019	1	244000	244000	p/66	Note repair¬ usable	M&E	7320	7320	Emergency
198	S.S Drum	26/7/2019	3	1420	4260	p/68	Note repair¬ usable	M&E	42.6	128	Emergency
199	PT Trolley	11/5/2022	3	2290	6870	p/70	Note repair¬ usable	M&E	114.5	344	Emergency
200	SS Sessiors	16/4/2021	11	700	7700	p/71	Note repair¬ usable	M&E	21	231	Emergency
201	Refrigerator	10/11/2018	1	36700	36700	p/77	Note repair¬ usable	M&E	1835	1835	Emergency
202	Sanitizer Machine	17/12/2021	2	7078	14156	p/122	Note repair¬ usable	M&E	212.34	425	Emergency
203	IV stand	26/2/2021	3	1240	3720	p/32	Note repair¬ usable	M&E	62	186	Emergency
204	LOADING TROLLEY	9/4/2018	1	18100	18100	p/30	Note repair¬ usable	M&E	905	905	Emergency
205	Computer	10/1/2015	2	53875	107750	p/104	Note repair¬ usable	M&E	1616.25	3233	Emergency
206	Stabilizer	4/2/2016	2	9333	18666	P/16	Note repair¬ usable	M&E	466.65	933	OPD
207	BMI machine	9/5/2019	1	95000	95000	P/19	Note repair¬ usable	M&E	4750	4750	OPD



 Sumit

 Rekha S. V. V. V.

 Prashant

 Subhan









208	Steel bench	13/01/2018	34	15000	510000	p/93	Note repair¬ usable	M&E	750	25500	OPD
209	Dental Mirror Topel meri Band Universal	7/11/2020	5	70	350	p/131	Note repair¬ usable	M&E	2.1	11	OPD
210	blue chair	15/05/2015	4	4240	16960	p/68	Note repair¬ usable	M&E	127.2	509	OPD
211	pmt set Dental	14/03/2018	34	400	13600	p/70	Note repair¬ usable	M&E	12	408	OPD
212	loading trolley	7/04/2018	1	18100	18100	p/26	Note repair¬ usable	M&E	905	905	OPD
213	wheel chair	3/2/2018	1	4990	4990	P/107	Note repair¬ usable	M&E	249.5	250	OPD
214	FOLDING SCREEN	3/2/2018	1	7800	7800	P/84	Note repair¬ usable	M&E	234	234	OPD
215	Instrument trolley	4/2/2019	1	5100	5100	p/51	Note repair¬ usable	M&E	255	255	OPD
216	pt stretcher trolley	3/2/2018	2	20100	40200	p/91	Note repair¬ usable	M&E	1005	2010	OPD
217	small boiler	14/03/2018	1	400	400	p/119	Note repair¬ usable	M&E	20	20	OPD
218	revolving chair	6/2/2019	5	5990	29950	p/75	Note repair¬ usable	M&E	179.7	899	OPD
219	thermal scanner	2/6/2020	2	800	1600	p/133	Note repair¬ usable	M&E	24	48	OPD
220	weight machine	11/11/2019	3	1500	4500	p/4	Note repair¬ usable	M&E	45	135	OPD
221	Oil heater	10/11/2014	3	8145	24435	p/47	Note repair¬ usable	M&E	407.25	1222	OPD














222	Mike system	1/4/2016	1	15882	15882	p/62	Note repair¬ usable	M&E	476.46	476	OPD
223	SS medium drum	31/10/2018	2	965	1930	p/83	Note repair¬ usable	M&E	48.25	97	OPD
224	ss drum	31/10/2018	2	772	1544	p/83	Note repair¬ usable	M&E	38.6	77	OPD
225	ss small drum	01/12/2021	1	772	772	p/83	Note repair¬ usable	M&E	38.6	39	OPD
226	Dispenser	31/08/2020	1	8970	8970	p/113	Note repair¬ usable	M&E	448.5	449	OPD
227	lock key	11/11/2019	20	50	1000	p/58	Note repair¬ usable	M&E	2.5	50	OPD
228	bp appratus	27/03/2017	3	1400	4200	p/58	Note repair¬ usable	M&E	42	126	OPD
229	bp appratus	13/01/2018	1	1400	1400	p/9	Note repair¬ usable	M&E	42	42	OPD
230	bp appratus	29/05/2018	5	1400	7000	p/9	Note repair¬ usable	M&E	42	210	OPD
231	bp appratus	13/02/2019	10	1400	14000	p/9	Note repair¬ usable	M&E	42	420	OPD
232	computer set acer	31/10/2015	1	38266	38266	p/80	Note repair¬ usable	M&E	1147.98	1148	OPD
233	Spirometer	30/10/2017	1	124900	124900	P/57	Note repair¬ usable	M&E	3747	3747	OPD
234	ALMIRAH	2/11/2015	3	6740	20220	p/22	Note repair¬ usable	M&E	337	1011	Office
235	Chair	13/01/2017	3	4240	12720	P/25	Note repair¬ usable	M&E	127.2	382	Office







236	UPS	2/11/2018	6	4223	25338	p/122	Note repair¬ usable	M&E	211.15	1267	Store & Office
237	Photocopier	3/1/2020	1	219900	219900	p/117	Note repair¬ usable	M&E	6597	6597	SR room
TOTAL AMOUNT										Rs. 8,15,285	



G.V. Vishnu Kumar
Member



Rupesh Kumar
Member



Pardeep Kumar
Member



Shadab Ali
Member



Sunita Malik
Member



Harpal Singh
Member



Rajesh Bajswal (Store DO)
Member



Arvind (AO)
Member



Dr. Subham
Member



Dr. Manya Prasad
Member



Dr. Mohan Lal Bairwa
Member Secretary



Dr. Harshal Ramesh Salve
Member



Dr. Anand Krishnan
Member



Dr. Kiran Goswami
Chairperson