ALL INDIA INSTITUTE OF MEDICAL SCIENCES ANSARI NAGAR, NEW DELHI- 29 STORES SECTION (DO)

Ref. No. XVI-55/SO(DO)/Biochem/PAC/23-24/M&E

<u>Sub: Proposal for procurement of LC-MS/MS (Liquid Chromatography Tandom Mass Spectrometer – 01 no. on PAC basis for Department of Biochemistry, at AIIMS, at AIIMS, & uploading of the proposal on AIIMS Website thereof.</u>

Store Section (DO) is in the receipt of proposal for procurement of <u>LC-MS/MS (Liquid Chromatography Tandom Mass Spectrometer</u> from M/s Sciex India Pvt. Ltd. (M/s AB Sciex Pte Ltd., Singapore, OEM), from the Deptt. of Biochemistry on proprietary article certificate:

The said proposal is uploaded on AIIMS website for period of 15 days with the view to invite objections w.r.t. proprietary nature of the product from the OEM's or their authorized distributors. The comments/objections if any should be received in office of Store Officer (DO), Store Section (DO), Animal House Building, Near Biotechnology Building at AIIMS on or before 18/06/2024 upto 12:30 P.M. failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

STORES OFFICER (DO)

DEPARTMENT OF BIOCHEMISTRY

All India Institute of Medical Sciences Ansari Nagar, New Delhi-110029



PROPRIETARY ARTICLE CERTIFICATE (PAC) (MACHINERY & EQUIPMENT)

- The indented goods are manufactured by M/s. AB SciEx Pte Ltd.
- (ii) Item Name: LC-MS/MS (Liquid Chromatography-Tandem Mass Spectrometer) GTE Exemption List no. 266
- Model No.: ZenoTOF 7600 LC-MS. MS System (iii)
- Vital Technical Performance Parameters required which makes the requirement proprietary: There (iv) are three major parameters which makes this instrument proprietary (Explained below and proprietary/patent certificates attached)
- 1. The ZenoTOF 7600 system has included a Zeno trap and electron activated dissociation (EAD) fragmentation cell. Zeno trap pulsing overcomes the traditional duty cycle challenges of TOF technology and delivers up to 20x the sensitivity which enables the detection of important low-abundant molecules. This employs a trap at the end of the collision cell that enables ions to be trapped and released based on high m/z to low, ensuring ions across the mass range arrive simultaneously at the center of the TOF accelerator. During MS/MS analysis, quadrupole time-of-flight (QqTOF) instruments typically have a very low transmission and we lose lots of ions and thus critical information about our experiments, depending on the selected fragment m/z and upper scan range limit. In this scenario, transmission refers to the percentage of inbound ions that are accelerated into the TOF region. This low transmission of ions is due to the challenge of interfacing a continuous ion beam emitted from the collision cell into a pulsed measurement system like a TOF. The addition and activation of a linear ion trap (LIT) near the end of the collision cell, increases transmission of ions drastically, which leads to a 4-20x sensitivity increase over non-trap-based approaches.
- Along with it, tuneable EAD fragmentation ensures novel structural information can be extracted and quantified from diverse compound types - a capability that is not currently possible by using high resolution at This LC-MS/MS incorporates a tunable electron-activated dissociation (EAD) device following a mass resolving quadrupole and prior to a CID cell. The EAD device operates reagent-free and utilizes at Fesla magnet to simultaneously trap electrons with tunable energies with the incoming attactorecursor ion beam. The EAD function enables various fragmentation mechanisms like electron apture dissociation (ECD), Hot ECD, and electron-impact excitation of ions from organics (EIEIO), which arrive as alternatives to CID, producing different diagnostic product ions across a wide range of molecular classes for wider range of molecules (small & large molecular weight).

SWATH data independent acquisition (DIA) delivers a high depth of coverage, particularly on low abundance species and can routinely quantify up to twice the number of plasma proteins than previously possible and drive faster discovery of new disease markers and therapies. Here, sequential RASINGER WINDOWS to be analyzed per cycle while maintaining the number of chromatographic data points and precision. In complex samples, increasing the number of the numb Description of the points accuracy and precision. In complex samples, increasing the number of mass windows of the points of the helps in lowering limits of quantitation, yielding greater confidence in target identifications and Sharlyop dupon maintaining assay precision. डॉ॰ सब्यसाची बंद्योपाध्याय/Dr. Sabyasachi Bandyopadh

(x) of other make or model is acceptable for the following reasons:

रिङ्क देशीरांशिंव that market survey has been done and found that no other manufacture के manufacturing संधान सुविधा stanlar/equivalent specifications which can fulfil the vital requirements of end user.

Signature of TSEC

वैद्यानिक-॥ / Scientist-II

अ. भा. आ.सं. ,नई विस्त्या-29/AHMS, New Delhi-29

Centra Zed Cone Rosearch Facility

With Name, Designation, Department & Mospital / Institute/DGHS आचार्य, परामर्शदाता एवं विभागाध्यक्ष

Professor, Consultant & Head of Departmenters which end user essentially require and are manufactured by only one manufacturer mentioned in serial no. (i).

Dr. Sudip Sen and first of Birds. New Dell Professor artment of Birds.

darjung Hospital, New Delhi-110029



<u>Technical Specification for High Resolution mass spectrometer with Nano LC, software & all accessories</u>

अरुपार के इंडिटिंग कि						
apable of both discovery proteomics (untargeted), metabolomics (untargeted), and validation proteomics and metabolomics (targeted). The mass spec will be used for both qualitative and quantitative based methods. The mass spec should be versatile enough for us to develop our own methodologies and protocols. It should be capable of both data dependent and data independent acquisition (DDA and DIA respectively). Both label and label-free technologies should be possible for quantitative studies in proteomics as well as metabolomics in the mass spec. The rate of data acquisition (scan rate) should be high since our applications will involve projects with large number of clinical samples in each group. At the same time the sensitivity and dynamic range of detection should be intensity should be high even at high scan rates. The machine should have a high mass range >= 40000 in order to enable analysis of intact proteins towards development of single protein biomarkers. A combination of library dependent and "library-free" search potential in order to get maximum coverage and depth of identifications from DIA. Quadrupole-time-of-flight-mass spectrometer with Linear Ion Trap feature[for discovery and quantitative analysis] The respectively and quantitative analysis. The respectively and quantitative analys						
प्रस्ति कर्मा कर्मा में क्षिण कर्म कर्मा कर्म कर्म कर्म कर्म कर्म कर्म कर्म कर्म	D. PARTHADRA OF MARKET	A A	Mass	capable of both discovery proteomics (untargeted), metabolomics (untargeted), and validation proteomics and metabolomics (targeted). The mass spec will be used for both qualitative and quantitative based methods. The mass spec should be versatile enough for us to develop our own methodologies and protocols. It should be capable of both data dependent and data independent acquisition (DDA and DIA respectively). Both label and label-free technologies should be possible for quantitative studies in proteomics as well as metabolomics in the mass spec. The rate of data acquisition (scan rate) should be high since our applications will involve projects with large number of clinical samples in each group. At the same time the sensitivity and dynamic range of detection should be intact. Spectral intensity should be high even at high scan rates. The machine should have a high mass range >= 40000 in order to enable analysis of intact proteins towards development of single protein biomarkers. A combination of library dependent and "library-free" search potential in order to get maximum coverage and depth of identifications from DIA. Quadrupole- time- of- flight-mass spectrometer with Linear Ion Trap feature(for		
हार प्राप्त के Saldan कि प्राप्त के प्राप्	हर्ने हाँ सुनाल रा हाँ सुनाल रा एम.डा. तथा	ता TDR क्षेत्री) M तमर्श्वतत sultant है क्ष्मान De	Technology Orequired tone discovery and 1002	discovery and quantitative analysis)	. /	
Shoulan Lepth habipalods Shoulan Septh habipalods Br. Miring Hinger / Dr. Shantanu Sangupta Dr. HARIPRASAD. G (MB. PM) Br. Miring Hinger / Dr. Shantanu Sangupta	Transfer Pr	ragyar	Acharya seor Biochemistry Bioch Medical Sciences	डॉ॰ सब्यसची बंद्योपध्याय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-॥ / Scientist-॥ कंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ. भा. आ. सं. नई पिल्ली-29/AllMS, New Delhi-29	hemisu	
डा. शान्तन सनगुप्ता / Dr. Shantano Dr. HARIPRAS ADI				Shoulan Septh haliprasods		
हा. शान्त मेनपुला Dr. Statis Professor जीविवज्ञान संस्थान Professor जीविवज्ञान संस्थान जीविवज्ञान जीविवज्ञान संस्थान जीविवज्ञान संस्थान जीविवज्ञान संस्थान जीविवज्ञान सिक्या प्रमाण जीविवज्ञान सिक्या प्या प्रमाण जीविवज्ञान सिक्या प्रमाण जिल्या सिक्या प्रमाण जिल्या सिक्या प्रमाण जीविवज्ञान सिक्या प्रमाण जीविवज्ञान सिक्या प्रमाण जीविवज्ञ	खें. सुदीप शायन विभाग थ, मा. शा. शं., शंस मई दिल्ली-11	सेन / D चार्य / Pr / Depart तरी चर/ / 0029 / N	or. Sudip Sen ofessor ment of Biochemistry MIMS, Assari Nagar lew Delhi-110029	डा. शान्तन सेनगुप्ता / Dr. Shantano Constant Dr. HARIPRAS Sor	Males Males	

	/	-
K	1	1
	_	/

	Hardware feature	System should be capable of both Collision induced dissociation (CID)& fragmentation based on electron. Quadrupole followed by collision cell (CID as well as with alternative fragmentation) and time of flight (TOF).
	Ion Source	 Ion source with ESI probe and APCI probes. ○ Desolation temperature 700°C or better. ○ Flow rate range 5µ/min to 3mL/min or better for ESI ○ Flow rate range 200µL/min to 3mL/min or better for APCI Separate dedicated ion source for handling wide range of flow rates from 100nL to 200µL/min range ○ Source should have 2 spray probes for micro & nano flow rate probe along with column heater support or better ○ Programable time-based Ionisation Feature should be present
i)	Mass Range	Quadrupole: m/z 5- 2250 or better. TOF m/z 5- 40000 or better.
ii)	Resolution	mass resolution that is equal to or greater than 42,000 (FWHM).
iii)	Scan Rate	Scan speed, MS/MS Up to 133Hz (133 MS/MS spectra per second) or better
		SACN Speed DIA mode: Up to 200 MS/MS scans per cycle in data independent mode (DIA) or better
iv)	Mass Accuracy	≤ 2 ppm MS using external calibration or better.
SAD CHA	TONDYN, WPND	MS/MS internal: ≤0.2 ppm absolute error as demonstrated on m/z 813 fragment ion of Glu-Fibrinopeptide B, internally calibrated ≤0.5 ppm absolute error as demonstrated on m/z 120 fragment ion of Glu-Fibrinopeptide B, internally calibrated
v)	Sensitivity (MS)	Sensitivity for 1 pg reserpine injection on column with S/N ratio ≥2,500:1 or better in MS scan mode.
DR.S	(MS/MS) SUNIL RANGA Pothology) Raynamic range end of Department of Pathology Ament of Pathology	Sensitivity for 1pg reserpine injection on column with S/N ratio ≥8000:1 or better in MS/MS scan mode.
1111	(Pomoros)	≥ 5 order of linear dynamic range or better.

Professor, Consultant & Head of Departmange विकृति विक्रमा विमाग | Department of Pathology विकृति विक्रमा विमाग | Department of Pathology विकृति विक्रमा विमाग | अस्पताल, गई दिल्ली-110029 विप्रमुप्तार्थी पूर्व प्रकृतिभागी Hospital, New Delhi-110029 VMMC & Salvan Ing Hospital, New Delhi-110029 Dr. Pragyan Acharya
Dr. Pragyan Acharya
Additional Professor
Additional Professor
And India Institute of Medical Sciences
All India Institute
New Delhi-110029

Shandyopodlyny डॉ॰ सव्यसाची वंद्योपाध्याय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-॥ / Scientist-॥ केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ.भा.आ.सं. नई दिल्ली-29/AllMS,New Delhi-29

डॉ जयन्त कुमार एमडी
Dr JAYANTH KUMAR MD
Dr JAYANTH KUMAR MD
अपर अध्ययं अध्यं अध्ययं अ

स्तिम सेन / Dr. Sudip उ... शाया / Professor जीव सायन विपान / Department of Biochemistry जीव सायन (Burney) Department of Biochemistry जिल्ला (Burney) Department of Biochemistry जिला (Burney) Department of Biochemistry जिला (B

उ. शान्तनु संनगुषा/Dr. Shahtanu Sengupta

उ. शान्तनु संनगुषा/Dr. Shahtanu Sengupta
तेशानिक / Scientist
ते

chairprosads

Dr. HARIPRASAD. G (MO,PHO) Dr. Professor P orani (rederence information india institute of Medical Sciences
Professor (Laboratory Medicale)
New Delhi-110029

Professor (Laboratory Medicine ज्या प्रकार नार्किया केन्द्र/JPNA Trauma Centre अ.था.आ.भ., राज नगर मई दिल्ली-110029 A.I.I.M.S., Raj Nagar, Now Delhi-29



		*					
vii)	Detector	A pulse counting, wide dynamic range dual ADC/TDC based detector. Features a 5 GHz, 10-bit ADC with a 40 GHz TDC					
viii)	Scan Mode	Full scan TOF MS, Full scan TOF MS/MS, MRMHR, Variable Window DIA, IDA (DDA), Time Based MRM.					
ix)	Fragmentation modes	 Collision induced dissociation (CID) Electron based alternative fragmentation technique without need of reagent. Both fragmentation should be user tunable for allowing free electron energies for both small and large molecule-based applications. 					
×)	Duty cycle	It should be greater than 90% in MSMS mode for ensuring minimum loss of ions to achieve better signal & thereby higher sensitivity.					
В	Nano-Micro LC sys	tem					
		•Pump:					
Liqui Syste	d Chromatography em	Binary Pumps/Solvent Manager.					
		Vacuum degassing capability Two/more-channel					
	3880	Operating flow rate range 200 nL/min to 100 μL/min without flow splitting					
CHECKEN CONTROL OF BILLS	PADHAN, MOND OF THE STATE OF TH	Effective System Delay Volume <1ul Default configuration. Plunger Seal Wash Integral, active, programmable Maximum Operating Pressure 10,500 PSI or better. Pump compositional precision <0.25 min SD based on six repeat Flow control- Direct, no split. pH range pH 2 to 10					
Clerca		Auto sampler					
	SUNIL RANGA	Number of sample plates Any two of the following: 96 and 384 microtiter plates 48 position 2.00-mL vial plates 48 position 0.65-mL micro-centrifuge tube plates 24 position 1.50-mL micro-centrifuge tube plates					

डॉ प्रिकृति क्षित्र प्राप्त | DR. SUNIL RANGA
(Pathology)
आर्ज (श्रिक्त क्षित्र क्षत्र क्षत्य Professor, Consultant & Head of Department
Professor, Consultant & Head of Department
Partial Partial Department
Partial Report of Partial Department
Partial Report of Partial Department of Medical Schemes 10029
Per and Institute of Medical Schemes 10029
Per India Institute of Medical Schemes 10029
Now Delni 110029
New Delni 110029

Shandyopa डॉ॰ संब्यसाची बंघोपाध्याय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-॥ / Scientist-॥ केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ.भा.आ.सं.,नई दिल्ली-29/AllMS,New Delhi-29

डॉ जयन्त कुमार एमडी Dr JAYANTH KUMAR MD न अपर आकार्य/Additional Professor ंत रस यन विमाग/Dept. of Blochemistry अखिल भारतीय आर्युविज्ञान संस्थान, नई दिल्ली—2 All the I healththe of Medical Sciences, Ansari Nagar, New Delhi-2

Signed Title, The Research New Delhi-20 हाँ सुदीम सेन / Dr. Sudip Sen श्रीमार्थ / Professor बीव रसावर विवार / Department of Biochemistry ज. मा. जा. सं., बंसारी व्यर/AIIMS, Ansarl Nagar महं दिल्ली-110029 / New Delhi-110029

Shawlow Serph

डा. शान्तन सेनगुप्ता / Dr. Shantanu Sengupta है। शान्तन सेनगुप्ता / Dr. Shantanu Sengupta के स्थान के प्राप्त जीवविज्ञान संस्थान संस्थान संस्थान जीवविज्ञान संस्थान संस

halimaled Dr. HARIPRASAD. G (MD. PhD) Department of Blophysics
All India Institute of Medical Sciences
New Delhi-110029

पुरवा भाशुर/Dr. PURVA MATHUR आचार्य (प्रयोगशाला पिकिस्ता) Professor (Laboratory Modicine) सारायण अभिवास केन्द्र/JPNA Trauma Centre ज.मा.जा.सं., पाज नगर नई दिल्ली-110029

1	60
	11
	/

. [Injection Volume 0.1 μL to 100.0 μL, in 0.1-μL increments.
			Sample manager precision <1% area RSD 0.2 to 1.9-µL injection
			Column Compartment
			Temperature Control 10 deg. C above ambient to 75 deg. C, 0.1deg. C increments.
			Total system (including pump & Autosampler) should be capable of operation at 10500 psi or better.
			Column compartment ±0.5 °C at sensor
1			temperature accuracy
-			Column capacity Single column, 75 μm to 4.6 mm internal diameter (ID); up to 250 mm in length
-			TRAP VALVE MANAGER (TVM)
			Two 2-position, 6-port switching valve or one 2-position, 10-port switching valve
	С	High flow LC	Solvent Bottle : 4 Solvent Bottle . Should also provide tubing for solvent flow. The tubing should contain filters for solvent filtering function
			Solvent Tray: Should Provide Tray to accommodate 6 solvent bottles of 1 litre
		<u> </u>	Pump Type Binary Pump Flow Rate Range 0.0001 mL/min to 5.00 mL/min or higher and suitable
		1883	for LC-MS/MS operation
,	- 5	A Property of	Operation Pressure Range The instrument must have an operating pressure range of 9500 PSI or more to perform and enable working flexibility in
1	11/6	CAN ON WO END	both regulated and research/scientific work.
Marie	Sidies	PADHYA	Gradient Formation The gradient formation must be high-pressure binary
STATE OF	DCHAI	SOLULIAN STANDANDE	mixing
TO RIHAPPING	IPPO B	OCH TITE MEN	Flow-rate Flow-rate
Dr. Pro	COMA	A Ansert	Precision ≤ ±0.06% RSD
Doposition	a grions		Flow-rate Accuracy ±1 % or better
The Institute of Real			Accuracy ±1 % or better Degasser Built-in online or separate degassing module for at least 5
A India ho		INIII RANGA	Solvent Lines
लंडा एंगा। एक्डा एंगा। अवार्य, प्राप्ता	DR.S	Pathology	Sample Cooling Direct Sample Cooling system at 4 – 40 °C
Medella !	म्म.ए.	fariment Department	Injection Volume 1 – 50 μL or more
प्माडी. प्राम्याव	nt & He	ment of Pathology	Autosampler Pressure pressure range at least 9500 psi or better
fessor, Consult	Deban	Pathology বিশাসের ad of Department ad of Pathology ment of Pathology নে, বাই ক্ষিকী-110029 নির, New Delhi-110029	N C
ति विशा सफदरज	g Hosp	ital, iso	Spandy of orlying Buryon W
MC & SO ANY	6		डॉ॰ मलानी ने
looft.		Acharya	डॉ॰ सब्यसाची वंद्योपाध्याय/Dr. Sabyasachi Bandyopadhyay
Dr. Pra	gyan Profes	Acharya sor jochemistry te of Medical Sciences	Control कार अनुसंधान सविधा
Additional Department Department All India New De	Institu	Acharya sor lochemistry te of Medical Sciences te of Medical 29	कंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ. भा. आ. सं. ,गई दिल्ली-29/AlfMS, New Delhi-29
New New			and the
provide the contract of the co			2000

न / Dr. Sudip Sen जावार्य / Professor चीव रखावन विभाग / Department of Blochemistry गा. सं. अंसारी पगर / AliMS, Amsari Nagar 110029 / New Delhi-110029 Showlar Serryto

डा. शान्तनु सेनगुप्ता / Dr. Shantanu Sengupta वैज्ञानिक / Scientist जीनोमिकी और समवेत जीवविज्ञान संस्थान

haliprose als

Dr. HARIPRASAD. G (MD. PHD) डा. शान्तनु सेनगुप्ता / Dr. Shantanu Sengupta

हा. शान्तनु सेनगुप्ता / Dr. Shantanu Sengupta

हिल्ली विद्यान विद्यान

हिल्ली विद्यान संस्थान

हिल्ली विद्यान सिल्ला

हिल्ला

हिल्ली विद्यान सिल्ला

हिल्ली व

	*	Injection Volume Precision ±0.25 % RSD Carry Over <0.0015 % or better Sample Capacity 100 or more vials (1.5mL - 2 mL) sample capacity Temperature Setting Range 10 °C below ambient to 85 °C or better Temperature Precision ± 0.1 °C or better Column Accommodation Capability 6 columns of up to 100mm length or better
D	Spares and accessories	a. LC-MS/MS startup kit should be supplied as standard(like tubing, syringe, calibration standards)
	PC	b. All required traceable standards for Mass calibration and tuning, HPLC calibration should be provided
		c. Standard Tool kit should be provided for Instrument maintenance
		d. Speedvac or concentrator with vacuum pump should be quoted along with instrument.
E	PC Softwares	Separate systems- one for data acquisition and one for data analysis should be provided with specification as mentioned. Most recent factory recommended for use with the above system to be provided. Workstation specifications: Intel Xeon W-2245 8 Core Processor (3.9GHz 4.7GHz Turbo HT 16.5MB, 155W DDR4-2933) 32GB RAM memory (2X16GB DDR4 3200MHZ RDIMM ECC)
My Market 188	HATTPHINKY, WOND	 2x2 TB Solid State Hard Drive in RAID 1 configuration Hardened installation of Windows 10 IoT Enterprise 2019 LTSC 64 bit Optical mouse Multimedia keyboard RoHS compliant or better
	Data Analysis	
Atla visit Da. S.	Software (Pathology) (Pathology)	Instrument should have dedicated software for data acquisition and instrument control. Software for instrument control, data acquisition and data processing must be latest with license. The software should be updated annually based on the latest version available.
Protessor, Consultant	pital, New Delhi-1100/23	SBandyapallyyy गॅ॰ सम्यसची बंघीपाध्यय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-॥ / Scientist-॥

Dr. Pragyan Acharya

Dr. Pragyan Acharya

Additional Professor hemistry

Additional Professor hemistry

Additional Professor hemistry

Additional Professor hemistry

All India

New Delhi-110029

Skandyopadhyng र्जे॰ सन्यसाची बंघोपाध्याय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-॥ / Scientist-॥ केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ. भा. आ. सं. , गई दिल्ली-29/AHMS, New Delhi-29

डॉ जयन्त कुमार एमडी Dr JAYANTH KUMAR MD अपर आचार्य/Additional Professor जीव रसायन विभाग/Dept. of Biochemistry अखिल भारतीय आर्युविज्ञान संस्थान, नई दिल्ली-All India Institute of Medical Sciences, Ansari Nagar, New Delhi

Showhan Serry b

डा. शान्तनु सेनगुप्ता / Dr. Shantanu Sengupta वैज्ञानिक / Scientist Work Dr. Punit Kaur Dense of Bionessor & Head जीनोमिकी जोर समवेत जीवविज्ञान संस्थान

Institute of Genomics & Integrative Biology माल रोड, विल्ली- 110007 / Mall Road, Deihi-110007

Darpageal Dr. HARIPRASAD. G (MD. PHD) Department of Biophysics
All India Institute of Medical Sciences
New Dethi-110029

Agathan Signal Professor & Head mistry Till To St. St. St. A. I.I.M. S. Denvisor.

Total Regar New York. ीम सेन / Dr. Sudip Sen जीव रशाय / Professor जीव रशायन दिवार / Department of Biochemistry अ. शा. जा. रां., शंपकी चार / AIIMS, Amsari Nagar वह दिल्ली-110029 / New Dethi-110029 1 Professor

र्ग. पुरवा मायुर/Dr. PURVA MATHUR आवार्य (प्रयोगशाला धिकिस्सा) Professor (Laboratory Medicine) नारायण अधिवारा केन्द्र/JPNA Trauma Centre क्षा नातक आवात क्या का विल्ली-110029 अ.सा.आ.सं., राज नगर मई दिल्ली-110029 A.I.I.M.S., Raj Nagar, New Delhi-29



Metabolite identification & data base searching capability software for metabolomics and lipidomics application and library for metabolomics and lipidomics shall be quoted. The software should be updated annually based on the latest version available.

Protein identification & data base searching capability software for proteomics application and library for proteomics shall be quoted. Software should have the ability to perform library free search based on DIA-NN (DIA- neural network) search or similar algorithms. The software should be updated annually based on the latest version available.

Software with formula finder, automatic online database search, and fragmentation prediction tool to identify unknowns. The software should be updated annually based on the latest version available.

Dedicated latest software package for metabolite /Protein identification and characterization, relative and absolute quantifications. Software should be able to perform alignment of multiple date sets, statistical analysis software and software for metabolite structure elucidation. All the software required for DIA & DDA workflow should be quoted. The software should be updated annually based on the latest version available.

LC system should be controlled by single software or the LC software should be integrated into the MS data acquisition software. The software should be updated annually based on the latest version available.

The supplier will have to carry out successful Installation at the laboratory premises (where ever the system has to be installed) and provide on-site comprehensive training for a minimum of four scientific personnel operating the system till customer satisfaction and provide training and troubleshooting in running the workflow as an when required during the period of contract. An annual training workshop covering the fundamentals of mass spectrometry, and practical aspects of mass spectrometry must be conducted for the period

Trained operator for LC-MS/MS facility for three years.

of contract (3 years).

STATISTICS ALLMS

The system should have UPS (minimum 15 KVA) of suitable rating with voltage regulation, spike protection and minimum 60 minutes back up for the supplied equipment.

System should include Nitrogen generator with latest gas panels with noise free compressor.

रांगा / DR. SUNIL RANGA एम.डी. (पैथीलोची) / M.D. (Pathology)

आचार्य, परमुशंदाता एक विशासाध्यक्ष Professor, Consultant के Head of Department विकृति विज्ञान विमाग / Department of Pathology प्राकृती एवं सफदरजंग अस्पताल, नई दिल्ली-110029 Safdarjung Hospital, New Delhi-110029

Gas generator

Dr. Pragyan Acharya Additional Professor Department of Bioch Medical Sciences All India Institute of New Delhi-110029 Additional Professor

SBandyopadhyng

डॉ॰ सब्बसाची बंद्योपाध्याय/Dr. Sabyasachi Bandyopadhyay

वैज्ञानिक-॥ / Scientist-II केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ.भा.आ.सं. ,नई दिल्ली-29/AllMS,New Delhi-29

डॉ जयन्त कुमार एमडी OF JAYANTH KUMAR MD अपर आचार्य/Additional Professor जी रसायन विभाग/Dept. of Biochemistry 29 अखिल भारताय आयुविज्ञान संस्थान, नई दिल्ली-All Incla Institute of Medical Sciences, Ansarl Negar, New Delhi

Shoula Semple

डा. शान्तनु सेनगुप्ता / Dr. Shantanu Sengupta वैज्ञानिक / Scientist Paper / Depti. of Biophysics जीनोमिकी और समवेत जीवविज्ञान संस्थान Rel Professor & Head

Section Ansari Nagar, New Dally 20

Darpasods Dr.HARIPRASAD. G (MD.Pho) Department of Blochysics

inti TTY AllMS, Anseri Na नई दिल्ली-110029 / New Delhi-110029

डी. पुरवा मापुर/Dr. PURVA All India Institute क Nedical Sciences हिर्मिक / Submit जीनोमिक और समवेत जीवविज्ञान संस्थान जीनोमिक अंदर समवेत जीवविज्ञान संस्थान जीनोमिक संस्थान संस्थान जीनोमिक संस्थान संस्थान संस्थान जीनोमिक संस्थान संस्थान संस्थान संस्थान अंदर संस्थान संस्थान संस्थान संस्थान अंदर संस्थान संस्थान

राज गगर नई विल्ली-110029 A.L.I.M.S., Raj Nagar, New Delhi-29

Any other gas cylinder (As required for the instrument) for performing the required applications must be included in the offer along with the gas regulators, gas purification panels , tubing's , connectors and moisture traps etc. 2 back up AC units should be provided. The system should come with a 5 years warranty for the complete Warranty/CMC system (Mass spec+ nano LC+ Ionization source + gas generator + Autosampler and other associated parts). Additional 5 year CMC pricing should be quoted as optional. Since mass spectrometers are very sensitive equipment and requires regular servicing and support for smooth functioning of the facility, user's feedback as deemed by competent authority may be taken. Based on the user's feedback the competent authority reserves the right to reject the bid submitted. Instruments must be attended within 48 hr in case of any breakdown. Activo The uptime for the facility should be 90% per year or more. Vendor should assure the availability of the spares for next 10 years from the date of installation. One preventive maintenances for the complete platform should be performed every year during the warranty period. Vendor must have good service and application support in India to support the Institute as and when required.

Dr. Pragyan Acharya

Dr. Additional Professor

Additional Professor Medical Sciences

Additional Professor Medical Sciences

Additional Professor Medical Sciences

Appartments true of Medical Sciences

Mew Dehi-110029

New Dehi-110029

हों सुदीप सेन / Dr. Sudip Sen आयार्थ / Professor बीव रसावन विमान / Department of Blochemistry ब. था. था. थां., बंसारी नगर / AllMS, Artsari Nagar महं दिल्ली-410029 / New Delhi-110029

Dr. HARIPRASAD. G (MD. Pho)

Dr. HARIPRASAD of Biophysics

Department of Medical Sciences

Au India Institute of Medical

Au India Medical Medical

Augustian Delhi-118029

डॉ॰ सुनील रांगा / DR. SUNIL RANGA एम.डी. (पंथोलोजी) / M.D. (Pathology) आवार्य, परामर्शदाता एवं विभागाध्यक्षा Professor, Consultant & Head of Department विकृति विज्ञान विमाग / Department of Pathology वीएगएमसी एवं सफदरजंग अस्पताल, नई दिल्ली—110029 VMMC & Safdarjung Hospital, New Delhi-110029

Skandyopadhyay

डॉ॰ सन्यसाची वंद्योपाध्याय/Dr. Sabyasachi Bandyopadhyay

वैज्ञानिक-॥ / Scientist-॥ केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ.भा.आ.सं.,नई दिल्ली-29/AllMS,New Delhi-29 Starkila

जयन्तं वुस्तिरं एमडी

OT MYANTH KUMAR MD

ANT STEEL S

Showtar Seppto

डा. शान्तनु संनगुप्ता / Dr. Shantanu Sengupta हैत्तानिक / Scientist जीनोमिकी और समवेत जीवविज्ञान संस्थान Institute of Genomics & Integrative Biology गाल रोड, दिल्ली-110007 / Mail Road, Deihi-110007

Puration

डॉ. पुनीत कॉर / Dr. Punit Kaur आवार्य एवं अध्यक्ष / Professor & Head जैवर्षीतिक विभाग / Deptt. of Biophysics अ.भा.आ.सं. / A.I.I.M.S. अंसारी नगर, नई दिल्ली-29 / Ansari Nagar, New Delhi-29

हो, पुरवा मानुर D. PURVA MATHUR
Profest of (Laboratory Medicine)
क्व प्रकार अस्त्रा केन्द्र/JPNA Trauma Centre
आ.मा.आ.सं., राज नगर, नई विक्ती 110029
A.L.M.S., Raj Nagar, New Delhi-29



PROPOSAL FOR PURCHASE

*Quote Title: SCIEX ZenoTOF 7600 LC-MS/MS System

Quote #:

SCIEX-DEL/DD/AIIMS/167879/23

Quote Date: 09 Jan 2023

Valid To: 31 Mar 2024

Customer Name:

The Director

All India Institute of Medical Sciences

ANSARI NAGAR

NEW DELHI-110 029

Delivery Period:

6-8 weeks after receipt of Purchase Order & Payment

Payment Terms: LC at sight

Country of Origin:

USA and/or Canada and/or EEC and/or Singapore

Port of shipment:

Singapore/Netherlands

Order On:

AB SCIEX Pte Ltd

AB SQIEX (Distribution) Division,

SCIEX Banker Details:

Sank of America NA

Account Name: AB SCIEX PTE LTD

ct. No: (54674017

आचार, पर्यास्त्रिम् पर्व विभागार्थः अस्ति पर्यास्त्रिम् पर्व शिक्षायार्थः पर्व विभागार्थः पर्व शिक्षायार्थः पर्व शिक्षायार्थः पर्व शिक्षायार्थः पर्व शिक्षायार्थः पर्व शिक्षायार्थः पर्व शिक्षायाः पर्व विभागार्थः पर्व शिक्षायाः परित शिक्षायः परित शिक्षायाः परित शिक्षायः परि

rofessor, Consultant Parket of Pathology कृति विज्ञान विश्वी (Pepare of EAGB22, 1902) सर्मसी एवं सफदरजंग अस्पतील, New Delhi-110029 MMC & Saldar Branch (Code: 6008

: GB92 BOFA 1650 5054 6740 17

सुदीम सेन / Dr. Sudip Sen


Department of Blochemistry

Registered office: 3rd floor, Unit # 9215, B-Wings Art Guild House, Phoenix Market City, LBS Road, Vimersia Media technologie Maharashtra 400070. Phone: 022 3026 7000

ति एवं अस्ति। Professor & Head खर्गितिक विभाग / Deptt. of Biophysics front 29 / Ansari Nagar, New Delhi-29 अ.भा.आ.सं. / А.І.І.М.S.



The Power of Precision



Margall Assartial Estate Road 3, डॉ॰ सब्यसाची विज्ञापायाम्/Dr. Sabyasachi Bandyopadnyay बींद्रीकृत स्रोर अनुराधान चुनिया

Controlizad C-m Rosearch Facility अ. भा. आ.सं. गर्ड दिल्ली-29/AIIMS, New D

West, Mumbai,

Confidential - Company Proprietary



www.sciex.com

Sr.#	Product Part #	Description	Qty	Unit Price USD	Total Price USD
1	5300885	ZenoTOF 7600 System-Zeno SWATH	01	Included	Included
	1 10010 101000000	This is a non biologics ZenoTOF 7600 LC-MS/MS System			
	1	enabled with Zeno SWATH			
1		The state of the s			
	5	Includes: Zeno SWATH acquisition e-license			
		Includes: Turbo V Source for ZenoTOF 7600 that accepts		2	
		either the ESI Probe or APCI Probe			
		A source combining ESI and APCI (Atmospheric Pressure			
		Chemical Ionization) modes for automated calibration. Offers			
		the same high flow characteristics as the regular Turbo V			
		source (flow rates from 5 to 3000 ml/min.) and APCI source			
		(flow rates from 200 to 3000 ml/min.).			
		Includes: ESI Twinsprayer Probe			
		Includes: Data Acquisition Sciex Workstation + (Plus)	1 1		
		Win10 64-bit OS			
		Includes: 24in Standard Monitor			
		Includes: One standard roughing pump.			
2	5307946	SCIEX OS Acq QT Starter Kit - OS-Q E-License	01	Included	Include
		New SCIEX OS starter kit for QTRAP systems. This bundle			
		contains: 1) SCIEX OS for Acquisition, Qual, and Quant Proc e-			
		license on a single workstation 2) Sciex OS-Q e-license for			
		quantitation and qualification of small molecule compounds,			
		large molecule biomarkers and biopharmaceuticals.			
		and biopharmaceutesis.			
2	E02272E		01	Included	Include
3	5032735	PTO* ESI POSITIVE CALIBRATION SOLUTION X500B 5	01	Included	Include
1. ~	And Andread	PACK			
May	TEATE OHYAY, MOTH	Calibration solution 5 pack for the SCIEX X500B system. This			
ENTER T	CHAT CONDANT HOPE	solution is intended for use in ESI positive ion mode.			
PRTHAPA	AIP 5042917 Hew C	PTO* ESI NEGATIVE CALIBRATION SOLUTION X500 5 PACK	01	Included	Include
Strin	THENES, MISS	Calibration solution 5 pack for the SCIEX X500 system. This		Per will	W-
TO STORE OF HER	3	solution is intended for use in ESI negative ion mode.		Lower	
5	5042918UNIL	ogy)PTO* APCI POSITIVE CALIBRATION SOLUTION X500 5	013	INCIDITE OF	UMARIUME
64 0. 3	TOTHER PINTER	1 and 1	314	र आचार्य/Additio	nal Professor of Biochemis
	anguillain amont O	Calibration solution 5 pack for the SCIEX X500 system. This	सायन क	वि अपिविज्ञान स	perin, नई दिल्ली msari Nagar, New De
011	Pontil Land VIS	pasolution is intended for use in APCI positive ion mode.	dia institute	of Medical Sciences.	nsan noya, non o
dessor, C	मान्द्रजीम अस्पताल, एक				
dessor, C	विमान / Departition सफदरजंग अस्पताल, गई सफदरजंग Hospital, Nes Idarjung Hospital, Nes	Sahvasachi Banayopaunyay	S	TEN O	
dessor, C	सफदरजंग अस्पताल. Idarjung Hospital, No	Sabyasachi Banayopaunya,	120	Thoga	
dessor, C ति विद्यान तुमसी एवं AC & Sa	idarjung Hospital, Nes	gantino II / Scientist II	100	Tropia P	
dessor, Control of the same o	idarjung Hospilal, Nes Dr. Sudip Sen Professor	gantino II / Scientist II	1	Tropia Property	DE BURVA MAT
diessor, C नितं विद्यान तासी एवं MC & SE अविध सेन आवार्य विमान/Dep	Dr. Sudip Sen Professor artment of Blochemiatry	Controlized Coro Recearch Facility Controlized Page 129/AliMS, New Delhi-29	*	Pilu pod	DT. SURVA MAT

Mod A REPERSAD. G. Land School School

ज्ञां. पुनीत कौर / Dr. Punit Kaur डॉ. पुनीत कौर / Dr. Punit Kaur आवार्य एवं अध्यक्ष / Professor & Head अवार्य एवं अध्यक्ष / Professor & Head अवार्य के अध्यक्ष / Professor & Head अस्पान / A.I.I.M.S. अस्पान अस्पान / A.I.I.M.S. अस्पान अस्पान / A.I.I.M.S.



		SCIEN			www.sciex.com
Sr.#	Product Part #	Description	Qty	Unit Price USD	Total Price USD
6	5042919	PTO* APCI NEGATIVE CALIBRATION SOLUTION X500 5 PACK Calibration solution 5 pack for the SCIEX X500 system. This	01	Included	Include
		solution is intended for use in APCI negative ion mode.			
7	5044093	CABLE* POWER INDIA 10A/250V	15	Included	Included
8	5311309	CORE EXIONLC AE SYSTEM Configured ExionLC AE system bundle. Main components include ExionLC AE autosampler, 2 ExionLC AE pumps, ExionLC AE controller ExionLC AE column oven, 20 uL micro mixer, and 5 channel ExionLC AE Degassing Unit. Capable of injection volumes of 0.1 to 50 uL and pressures up to 15,200 psi. This system bundle contains all of the components required for basic LC operation.	01	Included	Included
9	5053490	MS Office 2016 Professional Plus ISV Global Kit	02	Included	Included
10	5303450	SCIEX Gas Generator N26A26 standalone compressor gas generator for all RUO SCIEX LC-MS system with or without SelexION. Max specifications: Curtain Gas (Nitrogen) 26 L/min @ 60 psi, Source Gas (Dry Air) 32 L/min@ 105 psi and Exhaust Gas (Dry Air) 25L/min @ 70 psi. Dimensions (HxWxD) 70 x 57 x 90 cm (27.6 x 22.4 x 35.5 ins) and Weight 337 lb (153kg). Requirements: Electric 220V ± 10%, 50/60 Hz, 7A, Power consumption 1640 VA.	01	Included	Included
11	4376887	FG,TRIAZINE STANDARD MIXTURE	01	Included	Included
12	4465708	SIL Installation Kit 1.5 mL autosampler vials, package of 100. Vials are clear borosilicate glass with 9 mm screw cap and non-bonded PTFE/Silicone septum with no slit.	02	Included	Included
THAPPAS STORM	DE COTO PROCESTO THE PERSON NOW I	S. Sandyap - Myny			

डॉ॰ सब्यसाची वंद्योपाध्याय/Dr. Sabyasachi Bandyopadhya वैज्ञानिक-॥ / Scientist-॥

कोंद्रीकृत कोर अनुसंधान सुविधा Centralized Cere Research Facility अ. भा. आ. सं. , नई विल्ली-29/AllMS, New Delhi-29

डॉ॰ सुनील रांगा/DR. SUNIL RANGA एम.डी. (पेथोलोज़ी)/M.D. (Pathology) आचार्य, परामशंदाता एवं विभागाध्यक Professor, Consultant & Head of Department विकृति विज्ञान विमाग / Department of Pathology

बीएमएमसी एवं सफदरजंग अर SCIEX India Pvt. Limited

Confidencial Company Proprietary

Confidencial Company Proprietary

Kall Professor & Head

St. 4788 | Professor & Charles जनगोतीक विभाग / Deptt. of Biophysics अ.भा.अ.सं. / A.I.I.M.S. अ.भा.अ.सं. / A.I.I.M.S. अ.भा.अ.सं. १८००० / Ansari Nagar, Naw Delhi-29

UI. JATAN IT TONAPAT TRIPA THE THE TRIPATE OF BIOCH डॉ सुदीय सेन / Dr. Surth Sen आवार्य / Professor जीव रसायन विगाग/Department of Blochemistry

ब्र.मा. वा. सं., शंचारी नगर / AliMS, Arisari Nagar नर्व दिल्ली-110029 / New Delhi-110029

-	
SC	IEV
36	

	Product Part #	Description	Qty		Total Price USD
				USD	1859/2101
13	5076952	SCIEX ZenoTOF 7600 Optiflow TurboV Source Nano Bundle	01	Included	Included
		"ZenoTOF 7600 OptiFlow Turbo V Source bundle for nano flow	1		
4		rates (100 - 1000 nL/min). Includes:			
		- Source			
		- OptiFlow Interface	1		
		- Column heater for nano columns			
		- 1 nano flow probe			
		- Installation kit			
		- Column heater adapter cable"			
14	5080307	KIT* ZenoTOF 7600 OptiFlow Micro Add-on	01	Included	Included
-	5000507	Kit to add micro functionality to an existing ZenoTOF 7600	01	moradou	moradou
		OptiFlow nano source. Includes micro column heater. Includes 2			
		probes: one for 1-50 ul/min and one for 50-200 ul/min. Includes a			
		5-pack of electrodes: 2 for low micro (1-10 uL/min), 2 for micro			
		(10-50 uL/min), 1 for high micro (50 - 200 uL/min). Includes			
		fittings and tubing.			
15	5057681	KIT* APCI TWIN SPRAYER PROBE	01	Included	Included
		Atmospheric Pressure Chemical Ionization probe for use in the			
		Turbo V™ Source. Useful for ionization of small polar and neutral			
		molecules. Accepts flow rates from 200 to 3000 μ l/min.			
16	5061324	OPT* SYRINGE PUMP ASSY	01	Included	Included
10	3001324)	01	Included	included
	A CONTRACTOR OF THE PARTY OF TH	Stand alone syringe numn			
Α.	Car	Stand alone syringe pump			
1/2	~5089764	ProteinPilot Processing PC	01	Included	Included
Ma	5089764	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower Qual Intel Xeon Gold	01	Included	Included
Who wastrant	5089764 SAUCHATORADHYAY, MO	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC	01	Included	Included
ARTICAL PROPERTY OF THE PARTY O	ASAU CHATTOPADHAY, MO	ProteinPilot Processing PC	01	Included	Included
WAS THE SAME OF TH	SO89764 SON CHATTOPADHAM, NO. ASAD CHATTOPADHAM, NO. THE BLOCK	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC	01	Included	Included
A STATE OF THE PARTY OF THE PAR	ASAU CHATTOPADHYAY, MO- TESTITION OF SOOT THE STORY OF SOOT THE SOOT THE STORY OF SOOT THE SOOT THE STORY OF SOOT THE STORY OF SOOT THE STORY OF SOOT THE ST	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors, 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume.	01	Included	Included
West of the second seco	SOR9764 SORO TO THE TO	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro	01	Included	Included
No. of the last of	ASIP TO PERSON NOT THE TOTAL OF BIOCHEM, NOT THE TOTAL STATE ASSAULANCE OF THE TOTAL SCIENCES, AMERICAN NOTICE OF THE TOTAL SCIENCES, A	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116).	01	Included	Included
A CONTRACTOR OF THE PARTY OF TH	ASIP TO PERSON NOT THE TOTAL OF BIOCHEM, NOT THE TOTAL STATE ASSAULANCE OF THE TOTAL SCIENCES, AMERICAN NOTICE OF THE TOTAL SCIENCES, A	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116).	01	Included	Included
1 10 10 10 10 10 10 10 10 10 10 10 10 10	THE SCORES AND HOUSE. HE STORE SCORES AND HOUSE.	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors, 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC 8X DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT dyopather prices 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer.	01	Pyry	e R
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT by Prise 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer.	01	Included	ि कुमार एम
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT by Prise 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer.	01	ST. JAYAN	ि कुमार एम TH KUMAI
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT by Prise 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer.	07	SI. JAYAN Dr. JAYAN	TH KUMAI
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT dyopathy. Prise 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer.	07	डॉ. जयम Dr. JAYAN	TH KUMAI
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT dyop where price 64-bit. This PC is RoHS compliant and can be used as stand-alone processing computer. The Policy of the Monitor Dell U2717D 27 inch monitor. Provides two HDMI (MHL) ports, a	07	SI. JAYAN Dr. JAYAN	TH KUMAI
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC RAM. 2x 3.5 2TB 7200rpm Solid State Drive in one RAID1 Volume. 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT dyop and the processing computer. The processing computer. Dell U2717D 27 inch monitor. Provides two HDMI (MHL) ports, a DisplayPort, a mini-DisplayPort and USB 3.0 ports. With an Optimal Resolution of 2560 x 1440 at 60Hz. Height-adjustable	07	SI. JAYAN Dr. JAYAN	TH KUMAI
	STAIDT. Sabyasachi Ban	ProteinPilot Processing PC DELL Precision Workstation 7920 XL Tower. Dual Intel Xeon Gold 6134 Processors. 64GB DDR4 (8x8GB) 2666MHz RDIMM ECC 8x DVD+/-RW Slimline. 1 Ethernet port (built-in). NVIDIA Quadro P400 Video card with 3 mini display ports and minimum one mini display port to display port adapter. Dell Optical Mouse (MS116). Dell Multimedia Keyboard (KB216). CS image of Windows 10 IoT dyop and processing computer. 1	07	SI. JAYAN Dr. JAYAN	TH KUMAI

जीव \सायन

जा भाग / Department of Blochemistry
जा. भा. जा. गां. जांची नगर/AHMS. Argari Negar

जा शिर्मे हिंदि के स्वार्थ के स्वर्ध के स्वार्थ के स्वार्थ के स्वार्थ के स्वर्ध के स्वार्थ के स्वर्ध के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वर्ध आवार्ष एवं अञ्चर्ष / Professor रू Head शिवामीतिक शिलाम / Deptt. of Biophysics शिवामीतिक शिलाम / Deptt. N.S. अ.शा.आ.सं. / A.I.I.M.S. अ.शा.आ.सं. / A.I.I.M.S. अ.शा.आ.सं. / A.I.I.M.S.



		SCIEX	_		www.sciex.com
Sr.#	Product Part #	Description	Qty	Unit Price USD	Total Price USD
19	5307744	SCIEX OS-Q 3.3 - Qual & Quant Processing Perpetual License	01	Included	Included
		SCIEX OS-Q perpetual license for processing data on an			1
•		additional PC. SCIEX OS is a leap forward in data processing			-
		analytics. The all new interface is much easier to use and learn			
		while incorporating the power of a quantitative and qualitative			
		evaluation of data in one step. This license is for processing only,			
		data acquisition requires an acquisition license. Software can be			
	19	downloaded or DVD can be purchased separately.			10.
20	5084330	ACQUITY M-Class Single Pump Trapping	01	Included	Included
		"Includes:			
		- ACQUITY Binary Pump for M Class			
		- ACQUITY Autosampler (Fixed Loop) for M Class			
		- ACQUITY Trap and Valve Manager (TVM)			
		- ACQUITY Start-up Kit			
		- ACQUITY Info Set			
		- ACQUITY SW Driver for Sciex OS			
21		KIT* ACQUITY M Class Micro Install Kit	01	Included	Included
		Kit needed for install LC/MS test			
		- 5062189 Phenomenex Kinetex micro column			
		- 5068393 Phenomenex Luna trap (3 pack)			
		- 5065518 Phenomenex SecurityLINK PeekSil (50 um x 1000mm)			
		Qty 2			
	5084385	👌 - 4376887 (Triazine)			Vii C
22	5084395	UPLC System Installation M-Class	01	Included	Included
23	5033220	PROTEIN DECONVOLUTION WIN7 CONVERSION BUNDLE	01	Included	Included
lo	OND ON ON THE PART OF THE PART	PeakView 2.1 full kit bundled with Bio Tool Kit 1.0 Microapp			
1	CHATTOPHONIAN, MOPRO	License. The kit includes one license for PeakView 2.1, and one			
HETELE	MO CHAIDSOTTET ISTER	license for Bio Tool Kit.			
THIZA	5034060 at Now	PROTEINPILOT 5.0 SOFTWARE 16-CORE LICENSE	01	Included	Included
-STE	OTTORY ANSWER	ACTIVATION KEY CARD			
Tal Property	Can a Comment	This kit contains one ProteinPilot 5.0 perpetual single user license			O
Paris Out		opadwith a 16-core processing capability. No DVD is included. The		Bass	1 Vor
		opadivish a 16-core processing capability. No DVD is included. The software may be downloaded from the website	ंडॉ.	जयन्त विप्	MAR MD
चेला		(http://www.absciev.com/downloads/software-downloads)	Dr	अग्वार्य/Additions	Professor
क्षेत्रीक् Centralia	र कोर अनुसन्तर कि ed Cora Research Facil	ly beini-®roteinPilot allows unattended batch processing of data files∰ar⊽	यन विश	ान विभाग/Depti	न, नई दिल्ली-29
.आ.सं.,न	ed Coro Recoerch P201 ई दिल्ली-29/AIINS,New I	protein identification and expression analysis from LC/MSM india	estitute of	Medical Sciences, Aps	an Magar, New Deliti-29
		LC/MALDI and gel based experiments.	1	NO TO	
		100 SPG	1	8/	P

डॉ॰ सुनील सिंगा / DR. SUNIL RANGA एम.डी. (पैथोलोजी) / M.D. (Pathology)

प्राची प्राची / Professor
Professor

-0	No.	1
C		W
		X#

Product Part # Sr.# Total Price Description **Unit Price** Otv USD USD 25 5044846 MarkerView 1.3 License 01 Included Included MarkerView Software, a powerful program designed for metabolomics and protein/peptide biomarker profiling applications, allows you to rapidly and easily review data acquired on all SCIEX mass spectrometers to determine up- and downregulation of endogenous compounds in complex samples. This kit contains a License only 26 5020210 LipidView Software V1.2 01 Included Included LipidView Software is a data processing tool for the molecular characterization and quantification of lipid species from electrospray MS data. Includes software CD and 1 user license. For full description and requirements, see the LipidView Software product description. 27 5084472 NIST library Permanent license 01 Included Included The NIST 2017 MS/MS includes over 13,800 compounds 28 5073589 Accurate Mass Metabolite HR-MS/MS Spectral Library 2.0 e-Included Included License Accurate Mass Metabolite Spectral Library 2.0 - The Accurate Mass Metabolite Spectral Library contains high resolution MS and MS/MS spectra in positive and negative ion mode (where appropriate) for greater than 600 endogenous and exogenous compounds for metabolomics analysis. The accurate mass library is designed for library searching against high resolution product त्य/Dr. Sabyasachi Band ion data generated on the TripleTOF 5600/5600+, 6600 and X500R QTOF. The library is accessible through MasterView 1.1 cod Coto Resparch Faci (MV) and LibraryView 1.0 (LV). This kit contains one perpetual पा.आ.सं. नई दिल्ली-29/AIIMS,New Delh license for the Accurate Mass Metabolite Spectral Library 2.0. No DVD is included. The library can be obtained through web download. 29 0001 CentriVap for proteomics applications with vacuum pump Included 30 0001 UPS 15 KVa, 1 hour backup Included Included 31 0001 01 All India Instituted Operator for three years Included 32 0001 Table for LCMSMS, UPLC, nano LC and PC 01 Included Included set 33 0001 Gas Cylinder N2 02 Included Included GAS REGULATOR TWO-STAGE 2-75PSI STAINLESS STEEL Included Included

Registered office: 3rd floor Unit #19215 B Wing Art Guild House, Phoenix Market city UBS Road, Vimersa

nited Kurla W Mumbai,

Dr.HARIPR

ANN I Professor & Head Tarin | Deptt. of Biophysics Feed 59 | Ansari Nagar, New Delhi-59 अ.म.आ.स. 14.11.М.S.

onimite o

ompany Proprietary

34 5085000 सेन / Dr Sudip Sen Maharashtra 400070. Phone: 022 3026 7000/2



SCIEX

www.sciex.com

Sr.#	Product Part #	Description	Qty	Unit Price USD	Total Price USD	
35	0001	AC		Included	Included	
35	TRNLP002	Success Plus (training)		Included	Included	
37	0001	Printer	01	Included	Included	
				I Total list price	USD 17,23,609.36	
			Total CIP ne	w Delhi Value	USD 955,000	

Amount in Words: Nine hundred and fifty-five thousand US Dollars.



द्योपाध्याय/Dr. Sabyasachi Bandyopadhyay पैहानिज-॥ / Eciontist-II क्षेत्रीकृत योग अनुसंधान युविधा Centrolicand Corp Research Facility अ.भा.आ.सं.,नई विल्ली-29/AHMS,New Delhi-29

Name: Durgesh Dhir Designation: Regional specialist

ब. मा. बा. मं., बंचाचे पगर/AIIMS, Arrsari Nagar गई दिल्ली-110029 / New Delhi-110029

प्राचील एगि | DR. SUNIL RANGA एम.डी. (पैथोलोजी) / M.D. (Pathology) आचार्य, प्रमार्थाचाता एवं विमानाच्यहां Professor, Consultant & Head of Department किल्पि विज्ञान विभाग / Department of Pathology किल्पि विज्ञान विभाग / Department of Pathology किल्पि विज्ञान विभाग / Department of Pathology किल्पिया एवं साम्युरजंग अस्ति तत् तद् विल्ली—110029

विभाग/Deptt. of Bio ST. THIN STORY | Professor of Directories आवार एवं अध्यक्ष | Professor & Head केलगीतिक अध्यक्ष | Dept. of Biophysics केलगीतिक अध्यक्ष में कुलगोतिक किला। Depth. of Biophysics (A.I.I.M.S. New Delhi-29 अस्पीतिक अस्पान्त्रात्वे (A.I.I.M.S. New Delhi-29 अस्पीतिक अस्पान्त्रात्वे (A.I.I.M.S.) (A.I.I.M.S.)

SCIEX India Pvt. Limited

Registered office: 3rd floor, Unit # 9215, B-Wing, Art Guild House, Phoenix Market city, LBS Road, Vimersia Media technologies Pvt Limited Kurla West, Mumbai, Maharashtra 400070. Phone: 022 3026 7000.

Manufacture Reserves The Right to Change The Part #s without Prior Notice Page 7 of 4

Confidential - Company Proprietary





Total Price Product Part # Qty **Unit Price** USD USD

Annexure A

OFFER FOR COMPREHENSIVE MAINTENANCE CONTRACT- Optional

Comprehensive maintenance contract including-

- 1. SCIEX ZenoTOF 7600 x 1
- UHPLC x 1
- 3. Nitrogen Generator x 1
- 4. Nano LC

Cost of CMC	cost for 6th	cost for 7th	cost for 8th	cost for	cost for
	year	year	year	9th year	10th year
Price for all the instruments mentioned above	USD 41000	USD 43000	USD 45000	USD 47000	USD 49000

NOTE:

The above prices will be applicable after the expiry of warranty period of 5 years. Taxes extra as applicable.

> Spurppallyar उाँ॰ सब्यसाची बंद्योपाध्याय/Dr. Sabyasachi Bandyopadhyay

वैज्ञानिक-॥ / Scientist-॥ केंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility अ. भा. आ. सं. ,नई दिल्ली-29/AIIMS, New Delhi-29

R / Professor 114 / Department of Blochemistry ब. पा. बा. सं., बंशारी नगर/AIIMS, Ansari Nagar ना दिल्ली-110029 / New Delhi-110029

SCIEX India Pvt. Limited

Registered of the Part I with 9215, B-Wing, Art Guild House, Phoenix Market city, LBS Road, Vimersia Media technologies Pvt Limited Kurla West, Mumbai, Maharashira 4000 to Rhone: 022 3026 7000.

Manarashira 4000 to Right to Change The Part I's without Prior Notice Page 8 of 4

Confidential - Company Pro-

he Right to Change The Part #s without Prior Notice Page 8 of 4

एम प्रिक्त सम्भाग / DR. SUNIL RANGA एम प्रकार (M.D. (Pathology) आसार्ग प्रकारनेता एवं किमागाच्या Professor, Consultant & Head of Department

विकृति विज्ञान विभाग/Department of Pathology वीएमएमसी एवं सफदरजंग अस्पताल, नई दिल्ली-110029 VMMC & Safdarjung Hospital, New Delhi-110023 जीव रसायन विज्ञान विभाग/Deptt. of Biochemis अखिल भारतीय आयुर्विज्ञान संस्थान, नई दिल्ली All India Institute of Medical Sciences, Ansari Nagar, New Del प्रनीत कीर IDr. Punit

आवार्य एवं अध्यक्ष | Professor & Head आवाव एवं ज्यूचना Frundayu ज Fraduces जनमातिक विभाग I Deptt. of Biophysics अ. पा. आ.सं. / A.I.I.M.S. अ. पा. आ.सं. / A.I.I.M.S. अ. पा. आ.सं. / A.I.I.M.S. अ. पा. आ.सं. / A.I.I.M.S.

Confidential - Company Proprietary



1 65						www.sciex.com
	Sr.#	Product Part #	Description	Qty	Unit Price USD	Total Price USD

Terms and Conditions:

- Warranty: 60 months from the date of installation or 63 months from the date of Shipment whichever is earlier 1
- Insurance and shipment of instrument/s will be provided till destination airport by SCIEX.
- Consumables not covered during warranty can be found on this link https://www.sciex.com/legal-pages/service-3. consumables
- The site must be provided in ready condition within 60 days from the date of shipment to avail the full warranty period. Site preparation guide and requirements will be given after receiving the order.
- Installation: SCIEX undertakes to install the ordered instruments/technologies by SCIEX factory trained service engineers at 5. customer site at no additional cost.
- During the installation, Sciex will perform all the tests as per the standard "Installation Guide/Data Log" issued by SCIEX.
- The installation will be completed within 25 working days from the date of completion of site in accordance of the installation requirement.
- Inspection on arrival of the shipment: Kindly inform to SCIEX immediately after arrival of the ordered material. We will organize to check the complete shipment against any damage, short shipment, minor defects etc. It is essential to report any such problem within 05 working days of arrival of shipment at the site to claim and honor the insurance and/or warranty.
- 9. Parts failed during warranty and/or CMC period will be shipped at no additional cost.
- 10. Suitable Compressor for gas Generator should be Procured by the customer.
- 11. The Shipment will be divided and shipped in 2 parts as per Airlines/Customs requirement. A: General Cargo (Main Consignment) B: Dangerous Goods (Chemicals)

12. HSN Code: 90278030

13. Please visit for detailed Ferms & Conditions https://sciex.com/legal-pages/legal-terms-and-conditions

PARTHAPRASAD CHATTOPADHYAY, NO PRO ERK 40 CHAITO. PRASAD CHAITO.

Spandrop allyny डॉ॰ सन्यसाची बंबोपाध्याय/Dr. Sabyasachi Bandyopadhyay

वैज्ञानिक-॥ / Csiantiss-॥ केंद्रीकृत कोर अनुसंधान जुविधा Centralized Core Research Facility

अ.भा.आ.सं.,नई दिल्ली-29/AllMS,New Delhi-29

Hond Professor hemistry, Scient

Jethir 10029

All India Institute of Medical Regulation Ansari Nagar, New Delhi अखिर। भारतीय आयुर्विज्ञान संस्थान, नई दिल्ली-29

TITIE STORY | Professor & Head आबाय एवं अध्यक्ष Prolessor व ताम्बर्ध नेवर्गतिकि विभाग Dept. of Biophysics हो नग, मुं हिल्ली 29 | Ansari Nagar, New Delhi-29

Dr. JAYAN

अपर आनार्य/Additional Professor व रगणन विज्ञान विज्ञान/Deptt of Biochemistry

SCIEX India Pvt. Limited

Registered office: 3rd floor, Unit # 9215, B-Wing, Art Guild House, Phoenix Market city, LBS Road, Vimersia Media technologies Pvt Limited Kurla West, Mumbai, Maharashtra 400070. Phone: 022 3026 7000.

Reserves The Right to Change The Part #s without Prior Notice Page 9 of 4

Confidential - Company Proprietary

सदीम सेन / Dr. Sudip Sen आचार्य / Professor जीव रसायन विभाग / Department of Biochemistry ब. पा. बा. सं., रापारी पगर/AHMS, Ansari Nagar नई दिल्ली-110029 / New Delhi-110029

डॉ॰ सुनील रांगा/DR. SUNIL RANGA एम.डी. (पैथोलोजी)/M.D. (Pathology) आचार्य, परामशंदाता एवं विमागाध्यक्ष Professor, Consultant & Head of Department विकृति विज्ञान विसान/Department of Pathology वीएमएमसी एवं सफदरजंग अस्पताल, नई दिल्ली-110000 VMMC & Safdarjung Hospital, N

डॉ. पुरवा मापुर/Dr. PURVA MATHUR L, पाज नगर नई विल्ती-110029



12 Dec 2023

To, The Director All India Institute of Medical Sciences **ANSARI NAGAR NEW DELHI-110 029**

SUBJECT: Proprietary statement

Dear Sir

This is to certify that SCIEX make ZenoTOF 7600 LCMSMS with SCIEX OS software is solely manufactured by AB SCIEX Pte Ltd only.

We have attached our CERTIFICATE OF EXCLUSIVITY for this instrument along with this letter.

Thanking you, Yours truly,



For SCIEX India Pvt Ltd

Durgesh Dhir

Mobile: +91-9871709203

Email: durgesh.dhir@sciex.com

आ-गर्ना Additional Professor सायन विवान विधाग Deptt of Biochemistry अधित भारतीय आयुर्वितान संस्थान,

कौर I Dr. Punit Kaur

Paris Deptt. of Biophysics ह रहनार । Uepte of Diophysics अ.जॉ.आ.सं. | A.I.I.M.S. अ.जॉ.आ.सं. | Ansari Nagar, New Delhi-29

STAIN AND I Professor & Head

डॉ॰ सब्यसाची बंबोपाध्याय/Dr. Sabyasachi Bandyopadhyay

वैज्ञानिक-॥ / Scientist-॥ वोंद्रीकृत कोर अनुसंधान सुविधा Centralized Core Research Facility

अ.भा.आ.सं.,नई दिल्ली-29/AllMS,New Delhi-29

SCIEX India Private Limited GST: 27ABKCS3386H1ZV | Regd. Office: Unit No. 9215, B wing, 3rd Floor, Art Guild House, Phoenix Market City,

LBS road, Mumbai, Maharashtra, 400070, India | Tel. No.: +91 22 3026 7000 | India.cs@sciex.com

Dr. Sudip Sen आसार्व / Professor धीव रसायन विभाग / Department of Biochemistry ज. पा. जा. रां., अंबारी नगर/AliMS, Ansari Nagar नई दिल्ली-110029/New Delhi-110029

डॉ॰ सुनील रांगा/DR. SUNIL RANGA एन.डी. (पैथोलोजी)/M.D. (Pathology) आचार्य, परामर्शदाता एवं विमागाध्यद

Professor, Consultant & Head of Department विकृति विज्ञान विभाग/Department of Pathology वीएगएमसी एवं सफदरजंग अस्पताल, नई दिल्ली-110029 Saldariung Hospital

12 Dec 2023



To Whomsoever It may concern

I/ We Sciex India Pvt Ltd, 3rd floor, Unit # 9215, B-Wing, Art Guild House, Phoenix Market city, LBS Road, Vimersia Media technologies Pvt Limited Kurla West, Mumbai, Maharashtra 400070. Manufacturer of (Supplier) SCIEX ZenoTOF 7600 LCMSMS system do hereby declare and solemnly affirm that the individual/firm/company is not black-listed by the Union/State Government/Autonomous body/ Central / State Government and Public Sector. Any partner or shareholder thereof is not directly or indirectly connected with or has any subsisting inters in business of my/our firm.



For SCIEX India Pvt Ltd

Durgesh Dhir

Mobile: +91-9871709203

Email: durgesh.dhir@sciex.com

D. PASTAPPASAD CHATTOPADHYAN, MOPED

ST. TIGHT STORM FOR STORM TO BE STORM THE PROPERTY OF BENEFIT STORM THE PROPERTY OF BENEFIT STORM STORM THE PROPERTY OF

हाँ. जयन स्पार एमडी
Dr. JAYANTH KUMAR MD
अपर आचार्य/Additional Professor
अपर आचार्य/अवस्थान संस्थान, नई दिल्ली-29
अप्रिक्त पारतीय आयुर्विज्ञान संस्थान, नई दिल्ली-29
अप्रिक्त पारतीय आयुर्विज्ञान संस्थान, अw Delhi-29

डॉ॰ सव्यसची बद्यापाध्याय/Dr. Sabyasachi Bandyopadhyay वैज्ञानिक-II / Sciontict-II बोंद्रीकृत कोर अनुसंधान सुविधा

Centralized Coro Research Facility अ.भा.आ.सं. नई विल्ली-29/AlfMS,New Delhi-29

Dr. Pragyar Acharya

Dr. Pragyar Acharya

Additional Professor Interioral Sciences

Additional Pragy 1 to 029

Additional Pragy 1 to 029

Additional Pragy 1 to 029

हां. पुनीत कार IDr. Punit Kaur हां. पुनीत कार I Dr. Punit & Head अवसी प्रवं अवसा I Deptt. of Biophysics किस्ता में किस्ता I Deptt. of Biophysics किस्ता में किस्ता I Deptt. of Biophysics किस्ता में किस्ता I Deptt. of Biophysics किस्ता I Deptt. of Biophysics किस्ता I Deptt. of Biophysics किसता किस्ता I Deptt. of Biophysics किसता में किस्ता I Deptt. of Biophysics किसता I Deptt. of Biophysics Bi

GST: 27ABKCS3386H1ZV | Regd. Office: Unit No. 9215, B wing, 3rd Floor, Art Guild House, Phoenix Market City, LBS road, Mumbai, Maharashtra, 400070, India | Tel. No.: +91 22 3026 7000 | India.cs@sciex.com

ड. सुदीन रोन / Dri Sudip Sen आयोर्ग / Professor बीव रसावन विभाग / Department of Biochemistry अ.पा. बा. सं., बंचारी नगर/AIIMS, Ansari Nagar गई दिल्ली-110029 / New Delhi-110029

प्रनील रागा/DR. SUNIL RANGA एम.डी. (वेथोलोजी)/M.D. (Pathology) आचार्य, परामर्शदाता एवं विभागाच्यहा Professor, Consultant & Head of Department विकृति विज्ञान विभाग/Department of Pathology वीएगएगसी एवं सफदरजंग अस्पताल, नई दिल्ली—110029 VMMC & Safdarjung Hospital, New Delhi-110029

0000

Professor (Laborolog Martinus)

Professor (Laborolog Maurina)





October 27, 2023

CERTIFICATE OF EXCLUSIVITY- India

AB Sciex Pte Ltd. ("SCIEX"), a Singapore company with registered offices at 33 Marsiling Industrial Estate Road 3, #04-06, Singapore, 739256, certifies that it is the exclusive manufacturer of the new SCIEX ZenoTOF 7600 mass spectrometer ("system") announced on June 17, 2021.

At launch in 2021, the ZenoTOF 7600 system included for the first time in a commercial instrument a Zeno trap and electron activated dissociation (EAD) fragmentation cell. Zeno trap pulsing overcomes the traditional duty cycle challenges of orthogonal TOF technology, delivering up to 20x the sensitivity and enabling the routine detection of important low-abundant molecules. In combination, tunable EAD fragmentation ensures novel structural information can be extracted and quantified from diverse compound types – a capability that is not currently possible by using high resolution alone. As of the date of this letter SCIEX believes that the Zeno trap and EAD cell are only available in combination in the ZenoTOF 7600 system.


The Zeno trap is described in more detail in US 7,456,388 and the EAD fragmentation cell is described in US 10,014,166, along with additional patents and patent families that cover these components.

The ZenoTOF 7600 system currently includes additional features and components and there are additional patents, patent applications and copyright that relate to the SCIEX mass spectrometry architecture in certain jurisdictions and SCIEX reserves all rights in this regard.

Should additional clarification be required, please do not hesitate to contact me.

Sincerely yours,

दिल्ली-110029 / New Delhi-110029



Safdariung Hospital, New Delhi-110023 on Nugar